Product information

ATF III



Description

ATF III is a multifunctional hydraulic fluid for manual and automatic transmissions for vehicle hydraulic systems as well as numerous industrial applications. ATF III also guarantees perfect operation of hydraulic transmissions under extreme operating conditions and large temperature fluctuations.

Properties

- highest thermal stability
- outstanding viscosity stability
- optimum stability to aging
- outstanding corrosion protection
- outstanding chemical resistance
- excellent low temperature behavior
- friction and wear reducing

Specifications and approvals:

Allison C4 • Dexron III G • Ford Mercon • Voith H55.6335.XX (G 607) • ZF TE-ML 04D • ZF TE-ML 14A • ZF TE-ML 17C

LIQUI MOLY also recommends this product for vehicles or assemblies for which the following specifications or original part numbers are required:

Caterpillar TO-2 • MB 236.1 • MAN 339 Typ V1 • MAN 339 Typ Z1 • MAN 339 Typ L1

Technical data

Density at 15 °C 0,850 g/cm³
DIN 51757

Viscosity at 40 °C 34,5 mm²/s
ASTM D 7042-04

Viscosity at 100 °C 7,5 mm²/s

ASTM D 7042-04

Viscosity at -40°C (Brook- <= 20000 mPas field) ASTM D 2983-09

Viscosity index 193

DIN ISO 2909

Pour point -48 °C

DIN ISO 3016

Flash point 214 °C

DIN ISO 2592

Sulfate ash 0,10 g/100g

DIN 51575

Shear stability, viscosity at 5,1 mm²/s

100 °C after 20 h DIN 51350-06-KRL/C

Color / appearance rot

Areas of application

ATF III is used in automatic transmissions and manual transmissions, in torque converters and numerous power steering systems in accordance with the specifications and operating instructions specified by the motor vehicle and transmission manufacturers.

Application

Operating requirements of the vehicle, transmission and hydraulic system manufacturers must be followed.

Available pack sizes

Available pack sizes	
500 ml Can plastic	1405 D-GB-I-E-P
1 l Can plastic	1043 D-GB-I-E-P
5 l Canister plastic	1056 D
20 l Canister plastic	1058 D-GB
60 l Drum sheet metal	1246 D-GB
205 l Drum sheet metal	1245 D-GB

Our information is based on thorough research and may be considered reliable, although not legally binding.