

25U Adjustable Depth Open Frame 4 Post Server Rack w/ Casters / Levelers and Cable Management Hooks

Product ID: 4POSTRACK25U



The 4POSTRACK25U 25U Server Rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 25U rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40in) that make it easy to adapt the rack to fit your equipment.

This durable 4-post rack supports a static loading capacity of up to 1200lbs (544kg), and offers compliance with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494) for a universal design that's compatible with most rack equipment.

For a complete server storage solution that saves you time and hassle, the rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securely fastening the rack to the floor if needed, providing you with additional stability to better suit your server environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Rack-mounting A/V equipment in a radio or television studio

Features

- 25U Open frame design
- Adjustable mounting depth from 22 - 40in
- Supports a static loading capacity of 1200lbs (544kg)
- Easy-to-read rack Unit (U) and depth adjustment markings
- Casters, leveling feet and cable management hooks included
- Pre-drilled holes to secure the rack directly to the floor
- Easy to assemble
- Flat-packed for easy shipping

Hardware	Warranty	2 Years
	Casters	Included
	Fan(s)	No
	Frame Type	Open Frame
	Front Door Type	Open
	Industry Standards	DIN 41494
		EIA/ECA-310-E
		IEC 60297-3-100
	Key Lock	No
	Rack Type	4-Post
	U Height	25U
Performance	Weight Capacity	1202.9 lb [544.3 kg]
Physical Characteristics	Color	Black
	Enclosure Type	Steel
	External Depth	26.1 in [661.8 mm]
	External Height	47.8 in [1215.3 mm]
	External Width	23.6 in [600 mm]
	Height with Casters	50.8 in [1290 mm]
	Internal Height	43.9 in [1115.8 mm]
	Internal Width	18.3 in [465 mm]
	Maximum Mounting Depth	40 in [1016 mm]
	Minimum Mounting Depth	22 in [558.8 mm]
	Product Height	43.9 in [1115.8 mm]
	Product Length	26.1 in [661.8 mm]
	Product Weight	65.5 lb [29.6 kg]
	Product Width	18.3 in [465 mm]
Packaging Information	Flat Pack	Yes
	Shipping (Package) Weight	74.6 lb [33.7 kg]
What's in the Box	Included in Package	2 - Left Vertical Rail
		2 - Right Vertical Rail

2 - Base Bracket
8 - Corner Section
4 - Center Section
2 - Top Bracket
48 - M8 Bolt
48 - M8 Washer
1 - M8 (13mm) Wrench
1 - M6 (10mm) Wrench
1 - Phillips Screwdriver
32 - M6 Cage Nut
32 - PVC Cup Washer
32 - M6 Phillips Head Screw
12 - Cable Management Hook
12 - Hook Mounting Screw
4 - Casters
4 - Leveling Feet
16 - M6 Screw
16 - M6 Flat Washer
16 - M6 Flange Nut
4 - Grounding Wires

Product appearance and specifications are subject to change without notice.