



LogiLink®

Mobile Power Bank

PD 65 W, 20000 mAh

Art. No.: PA0350

Stay Powered, Stay Connected

The high capacity power bank is powerful enough to charge 4 USB devices simultaneously. With 65 W single USB-C output, fast charge your USB-C laptop wherever you go!

65 W

USB-C PD
Single Port



QC 3.0 & PD 3.0
Fast Charging



LCD
Display



Bidirectional
Charging



Overcharging
Protections



Aluminum
Housing



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



PA0350



Made in China



Power on the Go

The 20000 mAh capacity provides multiple charges for your mobile devices wherever you are.

Easy-to-Read

Large digital display to show the remaining power.



65 W Power Delivery

Fast charging single USB-C device with 65 W.

Convenient Simultaneous Charging

Charging up to 4 devices at the same time with 2x USB-C PD 3.0 and 2x USB-A QC 3.0 ports.

Fast Charging Inputs

Quickly charge your power bank with the USB-C ports.



Multiple Protections

Extremely safe and reliable, with overload, overvoltage, overcurrent, overtemperature, overcharge, short circuit and discharge protections.

Wide Compatibility

Compatible with any USB-C/USB-A enabled device such as laptop, LED digital display, smartphones, tablets, digital cameras, headphones and many more.

Specifications:

Battery Capacity	20000 mAh Li-Polymer battery, 74 Wh
Input	USB-C1/C2: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W) 15 V/3 A (45 W), 20 V/3.25 W (65 W max.)
Output	USB-C1/C2: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W) 15 V/3 A (45 W), 20 V/3.25 W (65 W max.) USB-C1+C2: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W) 15 V/3 A (45 W), 20 V/2.25 W (45 W+45 W=90 W max.) PPS: 3.3–11 V/5 A (55 W max.) USB-A1/A2: 5 V/4.5 A (22.5 W), 9 V/2 A (18 W), 12 V/1.55 A (18.6 W) USB-A1+A2: 5 V/3 A (15 W max.) USB-A1+A2+C1+C2: 5 V/1 A*4 (20 W max.) USB-A1+C1: 5 V/2 A+5 V/2.5 A=22.5 W max. USB-A2+C1: 5 V/4.5 A+20 V/2.25 A=45 W max. USB-A1+C2: 5 V/4.5 A+20 V/2.25 A=45 W max. USB-A2+C2: 5 V/2 A+5 V/2.5 A=22.5 W max. USB-A1+A2+C1: 10 W+18 W+12 W=40 W max. USB-A1+A2+C2: 18 W+10 W+12 W=40 W max. USB-A1+C1+C2: 8 W+40 W+8 W=56 W max. USB-A2+C1+C2: 8 W+40 W+8 W=56 W max.
Protections	Overcharge, overcurrent, overvoltage, overload, over-temperature, short circuit and discharge
LCD Display	Yes
Housing Material	Aluminum
Color	Black
Operating Temperature	40±5°C
Operating Humidity	20–40% RH (no condensation)
Cable Length	30 cm
Dimensions	10.5 x 4.8 x 4.8 cm
Weight	390.5 g

Package Contents:

- » 1x 20000 mAh Power Bank
- » 1x USB-A to USB-C Cable
- » 1x User Manual

Package Information:

- » Packing Dimension: 80 x 50 x 160 mm
- » Packing Weight: 0.454 kg
- » Carton Dimension: 400 x 260 x 250 mm
- » Carton Q'ty: 30 pcs
- » Carton Weight: 14.5 kg



USB-A to USB-C charging cable



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

