

HDMI and DVI Dual-Monitor Docking Station for Laptops - USB 3.0

Product ID: USB3SDOCKHD



The USB3SDOCKHD Universal USB 3.0 Laptop Docking Station with DVI, HDMI, Audio and Ethernet adds dual video outputs, headphone and microphone jacks, as well as Gigabit Ethernet and additional USB 3.0 and USB 2.0 ports to a laptop computer, all from a single device and over a single SuperSpeed USB 3.0 connection.

Offering flexible dual video combinations right out-of-the-box, this versatile universal docking station features HDMI and DVI external monitor outputs, as well as an included DVI to VGA adapter. Plus, each of the video outputs provided by the docking station supports video resolutions up to 1920x1200 and HD video playback - an ideal solution for adding robust video capability while remaining conveniently mobile.

An all-in-one mobile solution, the universal laptop docking station combines USB 2.0 and USB 3.0 hubs, headphone and microphone audio connectors and a Gigabit Ethernet RJ45 port into a single docking station, making it the perfect accessory for enhancing your laptop's capabilities.

With an upright design, the dock occupies minimal desk space, so it's perfect for hoteling or hot desk environments.

The USB3SDOCKHD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Ideal for hoteling in shared workspaces, or for short-term hot desk applications
- Add dual video outputs to a laptop or small form factor computer, where the video card cannot be replaced
- Connect a wide variety of peripherals at home/office to a laptop and be able to instantly disconnect them all from a single USB connection
- Turn a laptop into a multi-monitor workstation (up to 3 screens total) for increased productivity

Features

- HDMI and DVI video output with DVI to VGA adapter included
- 10/100/1000 Mbps compatible RJ45 Ethernet port
- Speaker and Microphone support via 3.5mm stereo mini-jacks
- Supports resolutions up to 1920x1200 on both video outputs simultaneously
- 2 front panel USB 3.0 ports and 4 rear panel USB 2.0 ports
- Fully compliant with USB 3.0 specifications, with support for transfer rates up to 5 Gbps
- Supports the Windows® Aero® interface
- Vertical, upright positioning saves desk space
- Supports Windows, Mac, and Chrome OS

Hardware	Warranty	3 Years
	4K Support	No
	Bus Type	USB 3.0
	Chipset ID	DisplayLink - DL-3900 VLI - VL810 Terminus - FE1.1 Realtek - RTL8211E
	Displays Supported	2
	Fast-Charge Port(s)	No
	Industry Standards	IEEE 802.3, 802.3u, and 802.3ab
Performance	Auto MDIX	Yes
	Compatible Networks	10/100/1000 Mbps
	Full Duplex Support	Yes
	Maximum Digital Resolutions	1920 x 1200
	Type and Rate	USB 2.0 - 480 Mbit/s USB 3.0 - 5 Gbit/s
Connector(s)	Connector Type(s)	1 - DVI-I (29 pin) Female 1 - HDMI (19 pin) Female 1 - RJ-45 Female 1 - USB Type-B (9 pin) USB 3.0 Female 2 - 3.5 mm Mini-Jack (3 Position) Female 2 - USB Type-A (9 pin) USB 3.0 Female 4 - USB A (4 pin) Female
Software	OS Compatibility	Windows® XP SP3 (32-bit), Vista, 7, 8, 8.1, 10 Mac OS® 10.6 to 10.12 Chrome OS™
Special Notes / Requirements	System and Cable Requirements	CPU: i3 Dual core 2.8GHz or better RAM: 2GB or higher Available USB 3.0 port
Indicators	LED Indicators	1 - Power (Blue) 1 - USB Hub Link (Blue)
Power	Input Current	0.8A
	Input Voltage	100 ~ 240 AC
	Output Current	4A

	Output Voltage	5 DC
	Plug Type	C
	Power Consumption (In Watts)	20
	Power Source	AC Adapter Included
Environmental	Operating Temperature	10°C to 40°C (50°F to 104°F)
	Storage Temperature	-10°C to 80°C (14°F to 176°F)
Physical Characteristics	Color	Black
	Enclosure Type	Plastic
	Product Height	7.7 in [195 mm]
	Product Length	4.9 in [125 mm]
	Product Weight	12.8 oz [362 g]
	Product Width	2.8 in [70 mm]
Packaging Information	Package Quantity	1
	Shipping (Package) Weight	32.8 oz [929 g]
What's in the Box	Included in Package	1 - USB 3.0 Docking Station
		1 - USB 3.0 Cable
		1 - DVI to VGA Adapter
		1 - Universal Power Adapter (NA/EU/UK/AU)
		1 - Driver CD
		1 - Instruction Manual

Product appearance and specifications are subject to change without notice.