

# InLine® 24 Port Gigabit Network Switch 10/100/1000 1GBit/s 19" Metal noiseless

Artikel 32324I



## InLine® 24 Port Gigabit Network Switch 10/100/1000 1Gbit/s 19" Metal noiseless

Artikel 32324I



This 24 port Gigabit switch is easy to install and helps quickly and reliably in a network expansion. Based on Gigabit Ethernet technology the switch helps to avoid network bottlenecks of increasingly required network resources. Each port uses optimal speed and half- or full-duplex mode. Fast "store-and-forward" switching prevents damaged packets passing into the network. In addition, the switch supports energy-efficient Ethernet (EEE) by IEEE802.3az, which reduces power consumption by detecting the cable length and automatic signal strength. This helps to reduce energy consumption and to protect our environment. Features

- Complies with IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3x and IEEE802.3az
- Supports up to 16K MAC addresses
- Supports IEEE802.3x flow control for full duplex mode and back pressure for half-duplex mode
- Supports jumbo frames
- LED indicators for monitoring power and link/activity

### Specifications

- Chipset: RTL8382L+RTL8218B
- Standards: IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3x, IEEE802.3az

### Cables to be used:

- 10Base-T: UTP cable Cat. 3, 4, 5 (max. 100m)
- EIA/TIA-568 100Ohm STP (max. 100m)
- 100Base-TX: UTP cable Cat. 5, 5e or higher (max. 100m)
- EIA/TIA-568 100Ohm STP (max. 100m)
- 1000Base-T: UTP cable Cat. 5, 5e or higher (max. 100m)
- Number of ports: 24x 10/100/1000Mb/s auto negotiation ports
- LED displays (green): LINK/ACT/SPEED, power
- Transfer method: Store-and-forward
- Switching capacity: 52Gb

### Frame Filtering and forwarding rate:

- 10Mb/s: 14880pps
- 100Mb/s: 148800pps
- 1000Mb/s: 1488000pps

Dimensions (WxDxH): 440x205x44mm (19"-housing) Environmental conditions:

- Operating temperature: 0°C - 40°C
- Storage temperature: -10°C - 70°C
- Humidity in operation: 10% - 90%, non-condensing
- Storage humidity: 5% - 90%, non-condensing

Power: AC 100V~240V 50/60Hz (internal power supply) Power consumption: Max. 20 watt 19" mounts included

#### Artikeleigenschaften

Ports:	24-Port
Variante:	19"
Typ:	10/100/1000

## InLine® – Brand of Choice for IT and Electronics Accessories

In our InLine® brand, we offer a high-quality product range targeted specifically at end users. Our product range includes more than 4,000 IT and electronics accessory products which are described in detail on our website. With this brand we provide certified quality and an attractive product range of cutting edge items that is always up-to-date and offers huge variety. Browse through our broad choice of products, and you'll be certain to find exactly what you need, all available in stock. Don't forget to look closer at our woodline product range by InLine® made from genuine walnut wood; these products do not merely look good, but are also great to touch and handle. Our brand's products are recognizable by their uniform green-white packaging and can be purchased in good online shops and selected specialized brick-and-mortar shops – check our website to find suitable purchase sources. With our InLine® brand you may rely upon excellent service including detailed product information, up-to-date drivers, and competent consultation straight from the manufacturer via Live Support.

InLine® ist eine Marke der INTOS ELECTRONIC AG® - Alle Rechte vorbehalten

