




LESSMANN



Hand Brushes



Hand Brushes

Hand Brushes are used everywhere, in the metal industry, construction work, in the workshop. They are found in every tool box. The complete range contains all types of filling materials, from coarse steel to the finest brass wire. The handles are made of beech wood with two hanging holes.

LESSMANN Handbrushes are of superb quality and yet are economic due to a fully automated and efficient production facility. Using modern marking systems individual printing of brands and EAN Bar Codes can be made. This is done by burning stamps or tampon printing at low cost.

Brake Caliper Brushes ROKI

This brush has been manufactured in co-operation with the automobile industry. This brush is used for cleaning off clogged lining deposits when changing brake pad linings. Thus the brush is very slim with a heavy straight wire filling. Made in this way it prevents damage to sensitive brake areas during use. The brush 182.431 has to the top a sloping filling and is therefore extra hard. New is the two-components-handle with the latest ergonomical aspects. Because of the design and the ergonomic handle this brush is remarkably versatile to use.

Hand Brushes with Two-Components Handles

apply to other requirements of modern high quality tools with best ergonomics.



Rivet Brushes

The V shaped filling material enables the removal of slag and scale from normally hard to reach welds and fillet welds

Hand Brushes with Scraper

For painters and bricklayers in the construction industry. These brushes are ideal for scraping off dirt or cement splashes.

Hand Brushes, Heavy Duty


These models have a larger wooden handle and a longer and dense wire filling than our standard models.

Universal Wire Brushes

For many uses, especially in the Do It Yourself section.

Stainless Steel Brushes

Information on brushing on stainless materials you will find at www.lessmann.com



All standard hand brushes have a bar code stamp and LESSMANN-imprint.

Hand Brushes Standard



Hand Brushes							
Rows >		1	2	3	4	5	6
Filling	Pack.	Art.-No.	Art.-No.	Art.-No.	Art.-No.	Art.-No.	Art.-No.
1	STA straight 0.35 0.014"	12	100.011	100.021	100.031	100.041	100.051
	STA straight 0.35 0.014"	100		100.020	100.030	100.040	100.050
	STM crimped 0.30 0.012"	12		105.421	105.431	105.441	105.451
	STA crimped 0.20 0.008"	12			102.431	102.441	
	STA crimped 0.30 0.012"	12	102.611	102.621	102.631	102.641	102.651
2	ROF crimped 0.15 0.006"	12		104.321	104.331	104.341	104.351
	ROF crimped 0.20 0.008"	12		104.421	104.431	104.441	104.451
	ROF crimped 0.35 0.012"	12	104.611	104.621	104.631	104.641	104.651
	ROF straight 0.35 0.012"	12	103.711	103.721	103.731	103.741	103.751
	RO8 straight 0.30 0.012"	12		105.721	105.731	105.741	
3	MES crimped 0.15 0.006"	12		107.321	107.331	107.341	107.351
	MES crimped 0.25 0.010"	12	107.411	107.421	107.431	107.441	107.451
	MES crimped 0.35 0.014"	12	107.611	107.621	107.631	107.641	107.651
	MES straight 0.35 0.014"	12		106.621	106.631	106.641	106.651
	BRO crimped 0.20 0.008"	12			108.331	108.341	108.351
4	BRO crimped 0.40 0.016"	12				108.041	
	PA straight 0.40 0.016"	12			109.431	109.441	109.451
	FIB	12				109.741	

Other filling materials and trim length on request.

Other sparkless brushes can be found on page 64

Item Nos. in bold are available ex stock. Consider our minimum order value for *italic printed* article numbers (see page 164).

STA = steel wire	MES = brass wire
STM = brass coated steel	BRO = bronze wire
ROF = stainless steel wire	PA = polyamide
RO8 = stainless steel wire, extremely heat resistant	FIB = fibre




Promoting sustainable forest management www.pefc.de

Special Hand Brushes



Special Hand Brushes								
	Filling	Rows	KL	KB	A	H	Pack.	Art.-No.
ROKI** Brake Caliper Brushes with Two-Components								
			mm inch	mm inch	mm inch	mm inch		
1	STA straight 0.35 0.014"	2 x 13	225 9	12 1/2	90 3 1/2	22 7/8	10	182.401
	STA crimped 0.30 0.012"	2 x 13	225 9	12 1/2	90 3 1/2	22 7/8	10	182.411
2	STA straight 0.35 0.014"	2 x 12/13	225 9	12 1/2	90 3 1/2	12/18 1/2 5/8	10	182.431*
3	ROF straight 0.35 0.014"	2 x 13	225 9	12 1/2	90 3 1/2	22 7/8	10	182.421
4	MES crimped 0.25 0.010"	2 x 13	225 9	12 1/2	90 3 1/2	22 7/8	10	182.451
Hand Brushes with Plastic Handles								
5	STA straight 0.35 0.014"	2	285 11 1/4	20 3/4	130 5 1/8	25 1	10	185.121
	STA straight 0.35 0.014"	3	285 11 1/4	26 1	130 5 1/8	25 1	10	185.131
	STA straight 0.35 0.014"	4	285 11 1/4	31 1 1/4	130 5 1/8	25 1	10	185.141
	STA straight 0.35 0.014"	5	285 11 1/4	31 1 1/4	130 5 1/8	25 1	10	185.151
	ROF crimped 0.35 0.014"	2	285 11 1/4	20 3/4	130 5 1/8	25 1	10	185.421
	ROF crimped 0.35 0.014"	3	285 11 1/4	26 1	130 5 1/8	25 1	10	185.431
	ROF crimped 0.35 0.014"	4	285 11 1/4	31 1 1/4	130 5 1/8	25 1	10	185.441
	ROF crimped 0.35 0.014"	5	285 11 1/4	31 1 1/4	136 5 1/8	25 1	10	185.451
	MES straight 0.35 0.014"	2	285 11 1/4	20 3/4	130 5 1/8	25 1	10	185.621
	MES straight 0.35 0.014"	3	285 11 1/4	26 1	130 5 1/8	25 1	10	185.631
	MES straight 0.35 0.014"	4	285 11 1/4	31 1 1/4	130 5 1/8	25 1	10	185.641
	MES straight 0.35 0.014"	5	285 11 1/4	31 1 1/4	130 5 1/8	25 1	10	185.651
Hand Brushes with Two-Components Handles								
6	ROF straight 0.35 0.014"	3	285 11 1/4	26 1	130 5 1/8	25 1	10	186.431


* Special hard brushes, pointed For the food industry
** ROKI® = Registered Trademark



Special Hand Brushes



Special Hand Brushes								
	Filling	Rows	KL	KB	A	H	Pack.	Art.-No.
			mm inch	mm inch	mm inch	mm inch		
1	Rivet Brushes							
	STA straight 0.35 0.014"	3 x 15	290 11 3/8	35 1 1/2	135 5 3/8	35 1 1/2	12	120.801
	ROF straight 0.35 0.014"	3 x 15	290 11 3/8	35 1 1/2	135 5 3/8	35 1 1/2	12	120.811
	RO8 straight 0.30 0.012"	3 x 15	290 11 3/8	35 1 1/2	135 5 3/8	35 1 1/2	12	120.831
	ROF straight 0.35 0.014" with Plastic Handles	3 x 15	290 11 3/8	31 1 1/4	135 5 3/8	35 1 1/2	12	185.811
2	Hand Brushes with Scraper							
	STA straight 0.35 0.014"	4 x 15	290 11 3/8	33 1 1/4	130 5 1/8	25 1	12	120.401
	STA straight 0.35 0.014"	6 x 15	290 11 3/8	38 1 1/2	130 5 1/8	25 1	12	<i>120.601</i>
	ROF straight 0.35 0.014"	4 x 15	290 11 3/8	33 1 1/4	130 5 1/8	25 1	12	<i>120.412</i>
3	Hand Brushes Heavy Duty							
	STA straight 0.35 0.014"	2 x 16	290 11 3/8	30 1 1/4	150 6	32 1 1/4	12	136.101
	STA straight 0.35 0.014"	3 x 16	290 11 3/8	35 1 1/2	150 6	32 1 1/4	12	136.102
	STA straight 0.35 0.014"	4 x 16	290 11 3/8	40 1 3/8	150 6	32 1 1/4	12	136.103
Hand Brushes Export Model								
4	STA straight 0.35 0.014"	4 x 17	300 12	30 1 1/4	130 5 1/8	25 1	12	122.401
5	STA straight 0.35 0.014"	4 x 19	350 14	30 1 1/4	160 6 3/8	30 1 1/4	6	122.801
6	BRO straight 0.30 0.012"	3 x 19	350 14	25 1	153 6 1/32	30 1 1/4	6	122.771
	BRO straight 0.30 0.012"	4 x 19	350 14	30 1 1/4	150 6	30 1 1/4	6	122.821
	BRO straight 0.30 0.012"	5 x 19	350 14	30 1 1/4	153 6 1/32	30 1 1/4	6	<i>122.871</i>
7	Universal Wire Brushes							
	STM crimped 0.30 0.012"	1	260 10 1/4	10 3/8	135 5 3/8	28 1	24	056.001
	STA crimped 0.35 0.014"	1	260 10 1/4	10 3/8	135 5 3/8	28 1	24	056.301
	ROF crimped 0.30 0.012"	1	260 10 1/4	10 3/8	135 5 3/8	28 1	24	056.501
	MES crimped 0.30 0.012"	1	260 10 1/4	10 3/8	135 5 3/8	28 1	24	056.701



Item Nos. in **bold** are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

- STA = steel wire
- STM = brass coated steel
- ROF = stainless steel wire
- RO8 = stainless steel wire, extremely heat resistant
- MES = brass wire
- BRO = bronze wire

Spark Plug Brushes



Spark Plug Brushes									
	Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.	
1 EAN	MES crimped 0.15 0.006"	2 x 5	100 4	15 5/8	25 1	15 5/8	12	125.111	
	MES crimped 0.15 0.006"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.211	
	STA crimped 0.15 0.006"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.201	
	ROF crimped 0.15 0.006"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.231	
	MES crimped 0.15 0.006" / PP	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.221	
	MES crimped 0.15 0.006"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.311*	
	ROF crimped 0.20 0.008"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.241	
	PA straight 0.30 0.012"	3 x 5/6	150 6	15 5/8	40 1 3/8	15 5/8	12	125.251	
3	BRO crimped 0.15 0.006"	3 x 5/6	200 8	15 5/8	40 1 3/8	15 5/8	12	132.801	
	MES crimped 0.15 0.006"	5 x 8/10	190 1 1/2	24 1	55 2 1/4	18 3/4	12	125.511	
4	MES crimped 0.15 0.006" / PP	5 x 8/10	190 1 1/2	24 1	55 2 1/4	12 1/2	12	125.521	
5	MES crimped 0.15 0.006"	4 x 6	155 6	22 7/8	40 1 3/8	18 3/4	12	182.331**	

Soldering tip brush, extra dense filament, wooden handle orange									
6 EAN	ROF crimped 0.10 0.004"	3 x 7/8	150 6	15 5/8	39 1 3/8	9	12	125.234	


* Wooden body varnished | ** Plastic body

Spark Plug Brushes

These small brushes are for all fine brushwork requiring thin wire. They are available in different sizes and filling materials. The models 182.001 and 182.331 have plastic bodies, the other models have a beech wood body. The body of 125.311 is varnished.

Soldering tip brushes

Soldering tip brushes have an extra dense and fine trimming. They are ideal for processing soldering tips and cleaning circuit boards after the soldering process as well as for many other fine jobs.



Item Nos. in bold are available ex stock. Consider our minimum order value for *italic printed* article numbers (see page 164).

STA	= steel wire
ROF	= stainless steel wire
MES	= brass wire
BRO	= bronze wire
PA	= polyamide
PP	= polypropylene
ROS	= horse hair



Promoting sustainable forest management
www.pefc.de

Fine Scratch Brushes



Fine Scratch Brushes									
	Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.	
1	MES crimped 0.15 0.006"	3	225 9	16 5/8	110 4 3/8	20 3/4	12	126.311	
	MES crimped 0.15 0.006"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.411	
	MES crimped 0.15 0.006"	5	225 9	24 1	110 4 3/8	20 3/4	12	126.511	
	MES crimped 0.15 0.006"	6	225 9	28 1	110 4 3/8	20 3/4	12	126.611	
	MES crimped 0.15 0.006"	8	225 9	36 1 1/2	110 4 3/8	20 3/4	12	126.811	
	MES crimped 0.08 0.003"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.441	
	MES crimped 0.10 0.004"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.431	
	MES crimped 0.15 0.006"	4	225 9	20 3/4	100 4	20 3/4	12	182.162**	
	ROF crimped 0.15 0.006"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.481	
2	STA crimped 0.15 0.006"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.401	
3	PA straight 0.30 0.012"	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.451	
	PP straight 0.30 0.012"	4	225 9	20 3/4	100 4 3/8	20 3/4	12	182.172**	
4	ROS	4	225 9	20 3/4	110 4 3/8	20 3/4	12	126.472	
5	ROF crimped 0.15 0.006"	4	225 9	20 3/4	100 4	20 3/4	12	182.152**	

Special Brushes									
6	MES crimped 0.35 0.014"	4 x 11/12	350 14	22 7/8	77 3	10 3/8	12	182.807**	
	MES crimped 0.35 0.014"	4 x 11/12	400 15 3/4	20 3/4	77 3	10 3/8	12	183.704**	
	MES crimped 0.35 0.014"	4 x 11/12	450 17 3/4	22 7/8	77 3	10 3/8	12	182.811**	
	MES crimped 0.30 0.012"	5 x 9/8	700 27 1/2	25 1	54 2 1/4	6 1/4	12	183.706**	
7	MES crimped 0.35 0.014"	4 x 11/12	350 14	22 7/8	80 3	10 3/8	12	137.701	
8	MES crimped 0.30 0.012"	5 x 9	700 27 1/2	25 1	54 2 1/4	6 1/4	12	138.704	
	MES crimped 0.30 0.012"	4 x 11/12	450 17 3/4	22 7/8	80 3	8 5/16	12	138.705	
9	MES crimped 0.25 0.010"	2 x 10	200 8	15 5/8	80 3	19 3/4	12	132.701	


** Plastic body | For the food industry

Fine Scratch Brushes

Also called watchmaker and goldsmith brushes. The brushes have a very high density of filling wires and are available in different widths. These brushes are used among other things to apply solvents and other cleansing agents.

Special Brushes

The brushes were manufactured according to our customers' specification and show variations, which are possible through our flexible manufacturing procedures.



Grill brushes



Barbecue grill brushes

For regular cleaning of grill grates, Barbecue grill brushes are ideal to remove even stubborn and burned dirt. With the right brush, your grate shines like new again.

Barbecue grill brushes Standard, with scraper

The all-rounder for every barbecue, the standard Barbecue grill brushes with a stainless steel scraper.

Barbecue grill brushes curved Duty, dense filament

The curved handle makes handling these Barbecue grill brushes even easier. Dense filling with soft bristles and a scraper made of stainless steel, burned dirt has no chance.



All Barbecue grill brushes have a bar code stamp and LESSMANN-imprint.

Barbecue grill brushes straight Duty, with scraper


Due to the hard and dense filling, heavy design particularly well suited for cleaning stubborn dirt. With the scraper made of stainless steel an effortless removal of burned dirt is possible.

Barbecue grill brushes „curved Duty“

The allrounder modified with bent trimming and high-quality Two-Components handles suitable for different grill gates, this brush is a highlight for every grill owner.



All Barbecue grill brushes with practical hanging hole and in a CutCase packaging.




Scraper flat

Scraper round



Promoting sustainable forest management
www.pefc.de



Item Nos. in bold are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

ROF = stainless steel wire



Barbecue grill brushes, crimped wire									
Standard, with scraper									
	KL mm inch	KB mm inch	H mm inch	Rows	A mm inch	Scraper	Pack.	ROF 0.35 Art.-Nr.	
1	290 11 3/8	33 1 1/4	25 1	4	130 5 1/8	flat	8	120.413	
2	290 11 3/8	33 1 1/4	25 1	4	130 5 1/8	round	8	120.423	
curved Duty, dense filament, with scraper									
	KL mm inch	KB mm inch	H mm inch	Rows	A mm inch	Scraper	Pack.	ROF 0.20 Art.-Nr.	
3	250 10	25 1	23 7/8	3	90 3 1/2	round	8	120.433	
4	250 10	38 1 1/2	23 7/8	4	90 3 1/2	round	8	120.443	
straight Duty, with scraper									
	KL mm inch	KB mm inch	H mm inch	Rows	A mm inch	Scraper	Pack.	ROF 0.30 Art.-Nr.	
5	290 11 3/8	33 1 1/4	20 3/4	5	90 3 1/2	round	12	135.455	
6	500 20	50 2	20 3/4	9	90 3 1/2	round	9	138.469	
„curved Duty“ with Two-Components Handles									
	KL mm inch	D mm inch			BL mm inch		Pack.	ROF 0.20 Art.-Nr.	
7	280 11	30 1 1/4			110 4 3/8		5	<i>599.501</i>	
8	280 11	30 1 1/4			110 4 3/8		5	<i>599.503</i>	

Special Models



Hand Brushes Rectangular and Violin
There are many filling wires in these stable universal brushes.

Hand Brushes with Bracket
The wooden body is pointed to the front end, the plastic bracket is nailed on. The model 140.901 has an adjustable stock board which enables an adjustment to brush firmness.

These special models are mainly ordered by our export customers.

Brushes for removing wet storage stain
Zinc coated surfaces are needed for corrosion protection. Often after the zinc coating of work parts, under wet conditions chemical reactions occur which cause wet storage stain. The special bronze wire allows the effective removal of white rust without smashing the zinc coating which has to be treated.

Radiator Brushes
This narrow, long shaped brush is ideal for hard to reach areas on heaters and radiators. The model 121.211 has a straight body, the other models have a curved body.

Staining Brushes
The treated wood is prepared with these staining brushes. By using fibre and bronze wire the brushes are insensitive against all normal chemical based solutions. The model 144.211 has an adjustable stock board which enables an adjustment to brush firmness. With the staining brushes 144.701 and 144.801 the surface after the staining process is polished by the leather insert strips. Any standing wood fibre is also smoothed.


File Cleaners
The brushes for cleaning wood and metal files are available in different sizes and with different file card. The file card is glued on to the wooden body.

File Card in Rolls
Various roughing-up tools can be manufactured with this material, which is also available in different sizes and filling materials. Available in meters or if required in single pieces.

Bricklayer's Brushes
For pre and retreatment of brickwork for painters and bricklayers. All models have a jute or plastic strap.

Plasterer's Brushes
These are for roughening and structuring of plaster. Body is made of beech wood, the steel pins are hardened.

Spiked Rollers
For use before the removal of wallpaper. The spiked roller perforates the paper allowing absorption of stripping solvent. The roller is of plastic with the steel pins obliquely arranged to ensure maximum efficiency in use. The handle can be made longer with customised telescopic handles. For safety the roller is supplied with a protective cover.



Item Nos. in bold are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

STA	= steel wire
STM	= brass coated steel
BRO	= bronze wire



Special Hand Brushes								
Filling		Rows	KL	KB	A	H	Pack.	Art.-No.
Hand Brushes Rectangular and Violin			mm inch	mm inch	mm inch	mm inch		
1	STA straight 0.35 0.014"	6 x 19	185 7 1/4	57 2 1/4	175 7	30 1 1/4	12	140.201
2	STA straight 0.35 0.014"	5	200 8	60 2 3/8	190 7 1/2	35 1 1/2	16	141.231
3	STM straight 0.35 0.014"	5	200 8	55 2 1/4	170 6 5/8	40 1 3/8	36	140.641
Hand Brushes with Bracket								
4	STA straight ca. 0.35 0.014"	5	225 9	55 2 1/4	200 8	38 1 1/2	16	140.901*
5	STM crimped 0.35 0.014"	5	225 9	55 2 1/4	200 8	38 1 1/2	16	140.811
Hand Brushes with Strap								
6	STA straight 0.50 0.020"	7	200 8	70 2 3/4	185 7 1/4	35 1 1/2	12	141.421
Hand Brushes for removing wet storage stain								
7	BRO crimped 0.08 0.003"	11 x 18	120 4 3/4	70 2 3/4	110 4 3/8	14 4/7	4	152.811


* with adjustable board



Promoting sustainable forest management
www.pefc.de

PEFC/04-31-0389

Special Models



Radiator Brushes								
	Filling	Rows	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	H mm <i>inch</i>	Pack.	Art.-No.
1	STA straight 0.25 0.010"	3 x 13	420 16 1/2	20 3/4	115 4 1/2	20 3/4	12	121.111*
2	STA straight 0.25 0.010"	3 x 13	420 16 1/2	20 3/4	115 4 1/2	20 3/4	12	121.211**

Staining Brushes								
	Filling	Rows	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	H mm <i>inch</i>	Pack.	Art.-No.
3	MES crimped 0.15 0.006"	7	150 6	50 2	140 5 1/2	20 3/4	12	144.001
4	BRO crimped 0.15 0.006"	7	150 6	50 2	140 5 1/2	20 3/4	12	144.011
5	BRO 0.15 0.006" / FIB	7	150 6	50 2	140 5 1/2	20 3/4	12	144.021
	BRO crimped 0.15 0.006"	7	180 7	60 2 3/8	170 6 5/8	20 3/4	12	144.111
	BRO 0.15 0.006" / FIB	7	180 7	60 2 3/8	170 6 5/8	20 3/4	12	144.121
6	BRO crimped 0.15 0.006"	6	150 6	50 2	130 5 1/8	20 3/4	12	144.211***
	BRO crimped 0.15 0.006"	6	150 6	50 2	130 5 1/8	15 5/8	12	144.311
7	BRO crimped 0.15 0.006"	6	180 7	60 2 3/8	160 6 3/8	15 5/8	12	144.411

Wax Polishing Brush								
	Filling	Rows	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	H mm <i>inch</i>	Pack.	Art.-No.
8	Leather + FIB	3/7	175 6 7/8	60 2 3/8	160 6 3/8	20 3/4	12	144.701


* Wooden body curved | ** Wooden body straight | *** with adjustable board



Promoting sustainable forest management
www.pefc.de

Item Nos. in **bold** are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

STA = steel wire
ROF = stainless steel wire
MES = brass wire
BRO = bronze wire
PP = polypropylene
FIB = fibre



File Cleaners / Roughing Brushes						
	File Cards	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	Pack.	Art.-No.
1	STA 0.30 0.012"	210 8 1/4	25 1	100 4	12	037.101
	STA 0.30 0.012"	250 10	40 1 3/8	115 4 1/2	12	037.201
	STA 0.30 0.012"	250 10	40 1 3/8	115 4 1/2	100	037.200
	ROF 0.30 0.012"	250 10	40 1 3/8	115 4 1/2	12	037.221
2	ROF 0.60	170 6 3/4	30 1 1/4	24 1	20	037.710

3 File Cards				
Filling, without interval	STA 0.30 width 25	STA 0.30 width 38	STA 0.30 width 51	ROF 0.30 width 38
	Art.-No.	Art.-No.	Art.-No.	Art.-No.
	000.311*	000.321*	000.331*	000.323*

Bricklayer's Brushes with Strap								
	Filling	Rows	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	H mm <i>inch</i>	Pack.	Art.-No.
4	STA straight 0.25 0.010"	9	210 8 1/4	100 4	200 8	35 1 1/2	12	142.101
5	MES crimped 0.20 0.008" / PP	9	210 8 1/4	95 3 3/4	200 8	20 3/4	12	142.211**

Plasterer's Brushes						
	Filling	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	H mm <i>inch</i>	Art.-No.
6	86 steel Pins hardend	190 7 1/2	97 3 3/4	165 6 1/2	16 5/8	061.101

7 Spiked Rollers						
	Filling	Rows	KL mm <i>inch</i>	KB mm <i>inch</i>	A mm <i>inch</i>	Art.-No.
	steel Pins on plastic roller, with Protective Cover	12	290 11 3/8	25 1	148 5 7/8	064.050

* Please indicate length. | ** Wooden body varnished

Brooms and Scrubs




Brooms and Scrubs

Brooms and Scrubs for the use in all industrial companies and craftsman's establishments.


The shown brooms and scrubs are the best selling models.

The brooms with flat steel wire 1.80 x 0.45 mm make the so called broom lines on cement floors thus receiving a rough surface.



Item Nos. in bold are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

STA = steel wire
ROF = stainless steel wire
MES = brass wire



1 Brooms Flat Wooden Stock, with Handle Hole 23 Ø								
Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.	
STA straight 0.50 0.020"	5 x 16/17	250 10	60 2 3/8	270 10 5/8	70 2 3/4	12	147.101	
STA straight 0.50 0.020"	5 x 20	300 12	60 2 3/8	330 13	70 2 3/4	12	147.401	
STA straight 0.50 0.020"	6 x 20/21	300 12	70 2 3/4	330 13	70 2 3/4	12	147.201	
STA straight 0.50 0.020"	6 x 20/21	300 12	70 2 3/4	330 13	70 2 3/4	42	147.200	
ROF straight 0.50 0.020"	6 x 20	300 12	70 2 3/4	330 13	70 2 3/4	12	147.261	
STA straight 0.50 0.020"	6 x 23	350 14	70 2 3/4	390 15 3/8	70 2 3/4	12	147.301	

Brooms Raised Wooden Stock, with Handle Hole 23 Ø								
Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.	
STA straight 0.50 0.020"	5 x 16/17	250 8 1/4	60 2 3/8	270 10 5/8	70 2 3/4	12	146.101	
STA straight 0.50 0.020"	6 x 20/21	300 12	70 2 3/4	330 13	70 2 3/4	12	146.201	
BRO straight 0.40 0.016"	6 x 20/21	300 12	70 2 3/4	320 12 51/64	55 2 1/8	12	146.270	
STA straight 0.50 0.020"	6 x 23/24	350 14	70 2 3/4	390 15 3/8	70 2 3/4	12	146.301	

Scrubs, with Handle Hole 23 Ø								
Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.	
STA straight 0.35 0.014"	6 x 16/17	220 8 5/8	60 2 3/8	225 9	35 1 1/2	12	148.101	
ROF straight 0.35 0.014"	6 x 16/17	220 8 5/8	60 2 3/8	225 9	35 1 1/2	12	148.161	
MES crimped 0.25 0.010"	6 x 16/17	220 8 5/8	60 2 3/8	225 9	25 1	12	148.141	
BRO straight 0.40 0.016"	6 x 16/17	220 8 5/8	60 2 3/8	225 9	40 1	12	148.170	
STA straight 0.25 0.010"	6 x 17/18	240 9 1/2	70 2 3/4	245 9 5/8	35 1 1/2	12	148.201	
STA straight 0.40 0.016"	7 x 15/16	230 9	65 2 1/2	220 8 5/8	35 1 1/2	12	148.601*	

* Wooden body curved



Dusters




Dusters
Depending on the surrounding and application area, dusters are available in various models and with various filling materials. For coarse and light adherent dirt, dusters with wire filament are ideal.

Next to horse hair we offer dusters with coco filament as a good value alternative.

The duster with polypropylene filament (straight plastic fibre) can be cleaned easily and therefore other surfaces do not get dirty. Since the water absorption of polypropylene is very low, the duster can be used also under wet conditions.

Further models in special execution with different filling materials and trim length available.

Dusters custom-made
Beside the mentioned models we provide special models with filling material and trim length according to your requirements.



Item Nos. in **bold** are available ex stock.
Consider our minimum order value for *italic printed* article numbers (see page 164).

STA	= steel wire
MES	= brass wire
PP	= polypropylene
ROS	= horse hair



Dusters								
	Filling	Rows	KL mm inch	KB mm inch	A mm inch	H mm inch	Pack.	Art.-No.
1	Coco	4	280 11	40 1 3/8	160 6 3/8	70 2 3/4	12	124.201
2	Coco Long Duty	4	430 17	40 1 3/8	165 6 1/2	70 2 3/4	20	124.401
3	MES crimped 0.25 0.010"	4	320 12 1/2	35 1 1/2	150 6	40 1 3/8	12	124.121
4	BRO crimped 0.25 0.010"	4	320 12 1/2	35 1 1/2	140 5 5/8	40 1 3/8	12	<i>124.181</i>
5	STA straight 0.25 0.010"	4	320 12 1/2	35 1 1/2	150 6	60 2 3/8	12	124.101
6	ROS	6	300 12	43 1 3/4	165 6 1/2	50 2	20	124.301*
7	PP	4	320 12 1/2	35 1 1/2	175 6 7/8	70 2 3/4	12	124.801
	PP Long Duty	4	430 17	40 1 3/8	165 6 1/2	70 2 3/4	12	124.841

* Wooden body varnished

