

LED-Nachtlicht NL 01 QDSet
mit Dämmerungssensor

Steckbrief

- LED Nachtlichter mit Dämmerungssensor und 1 LED
- Extrem geringer Stromverbrauch 0,4 W
- Set mit Gehäusen hellblau, rosa und weiß



Technische Highlights

- LED Nachtlichter mit Dämmerungssensor und 1 LED
- Extrem geringer Stromverbrauch 0,4 W
- Set mit Gehäusen hellblau, rosa und weiß
- Sanftes unaufdringliches Licht

**LED-Nachtlicht NL 01 QDSet
1173180**

Lieferumfang

- Nachtlicht
- Im Double Blister verpackt



Technische Daten

- | | |
|-------------------------------|----------------|
| • LEDs | 1x 0,06W |
| • Lichtleistung | 1,5lm |
| • Leuchtwinkel | 360° |
| • Twilight sensor sensitivity | 10lux |
| • Lichtfarbe | warm-white |
| • Netzspannung | 230V 50Hz |
| • Leistungsaufnahme max | 0,4W |
| • Lebensdauer | 50.000 h |
| • Schutzart | IP 20 |
| • Betriebstemperatur | -10 bis +40° C |
| • Masse | 53*53*50 mm |
| • Gewicht (netto) | 38g |



LED Night light NL 01 QDSet
with dusk sensor

Characteristics

- LED night lights with dusk sensor and 1 LED
- Extremely low power consumption, 0.4 W
- Set with casings available in light blue, pink and white



Technical highlights

- LED night lights with dusk sensor and 1 LED
- Extremely low power consumption, 0.4 W
- Set with casings available in light blue, pink and white
- Soft unobtrusive light

**LED night light NL 01 QDSet
1173180**

Scope of Delivery

- Night light
- Double blister pack



Specifications

- | | |
|-------------------------------|---------------|
| • LEDs | 1x 0.06W |
| • Luminous power | 1,5 lm |
| • Beam angle | 360° |
| • Twilight sensor sensitivity | 10lux |
| • Color temperature | warm-white |
| • Supply voltage | 230V 50Hz |
| • Power consumption max | 0.4W |
| • Lifespan | 50,000 h |
| • Type of protection | IP 20 |
| • Operating temperatures | -10 to +40° C |
| • Dimensions | 53*53*50 mm |
| • Weight (net) | 38g |

