

Delock Adapter SuperSpeed USB (USB 3.1 Gen 1) with USB Type-C™ male > 2 x Gigabit LAN 10/100/1000 Mbps

Description

The USB-C™ adapter by Delock offers 2 network ports with a data transfer rate up to 1000 Mbps. Each port can be configured independently of the other, so one PC can be connected to different networks at the same time.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
 - 2 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8153
- SuperSpeed USB - 5 Gbps specification
- Data transfer rate:
 - Ethernet up to 10 Mbps (Half/Full Duplex)
 - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
 - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
 - IEEE 802.3: 10BASE-T
 - IEEE 802.3u: 100BASE-TX
 - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.3x full duplex flow control
- Supports 9k Jumbo Frames
- Downwards compatible to USB 2.0
- LED indicator for power and activity
- USB bus powered
- Colour: black
- Cable length incl. connectors: ca. 27 cm

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 2.6.x, ex Mac OS 10.9
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port

Package content

- USB Type-C™ Gigabit LAN adapter
- CD ROM with driver and software
- User manual

Item no. 63927

EAN: 4043619639274

Country of origin: China

Package: • Retail Box

Images



General

Supported operating system:	Mac OS 10.9 or above
	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Linux Kernel 2.6 or above

Interface

Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	2 x Gigabit LAN RJ45 jack

Technical characteristics

Chipset:	Realtek RTL8153
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1 Gbps