

Delock Power Bank 10000 mAh USB Type-A, USB Type-C™, USB Micro-B

Description

This external battery by Delock can be used for all common devices with USB power supply. The power bank has one **USB Type-A** port and one **USB-C™** port, to charge **two devices at the same time**. The USB-C™ port has two functions, charging the power bank and supplying power to connected devices.

Alternatively a USB Micro-B port is available for charging the power bank.

Suction cup pad

The included pad with suction cups offers an ideal way to attach the power supply securely and stable to the back of the phone.



Item no. 41505

EAN: 4043619415052

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-A female
 - 1 x USB Type-C™ female
 - 1 x USB Type Micro-B female
- Capacity: 10000 mAh / 37 Wh
- Output:
 - USB Type-A:
 - 5 V / 3 A, 9 V / 2 A, 12 V / 1.5 A
 - USB Type-C™:
 - 5 V / 3 A, 9 V / 2 A, 12 V / 1.5 A
- Input:
 - USB Type-C™:
 - 5 V / 3 A, 9 V / 2 A, 12 V / 1.5 A
 - USB Type Micro-B:
 - 5 V / 2 A
- On / Off switch
- LED indicator for battery status
- Overcharge and over-discharge protection
- Input overvoltage protection and output overvoltage protection

- Short circuit protection
- Automatic power-off
- Operating temperature: 0 °C ~ 40 °C
- Storage temperature: -20 °C ~ 60 °C
- Colour: black
- Dimensions (LxWxH): ca. 153 x 69 x 13 mm

Package content

- Power bank
- USB Type-C™ to USB Type-C™ cable, length ca. 15 cm
- USB Type-A to Type Micro-B cable, length ca. 15 cm
- Suction cup pad
- User manual

Images



General

| | |
|----------------|--|
| LED indicator: | battery status |
| Protection: | <ul style="list-style-type: none"> Overcharge protection Over-discharge protection Output overvoltage protection Input overvoltage protection Short circuit protection Overheating protection Automatic power-off |

Interface

| | |
|---------|---|
| Output: | <ul style="list-style-type: none"> 1 x USB Type-A female 5 V / 2.4 A 1 x USB type-C™ female 5 V / 2.4 A |
| Input: | 1 x USB Type-C™ female 5 V / 2.0 A |

Technical characteristics

| | |
|------------------------|----------------|
| Storage temperature: | -20 °C ~ 80 °C |
| Operating temperature: | 0 °C ~ 40 °C |

Physical characteristics

| | |
|---------|--------|
| Weight: | 160 g |
| Length: | 136 mm |
| Width: | 72 mm |
| Height: | 9.5 mm |
| Colour: | silver |