



Delock External Enclosure for 2.5" SATA HDD / SSD with USB Type-C™ female transparent - tool free

Description

This plastic enclosure by Delock can be used for the installation of a **2.5" SATA hard drive or SSD**. Despite the slim design, hard disks up to a **height of 9.5 mm** can be installed. The included USB Type-C™ to USB Type-A cable allows the connection to a free USB Type-A female port.

Transparent enclosure with stand

The **sturdy, transparent plastic housing** provides a view inside to quickly see which memory is inside. A stand is supplied for vertical operation.

HDD / SSD installation without tools

The special feature of this enclosure is that **no tools** are required to install the HDD. The lid can be pushed backwards by a little pressure, the HDD will be attached to the SATA port and then the lid is reattached until it locks.



Specification

- Connectors:
 - external:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - internal:
 - 1 x SATA 6 Gb/s 22 pin receptacle
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 9.5 mm
 - SATA HDD / SSD up to 6 Gb/s
 - supports 5 V HDD / SSD
 - HDD / SSD up to 4 TB
- Chipset: VIA VL716
- Data transfer rate:
 - SuperSpeed USB 10 Gbps,
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- LED indicator for power and access
- Transparent plastic housing
- Dimensions (LxWxH): ca. 125 x 79 x 13 mm
- Hot Swap, Plug & Play

System requirements

- Chrome OS 74.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- 2.5" external enclosure
- Cable USB-C™ male to USB Type-A male, length ca. 50 cm
- Stand
- User manual

Item no. 42621

EAN: 4043619426218

Country of origin: China

Package: Retail Box





Images





General

Function:	Hot Swap
	Plug & Play
Suitable for data medium:	2.5"
	SSD or HDD
	height up to 9.5 mm
Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Linux Kernel 3.3 or above
	Mac OS 10.14.5 or above
	Chrome OS 74.0 or above

Interface

External:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
Internal:	1 x SATA 6 Gb/s 22 pin receptacle

Technical characteristics

Chipset:	VIA VL716
----------	-----------

Physical characteristics

Housing material:	Plastic
Cable length:	50 cm
Length:	125 mm
Width:	79 mm
Height:	13 mm
Colour:	transparent