HERRMANS

H-TRACK DYNAMO



HERRMANS® H-TRACK Dynamo rear LED light is equipped with the exclusive light guide technology. Available with Stand light function and in E-bike version. The light is durable and is instantly noticeable, visibility increases safety. Thanks to many assembly options the lights fit a number of bicycles types. The H-TRACK fulfills a number of European road traffic regulations.

Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific.

TECHNICAL DATA

Power Source	**Dynamo**
Nominal Voltage AC	**6 V**
Power Consumption	**0.5 W**
Input connector type	**0,5 x 2,8mm cableshoes / power-input-slide**
Number of LED's	**3**
Stand Light	**Yes**
Operating modes	**On**


Mounting Options	**Carrier**
Mounting Distance	**50 - 80 -**
Housing	**Plastic**
Salt Spray Test	**ISO 9227 NSS 240H**
Type approval (light)	**Germany (StVZO), France (TP LBi)**
Type approval (reflector)	**Z, E-IA**
Packaging Amount	**55 Pce**

KEY FEATURES

- Exclusive light guide technology
- Stand light function
- Many assembly options

Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu

DRAWINGS



Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu

ASSEMBLY OPTIONS



Integrated screws 50mm



Integrated screws 80mm



Integrated screws 50mm



Snap-in railsbracket 50mm

Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu