


DELTA vita, aluminum-metallic Intermediate frame 55 x 55 mm for devices with central plate 51x 51 mm



Model	
Product brand name	DELTA VITA
Product designation	Intermediate frame
Design of cover / flush design	No
General technical data	
Surface processing	others
Material	thermoplastic
Protection class	
Protection class IP	IP20
Suitability	
Suitability for integration	
• built-in installation	No
• Device installation duct	No
• underfloor duct box	No
• flush mounting	Yes
Appearance	
Appearance	shiny

RAL color number	9006
Color	Aluminum metallic

Product details

Product component	
• Labeling field	No
• Hinged lid	No
Product feature	
• halogen-free	Yes
• transparent	No

Number

Number of units	1
-----------------	---

Mechanical Design

Height	55 mm
Width	55 mm
Mounting position	horizontal and vertical
(mounting type)	terminal mounting
Material / of cover frame	plastic

Certificates

Test Certificates

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1160>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1160>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1160

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

