

Delock PCI Express x16 Card to 4 x USB 20 Gbps USB Type-C™ Quad Channel with Fan and Heat Sink in Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by **four external USB 20 Gbps ports**. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card.

Quad Channel

The card has four **ASM3242** chipsets one for each USB Type-C™ connector. This ensures the high data transfer rate of 20 Gbps on all ports when used at the same time.



Item no. 90806

EAN: 4043619908066

Country of origin: China

Package: Box

Technical details

- Connectors:
external:
4 x USB 20 Gbps USB Type-C™ female
internal:
1 x PCI Express x16, V3.0
1 x 6 pin PCIe power female
- Chipset: Asmedia ASM3242, PLX PEX8747
- Data transfer rate up to 20 Gbps
- Downwards compatible to USB 3.0, USB 2.0, USB 1.1
- Power supply via PCI Express interface or via 6 pin power connector
- Electrical power per port: max. 7.5 watt (5 V / 1.5 A)
- Bootable
- Supports UASP
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports Multiple INs
- Heat sink with 40 mm fan

System requirements

- Windows 10/10-64/11
- Windows Server 2022
- PC with one free PCI Express x16 / x32 slot

Package content

- PCI Express card SuperSpeed USB 20 Gbps
- Low profile bracket
- User manual

Images



General

Form factor:	Low Profile
Function:	bootable
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Windows Server 2022

Interface

External:	4 x USB 20 Gbps USB Type-C™ female
Internal:	1 x 6 pin power connector 1 x PCI Express x16, V3.0

Technical characteristics

Power supply:	via PCI Express interface or via 6 pin power connector
Electrical power per port:	max. 7.5 watt (5 V / 1.5 A)
Chipset:	Asmedia ASM3242 Broadcom PEX8747
Data transfer rate:	20 Gbps

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de