


# **ROLINE USB 3.2 Gen 2 Type C Multiport Docking Station, 8K30 HDMI, 3x USB 3.2 Gen 2(2x A + 1x C), 1x USB Type C PD (Power Delivery), 1x Gigabit Ethernet (2.5 GbE)**

|                           |               |
|---------------------------|---------------|
| <b>Product No.</b>        | 12.02.1124    |
| <b>Manufacturer</b>       | ROLINE        |
| <b>Manufacturer No.</b>   | 12.02.1124    |
| <b>EAN (single piece)</b> | 7630049628465 |

**roline**  
Designed for Professionals



**The USB Type C Docking Station provides your MacBook, Ultrabook, Notebook or Laptop with a 8K30 capable HDMI port, 3x USB 3.2 Gen 2 (2x A + 1x C), 1x USB Type C PD (Power Delivery) and 1x 2.5 Gigabit Ethernet!**

- Plug & Play
- Aluminium housing in space grey
- Multiport Docking Station with HDMI connection, allows the expansion of a display or mirroring to another monitor, television or beamer.
- Max. Resolution: 7680x4320@30Hz
- Compact and flat design.
- System requirements: Windows 7/8/10 or MacOS X10.2 and higher

Connection to the mobile device:

- 1x USB Type C connector

Connections for peripheral devices:

- 1x HDMI 8K video output: Mirror or expand your screen to a TV, monitor or projector.
- 3x USB 3.2 Gen 2 Type (2x A +1x C) ports (data transfer rate up to 10Gbit/s), for connecting e.g. keyboard/mouse, USB HDD/SSD, etc.
- 1x USB Type C PD (Power Delivery, max. 60W)
- 1x RJ45 for 2.5 Gigabit Ethernet

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

| Technical specifications           |                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------|
| Manufacturer                       | ROLINE                                                                                       |
| Product group                      | Adapters, Terminators, Converters                                                            |
| Product type                       | Notebook-Docking-Station                                                                     |
| Colour                             | grey                                                                                         |
| Length                             | 0.15 m                                                                                       |
| Scope of delivery                  | Docking Station                                                                              |
| Side 1 connection (PC)             | USB Type C                                                                                   |
| Side 2 connection (Peripherals)    | 3x USB 3.2 Gen 2 F (2x A + 1x C), 1x HDMI socket, 1x 2.5 Gigabit Ethernet socket, 1x PD      |
| Side 1 Connector Type              | USB Type C (USB-C)                                                                           |
| Side 1 Connector Gender            | Male                                                                                         |
| Side 2 Connector Type              | HDMI Type A<br>RJ-45<br>USB Type C (USB-C)<br>USB 3 Type A<br>USB Type C PD (Power Delivery) |
| Side 2 Connector Gender            | Female                                                                                       |
| Material                           | Aluminum                                                                                     |
| Height                             | 18 mm                                                                                        |
| Width                              | 30 mm                                                                                        |
| Depth                              | 141 mm                                                                                       |
| Weight                             | 96 g                                                                                         |
| Height of packaging (single piece) | 20 mm                                                                                        |

|                                      |         |
|--------------------------------------|---------|
| Width of packaging<br>(single piece) | 20 mm   |
| Depth of packaging<br>(single piece) | 160 mm  |
| Package weight (single<br>piece)     | 0.05 kg |