

FARA Series

FARA R1 V2

Stylish and distinct tempered glass mid tower ATX chassis

- Fully meshed front panel provides large surface area for air intake
- Precisely designed interior provides sufficient space for high end graphics card and multiple cooling options
- Two USB 3.0 ports and one USB 2.0 port integrated with single audio jack provide great flexibility for various mobile audio accessories
- Removable filters on top and bottom make cleaning out dust a breeze



Specifications

Specifications		
Model No.	SST-FAR1W-G-V2 (White, tempered glass) SST-FAR1W-V2 (White, steel panel) SST-FAR1B-G-V2 (Black, tempered glass) SST-FAR1B-V2 (Black, steel panel)	
Material	Steel, plastic, tempered glass / Steel, plastic	
Motherboard	ATX (12" x 11"), Micro-ATX (9.6" x 9.6"), Mini-ITX (6.7" x 6.7")	
Drive bay	Internal	3.5" x 2 (compatible with 2.5" x 1), 2.5" x 2
Cooling system	Front Rear Top	120mm x 3 / 140mm x 2 120mm x 1 (120mm x 1 black fan included) 120mm x 2, 140mm x 2
Radiator support	Front Rear Top	120mm / 140mm / 240mm / 280mm / 360mm* 120mm 120mm / 240mm**
Expansion slot	7+2	
Front I/O port	USB 3.0 x 2, USB 2.0 x 1, Combo audio x 1	
Power supply	Standard PS2 (ATX)	
Limitation of expansion card	Length Width	340mm (with 25mm front fan installed) 167mm
Limitation of CPU cooler	161mm	
Limitation of PSU	200mm (3.5" drive cage installed at the front) 171mm (3.5" drive cage installed at the back)	

210mm (W) x 455mm (H) x 420mm (D), 40.1 Liters

8.3" (W) x 17.9" (H) x 16.5" (D), 40.1 Liters

* Maximum radiator thickness: 59mm

Net weight

Dimension

6.18 kg

Increased interior space

For compatibility with the newest hardware components, FARA R1 V2 has an increased total chassis length to fit the highest-end graphics cards of today

(Supports graphics cards up to 340mm)





^{**} Maximum height of motherboard components: 38mm, maximum radiator width: 120mm



Superb air intake volume

Fully meshed front panel allows for a large air intake surface area



Substantial compatibility beyond expectations



ATX (12" x 11"), Micro-ATX (9.6" x 9.6"), Mini-ITX (6.7" x 6.7")



340mm



161mm



200mm (3.5" drive cage installed at the front) 171mm (3.5" drive cage installed at the back)

Tremendous storage expansion flexibility



3.5" x2 (compatible with 2.5" x 1)



2.5" x2

