


## RJ45 Flat patch cable U/FTP, Cat.6A, PVC, white



### Description

The pair-shielded Cat.6A RJ45 **flat patch cable** ensures excellent performance for **10 Gigabit Ethernet** applications. The flat patch cable impresses with its flat construction and is with **2.2mm height ideal for laying e.g. behind ledges or under a carpet**. The cast grommet captivates with its **slim design** and thus simplifies the plugging process in confined spaces.

Sheath material: PVC

Cross section: 4 x 2 x **AWG30 / 7**

Cable diameter: **7.0x2.2mm**

Plug type: **short plug**

### General data

|                                |                    |
|--------------------------------|--------------------|
| Category                       | 6A (TIA)           |
| Type of connector connection 1 | RJ45 8(8)          |
| Type of connector connection 2 | RJ45 8(8)          |
| Connector type                 | RJ45 short version |
| Contacts                       | Gold plated        |
| Pin assignment                 | 1:1                |
| Allocation                     | acc. TIA/EIA 568B  |
| Type                           | Shielded           |
| Anti-kink sleeve               | moulded            |
| Colour anti-kink sleeve        | white              |
| Locking lever                  | yes                |

### Mechanical characteristics

|                   |                         |
|-------------------|-------------------------|
| Mating cycles     | ≥750                    |
| Bending radius    | >20 mm                  |
| Conductive shield | Selected shield contact |

This datasheet was created automatically on 05-02-2020 . Technical changes reserved.



## RJ45 Flat patch cable U/FTP, Cat.6A, PVC, white

### Cable construction

|                           |        |
|---------------------------|--------|
| Cable structure           | U/FTP  |
| Cable construction        | 4x2    |
| AWG-size/strands per core | 30/7   |
| Conductor Material        | Copper |

### Cable sheath

|                             |                                         |
|-----------------------------|-----------------------------------------|
| Silicone-free               | yes                                     |
| Jacket material             | PVC                                     |
| Colour outer sheath         | white                                   |
| Printing                    | SLIM PATCHCABLE U/FTP CAT.6A ***10GB*** |
| Outer diameter of the cable | 7.0*2.2 mm                              |

### Environmental conditions

|                   |             |
|-------------------|-------------|
| Temperature range | -20 – 55 °C |
|-------------------|-------------|

### Electrical characteristics

|                         |                                              |
|-------------------------|----------------------------------------------|
| NVP value               | 76 %                                         |
| Impedance               | 100 ±15 Ω                                    |
| Conductor resistance DC | 376 Ω/km                                     |
| Loop resistance         | 752 Ω/km                                     |
| Resistance unbalance    | <4 %                                         |
| Insulation resistance   | 100 MΩ                                       |
| Test voltage            | 1000 (V DC, 1 min) core/core und core/screen |

### Transmission characteristics

|           |        |
|-----------|--------|
| Bandwidth | 500MHz |
|-----------|--------|

### Standards, approvals, certifications

|           |                |
|-----------|----------------|
| Connector | IEC 60603-7-51 |
|-----------|----------------|

### Available variants

| Article no.  | Title                                                  | Length |
|--------------|--------------------------------------------------------|--------|
| K5545WS.0,25 | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 0.25m, white | 0.25 m |
| K5545WS.0,5  | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 0.5m, white  | 0.5 m  |
| K5545WS.1    | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 1m, white    | 1.0 m  |
| K5545WS.1,5  | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 1.5m, white  | 1.5 m  |
| K5545WS.2    | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 2m, white    | 2.0 m  |

This datasheet was created automatically on 05-02-2020 . Technical changes reserved.



## RJ45 Flat patch cable U/FTP, Cat.6A, PVC, white

|           |                                                     |       |
|-----------|-----------------------------------------------------|-------|
| K5545WS.3 | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 3m, white | 3.0 m |
| K5545WS.5 | RJ45 Flat Patch cable U/FTP, Cat.6A, PVC, 5m, white | 5.0 m |

### similar product

|           |                                                  |
|-----------|--------------------------------------------------|
| K5545SW.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, black  |
| K5545RT.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, red    |
| K5545GR.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, grey   |
| K5545GN.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, green  |
| K5545GE.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, yellow |
| K5545BL.1 | RJ45 Flat patch cable U/FTP, Cat.6A, PVC, blue   |

