

Bus standard line
rectifier
BSNG 650-0
210012496-00



Product description


Bus standard line rectifier for Siedle In-Home bus. For supplying and controlling the bus user audio/video. For new systems with max. 10 users, one bus door station supports two users.
AC voltage integrated, for door release and nameplate lighting for example.

Specifications

Operating voltage:	230 V AC, +/-10 %, 50/60 Hz
Operating current:	200 mA
Output voltage:	27.5 V DC, 12 V AC
Output current:	0.5 A DC, 1 A AC
Fusing:	Primary fuse 1 T 250 mA L, secondary short circuit proof
Contact type:	2 n.o. contacts 24 V, 2 A
Protection system:	IP 30
Ambient temperature:	0 °C to +40 °C
Horizontal pitch (HP):	9
Dimensions (mm) W x H x D:	162 x 89 x 60

Article information

Article designation	Article description	Colour	KG SAP article no.
BSNG 650-0	Bus standard line rectifier	Black	A 210012496-00



Bus standard line
rectifier
BSNG 650-0

210012496

Page 2





Bus standard line
rectifier
BSNG 650-0

210012496

Page 3

BSNG 650-0 Bus standard line rectifier	Product information	672 kB	Download
	Declaration of Conformity	574 kB	Download
	Additional information	824 kB	Download
	System manual	11,7 MB	Download
	System manual	13,5 MB	Download
REACH Information			