

5.25" Mobile Rack for 6 x 2.5" SATA or SAS HDD / SSD with lock

Description

This solid metal mobile rack by Delock can be installed into a 5.25" bay of a PC, IPC or server enclosure and enables the operation of up to 6 2.5" SATA or SAS HDD or SSD.

Quick change of memory

Due to the special mechanism, the HDD / SSD can be exchanged quickly and easily. For example, data backups can be taken and stored in a safe place.

Tray with key lock and springs

The mobile rack is equipped with a key lock to prevent unauthorised access. The stable carrier of metal has springs on the top and bottom which reduce vibrations.

Efficient cooling for the drives

Large ventilation openings on the top and bottom of the Delock mobile frame ensures excellent airflow. An integrated fan at the rear provides additional air circulation, delivering optimal cooling performance for the drives.



Item no. 47142

EAN: 4043619471423

Country of origin: China

Package: Box

Technical details

- Connectors:
 - internal:
 - 6 x SATA 6 Gb/s / SAS 12 Gb/s 22 pin receptacle
 - external:
 - 6 x SATA 7 pin plug
 - 1 x SATA 15 pin plug
 - 1 x 3 pin fan connector male
 - 1 x 14 pin sensor kit female (optional)
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 9.5 mm
 - SATA HDD / SSD up to 6 Gb/s
 - SAS HDD up to 12 Gb/s
- Data transfer rate up to 12 Gb/s
- Mobile rack with key lock for each bay
- 12 x LED indicator for power and access
- Hot Swap
- Bootable

- Robust aluminum housing
- Tray made of metal
- 1 x 40 mm fan

System requirements

- PC with one free 5.25" bay
- PC with 6 free SATA ports
- Power supply with a free SATA power connector

Package content

- Mobile Rack
- 2 x keys
- Screws
- User manual

Images



General

Function:	Hot Swap bootable
Suitable for data medium:	2.5" SSD or HDD height up to 9.5 mm
LED indicator:	12 x

Interface

External:	1 x SATA 15 pin plug 1 x 3 pin fan connector male 1 x 14 pin sensor kit female (optional) 6 x SATA 7 pin plug
Internal:	6 x SATA 6 Gb/s / SAS 12 Gb/s 22 pin receptacle

Technical characteristics

Data transfer rate:	SAS bis zu 12 Gb/s SATA up to 6 Gb/s
---------------------	---

Physical characteristics

Housing material:	Aluminium
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

