



ALPHA 160, wall-mounted cabinet, Surface mounting, with distribution board panel, IP44, Protection class 2, H: 1100 mm, W: 1050 mm, T: 140 mm, RAL 9016

Model		
product brand name	ALPHA 160	
product designation	Wall-mounted cabinet	
design of the product	Surface mounting, with distribution board panel	
surface processing	powder-coated	
Protection class		
protection class IP	IP43	
operating resource protection class	Safety class 2	
suitability for interaction / lightning protection	Yes	
suitability for use / for outside use	No	
Appearance		
RAL color number	9016	
product component	Yes	
• cable entry		
• mounting plate	No	
product extension / optional / side-by-side mounting	No	
number of DIN mounting bars	28	
Mechanical Design		
height	1 100 mm	
width	1 050 mm	
depth	140 mm	
installation depth	140 mm	
number of modular width units / per DIN mounting bar	336	
net weight	47.8 kg	
material / of the enclosure	Steel	
General Product Approval		Declaration of Conformity
		Test Certificates

[Miscellaneous](#)



[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

Test Certificates	other
-------------------	-------

[Miscellaneous](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1052-5KK41>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1052-5KK41>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1052-5KK41

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



