

Delock 4 Port USB 3.2 Gen 1 Hub with USB Type-C™ or USB Type-A connector

Description

This solid USB hub by Delock with metal housing can be connected to a computer, laptop or mobile device via the **USB Type-A or USB-C™ interface**. It expands the computer by **4 USB Type-A ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected.

Extensive connectivity

Due to the specially designed adapter, the Delock hub can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C™ female and older devices that only have a USB Type-A connector. The **adapter is located directly on the cable** and therefore it cannot be lost.

Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male >
 - 4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
- Adapter:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female >
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male
- Chipset: Genesys Logic GL3510
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- 1 x LED indicator
- Robust metal housing
- Dimensions (LxWxH): ca. 70 x 23 x 18 mm
- Cable length incl. connector: ca. 20 cm
- Colour: black
- Plug & Play

System requirements

- Chrome OS
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.8 or above
- Mac OS 11.1 or above
- Windows 8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or
- A free USB Type-A port

Package content

- Hub USB 3.2 Gen 1
- User manual

Item no. 63828

EAN: 4043619638284

Country of origin: China

Package: Retail Box



Images





General	
Function:	Plug & Play
Supported operating system:	Chrome OS
	Linux Kernel 5.8.0 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	iPad Pro (3rd Generation) or above
	iPad Air (4th Generation) or above
	Mac OS 11.1 or above
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
Technical characteristics	
Chipset:	Genesys Logic GL3510
Data transfer rate:	5 Gbps
Physical characteristics	
Cable length:	20 cm
Length:	70 mm
Width:	23 mm
Height:	18 mm
Colour:	black