

Poly Studio X32 & TC10

Small Room

Unleash big connections in small spaces

Small rooms, big conversations. Simplify the moment with the all-in-one Poly Studio X32 video bar. Deliver an immersive experience with advanced audio and video AI technology, and connect instantly with built-in video conferencing apps.

Deliver an inclusive meeting experience

Ideas flourish when everyone feels seen and heard. Poly AV innovations keep the focus solely on participants for effortless collaboration.


A simple way to join and collaborate

Seamlessly join and enjoy a familiar and consistent user experience on nearly all leading cloud video services.

Easy setup. Flexible connections.

Less setup, more meeting time. Made for small rooms, this PoE-enabled video bar offers flexible configurations and simple Poly Lens management.







Small Room & Recommended Accessories Product Specifications

Poly Studio X32 & TC10

Product Dimensions	22.7 x 2.67 x 2.95 in (577 x 68 x 75 mm)
Camera Specifications	Camera resolution: 4K UHD @ 30FPS Horizontal field of view (hFoV): 120° Total Camera Megapixels: 20 MP Auto-camera framing: Group/People/Speaker, DirectorAI Perimeter Zoom: 5x (EPTZ)
Audio Specifications	Microphone type: 4MEMS Microphone pickup range: Up to 15 ft (4.57 m) Dual (2x 5W) speakers
Codec	Native VaaS Application / Poly VideoOS
Power	PoE++
Touch Controller Specifications (Poly TC10)	10.25 x 7.25 x 2.5 in (260 x 184 x 64 mm) 10.1 inch (diagonal), 1280 x 800 resolution, 16:10 aspect ratio Powered by Power over Ethernet (PoE), 802.3 at class 0.

Poly Studio X32 & TC10 Cabling Diagram

