

64211ULT

ULTRA LIFE | Halogen headlight lamps



Areas of application

- Headlight
- Ideal for use in clear-glass headlights

Product benefits

- An ideal daytime running lamp due to long life span
- Up to triple the lifetime (compared to standard halogen lamps)
- 3 year guarantee (on halogen headlight lamps)

Product features

- Modern design with a silver cap (H4/H7)

Product datasheet

Technical data

Electrical data


Power input	62 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1350 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	67.0 mm
Diameter	12.0 mm
Product weight	23.00 g

Lifespan

Lifespan B3	350 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	PGJ19-2
-----------------------------	---------

Certificates & standards


ECE category	H11
--------------	-----

Country specific categorizations

Product datasheet

Order reference	64211ULT-01B 55
------------------------	-----------------

Product datasheet



Others graphics

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899436473	64211ULT	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm ³	34.00 g
4052899436480	64211ULT	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm ³	440.00 g
4052899436510	64211ULT	Hard Cover Box 2	114 mm x 49 mm x 106 mm	0.59 dm ³	115.00 g
4052899436527	64211ULT	Shipping carton box 20	260 mm x 242 mm x 122 mm	7.68 dm ³	1530.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.