

ICY BOX®

IB-AC6110

10 Port USB 3.0 Hub

Manual IB-AC6110

10 Port USB 3.0 Hub

Handbuch IB-AC6110

10 Port USB 3.0 Hub

Manuel Série IB-AC6110

Concentrateur USB 3.0 10 ports

Manuale della IB-AC6110

USB 3.0 Hub con 10 puertos

Manual Serie IB-AC6110

Hub con 10 porte USB 3.0

Εγχειρίδιο χρήσης IB-AC6110

Πλήμνη 10 λιμένων USB 3.0

Instrukcja obsługi IB-AC6110

10-portowy hub USB 3.0

Руководство IB-AC6110

10-портовый концентратор USB 3.0

Manual de Utilização Série IB-AC6110

10 Port USB 3.0 Hub

Manuál IB-AC6110 Series

10 Port USB 3.0 Hub




ICY BOX[®]

IB-AC6110

10 Port USB 3.0 Hub

Connection Diagram



Package Content

1x IB-AC6110, 1x external power supply, 1x USB 3.0 cable, 4x rubber feet, 1x hook-and-loop fastener (to fix the HUB i.e. under a table), 1x quick installation guide

ICY BOX®

IB-AC6110

10 Port USB 3.0 Hub


Introduction

IB-AC6110 is a 10 port USB 3.0 HUB and charging station in one. The USB 3.0 ports can both transfer data with super speed up to 5 Gbit/s and also charge mobile devices at the same time. Without PC you can use the IB-AC6110 as a "standalone" charging station by only connecting the power supply.

The 10th port is a data and smart charging port. It supports the battery charging standard BC 1.2 and can identify a wide range of brands of mobile devices (Tablets and smart phones) to charge them with the corresponding highest speed (up to 2.1 A, 5 V). This function is independent of a PC.

Port 1-9 have different charging behaviors with or without PC. Connected to a running PC via USB 3.0 cable the port 1-9 can charge smart phones of all brands with up to 900 mA. Without PC they can charge Android® and Windows® smart phones or other mobile devices like power banks.

The IB-AC6110 has a built in over current protection and supports Windows XP / Vista / 7 / 8; MAC OS; Linux.



Note: *When PC is off or the HUB is disconnected from PC, port no. 10 can also charge mobil products (cell phone, tablet PC, etc.) at full speed, powered by DC current.

10 Port USB 3.0 Hub

E

10 Port USB 3.0 Hub Key Features

- Premium Aluminium housing
- USB 3.0 host interface up to 5 Gbit/s
- Provides 10x USB 3.0 interface up to 5 Gbit/s
- Including 1x USB fast charge port, 5 V, 2.1 A
- Meets new USB battery charging specification (BC 1.2)
- Supports simultaneous operation of multiple USB 3.0, USB 2.0 and USB 1.1 devices.
- LED Display for power and HDD access
- AC Power adapter (100~240 V), DC: 12 V, 4 A / 48 W
- Supports Windows xp / vista / 7 / 8; MAC Os; Linux

D

10 Port USB 3.0 Hub Hauptmerkmale

- Gehäuse aus hochwertigem Aluminium
- USB 3.0 Hostanschluss bis zu 5 Gbit/s
- Verfügt über 10x USB 3.0 Anschluss bis zu 5 Gbit/s
- Inklusive 1x USB Ladeanschluss, 5 V, 2,1 A
- Entspricht der neuen Batterie Lade Spezifikation (BC 1.2)
- Unterstützt gleichzeitige Verwendung von USB 3.0, USB 2.0 und USB 1.1 Geräten
- LED Display für Betrieb und Festplattenaktivität
- Externe Stromversorgung AC: (100~240 V), DC: 12 V, 4 A / 48 W
- Unterstützt: Windows xp / vista / 7 / 8; MAC Os; Linux

F

Concentrateur USB 3.0 10 ports Spécialités principales

- Premium Aluminium housing
- USB 3.0 hôte interface jusqu'à 5 Gbit/s
- Offre 10 port USB 3.0 interface jusqu'à 5 Gbit/s
- 1x 2,1 Ampere port USB pour charger des despositives mobiles
- LED en façade indiquant la mise sous tension et les accès disques
- Adaptateur secteur AC (100~240 V), DC: 12 V, 4 A / 48 W

ES

USB 3.0 Hub con 10 puertos Características principales

- Material: Alum inio de alta calidad
- USB 3.0 Host hasta 5 Gbit/s
- Ofrece 10 interfaz USB 3.0 hasta 5 Gbit/s
- 1x puerto de USB con 2,1 A de corriente para cargar móviles
- Indicación para corriente y acceso al disco duro con LED
- Fuente de alimentación AC (100~240 V), DC: 12 V, 4 A / 48 W

10 Port USB 3.0 Hub

IT

Hub con 10 porte USB 3.0 Caratteristiche principali

- Cassetto di alluminio
- Interfaccia host USB 3.0 fino a 5 Gbit/s
- Dotato di 10 interfaccia USB 3.0 fino a 5 Gbit/s
- 1x puerto de USB con 2,1 A de corriente para cargar móviles
- Indicación para corriente y acceso al disco duro con LED
- Adattatore di c.a. (100~240 V), DC: 12 V, 4 A / 48 W

PL

10-portowy hub USB 3.0 Funkcje kluczowe

- Aluminiowa obudowa Premium materiału
- USB 3.0 Host Interface, aż do 5 Gbit/s
- Dostępne interfejsy 10 x USB 3.0 do 5 Gbit/s
- 1x 2,1 Ampere port USB do ładowania urządzeń mobilnych
- Diody LED wskazuje zasilanie oraz pracę HDD
- Zasilacz AC (100~240 V), DC: 12 V, 4 A / 48 W

GR

Πλήμνη 10 λιμένων USB 3.0 Βασικά Χαρακτηριστικά

- Θήκη αλουμινίου
- κεντρικού υπολογιστή USB 3.0 έως 5 Gbit/δευτ.
- Παρέχει 10x USB 3.0 έως 5 Gbit/δευτ
- 1x 2,1 Αμπέρ θύρα USB για τη φόρτιση κινητών συσκευών
- Ενδεικτική λυχνία LED τροφοδοσίας και προσπέλασης μονάδας σκληρού δίσκου
- Μετασχηματιστής ρεύματος AC (100~240 V), DC: 12 V, 4 A / 48 W

RU

10-портовый концентратор USB 3.0 Основные признаки

- алюминиевый корпус
- USB 3.0 интерфейс до 5 Gбит/сек
- Интерфейсы 10x USB 3.0 до 5 Gбит/сек
- 1x 2,1 Ампера USB порт для зарядки мобильных устройств
- Дисплей с подсветкой для нормальной эксплуатации HDD
- Блок питания для источника переменного тока 100~240 В, DC: 12 В, 5 А / 48 W

P

10 Port USB 3.0 Hub Recursos

- Aluminiowa obudowa Premium materiału
- USB 3.0 Host Interface, aż do 5 Gbit/s
- Dostępne interfejsy 10 x USB 3.0 do 5 Gbit/s
- 1 x 2,1 Ampere port USB do ładowania urządzeń mobilnych
- Diody LED wskazuje zasilanie oraz pracę HDD
- Zasilacz AC (100~240 V), DC: 12 V, 4 A / 48 W

ICY BOX®

IB-AC6110

10 Port USB 3.0 Hub



10 Port USB 3.0 Hub Funkce

- Premium Hliníkové pouzdro
- USB 3.0 rozhraní hostitele až 5 Gbit/s
- Poskytuje rozhraní 10x USB 3.0 až po 5 Gbit/s
- 1x 2,1 Amper USB port pro nabíjení mobilních zařízení
- LED displej pro napájení HDD a přístup
- Napájecí adaptér AC (100 ~ 240 V), DC: 12 V, 4 A / 48 W

ICY BOX®

<http://www.icybox.de>



© Copyright 2014 by RaidSonic Technology GmbH. All Rights Reserved

The information contained in this manual is believed to be accurate and reliable. RaidSonic Technology GmbH assumes no responsibility for any errors contained in this manual. RaidSonic Technology GmbH reserves the right to make changes in the specifications and/or design of the above mentioned product without prior notice. The diagrams contained in this manual may also not fully represent the product that you are using and are there for illustration purposes only. RaidSonic Technology GmbH assumes no responsibility for any differences between the product mentioned in this manual and the product you may have.