




# CRANK INSTALLATION



[raceface.com](http://raceface.com)

B10186-D

CHECK [RACEFACE.COM](http://RACEFACE.COM)  
FOR INSTALLATION UPDATES





## CINCH SPINDLE LENGTH GUIDE

RF 30mm Spindle Length	Total BB Width*
RF131BM (131.5mm)	93.1 ± 1.0 mm
RF134 (134.5mm)	98.1 ± 1.0 mm
RF136DH (136.5mm)	98.1 ± 1.0 mm
RF136 (136.5mm)	100.1 ± 1.0 mm
RF143 (143mm)	107.1 ± 1.0 mm
RF149 (149.5mm)	113.1 ± 1.0 mm
RF151DH (151.5mm)	113.1 ± 1.0 mm
RF169 (169.5mm)	130.1 ± 1.0 mm
RF174 (174.5mm)	135.1 ± 1.0 mm
RF189 (189.5mm)	150.1 ± 1.0 mm

**INCLUDING REQUIRED SPACERS.  
SEE BB INSTRUCTION SHEET.**

Einschließlich der notwendigen  
Distanzscheiben. Incluyendo  
separadores requeridos.

Ver instrucciones de pedalier.  
Incluant les entretoises nécessaires.

Consulter la fiche d'instructions  
de l'axe de pédalier



CHECK [RACEFACE.COM](http://RACEFACE.COM) FOR INSTALLATION UPDATES

**RACEFACE**