ThinkPad X390 20000061GE

Product

ThinkPad X390

Region

WE

Country/Region

Germany

Machine Type

20Q0

TopSeller

TopSeller

Processor

Intel Core i7-8565U (4C / 8T, 1.8 / 4.6GHz, 8MB)

Graphics

Integrated Intel UHD Graphics 620

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2400

Display

13.3" FHD (1920x1080) IPS 400nits Anti-glare, ThinkPad Privacy

Guard

Multi-touch

None

Storage

512GB SSD M.2 2280 PCIe NVMe Opal2

Optical

None

WLAN + Bluetooth

Intel 9560 11ac. 2x2 + BT5.0

WWAN

Fibocom L830-EB

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Color

Black

Case Material

PPS

Camera

720p + IR with ThinkShutter

Keyboard

Backlit, German

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 48Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64, German

Bundled Software

None

Base Warranty

3-year, Depot

Bundled Service

None

End of Support

2025-11-29

Announce Date

2019-10-29

Recommended Services

Better

4Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36185)

Good

3Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36152)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.





ThinkPad X390 Platform Specifications

Processor	8th Generation Intel® Core™ i3 / i5 / i7 Processor										Dimensions	Models	FHD Non-touch		HD/	HD / FHD Multi-touch	
	Processor # of # of Number Cores Threa			ds Fre	requency F	Frequency	Cache	Memory Types	Processor Graphics			Carbon Fiber	311.9mm x 217.0mm x 16.5mm 12.28" x 8.54" x 0.65"			-	
	i3-814 i5-826		8	-	2.1 GHz	3.9 GHz 4	4MB 6MB		Intel UHD Graphics 620		PPS	312.0mm x 217.2mm x 16.9mm 312mm x 217.2mm x 16. 12.28" x 8.55" x 0.67" 12.28" x 8.55" x 0.67					
	i5-836	4					_	DDR4-2400			^s Weight	Models	FHD Non-touch	Н	D	FHD Multi-touch	
	i7-856	3565U '					8MB					Carbon Fiber	2.70 lb / 1.22 kg	-			
	i7-866		on lat				8MB	rolloble in F	MEAN		-Coop cole		PPS 2.85 lb / 1.29 kg 2.93 lb / 1.33 kg 2.84 lb / 1.26				
	Processor # of # of Rase May Turbo Memory Processor									aggor	Case color Case material	Black Display cover: Carbon Fiber (FHD non-touch only) or PPS;					
	Numb	ımber Cores Threads Frequency Frequency Cache Types Graphics]	Bottom: Magnesium/Aluminum										
	i5-102	4	8				6MB 8MB	DDR4-2400	Intel UHD	Intel UHD Graphics	Media reader	er Optional: Smart card reader MicroSD card reader, in the combo slot with nano-SIM card					
Graphics	Intel UHD Graphics 620 or Intel UHD Graphics in processor; supports external digital monitor via HDMI or USB Type-C; supports three independent displays; Max resolution: 4096x2304@60Hz (Thunderbolt); 4096x2160@24Hz (HDMI)										⊒ Ports	Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPor one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet extension connector, combo slot of nano-SIM card (WWAN models) and microSD card reader, headphone / microphone combo jack, optional smart card reader, side docking connector, security keyhole *Depending on many factors, actual data transfer speed may be lower than theoretical spee HDMI to VGA: Lenovo HDMI to VGA Monitor Adapter					
Chipset Memory	Intel SoC (System on Chip) platform 4GB, 8GB, 16GB or 32GB / 2400MHz DDR4 / soldered to systemboard, no sockets * 32GB memory for 10th Gen processor only * Installed memory is actually 2666MHz but run at 2400MHz due to Intel limitation										Monitor cable						
Display	Size Resolution		- 2010	Type			Aspect	t Contrast	Color			USB-C to DP: Lenovo USB-C to DisplayPort Adapter					
		HD (1366x7)	68)		Anti-glare		Ratio 16:9		Gamut 45%	t Angle 90°	Bundled Accy				r Gen 2		
		FHD (1920x	,		Anti-glare		16:9	800:1	1) 72%	170°	Audio support	 HD720p cam IR camera an HD Audio, Rea 	One of the following, configurable by model: • HD720p camera with ThinkShutter camera privacy, fixed focus • IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus HD Audio, Realtek® ALC3287 codec / stereo speakers, 1W x 2. Dolby® Audio™ Premium /				
	13.3"	FHD (1920x ThinkPad Pr Guard		IPS	Anti-glare	400 nits	16:9	1000:1	72%	178°	Keyboard	dual array far-fi	field microphone, head	crophone co			
Multi-touch (opt)	On-cell touch, supports 10-finger gesture (FHD only)										UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad					
Storage	M.2 2280 SSD / SATA 6.0Gb/s M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 Intel Ontana™ Memory H10 with Solid State Storage										Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Discrete TPM 2.0, TCG Certified of Intel vPro Technology der Optional: Touch style match on chip fingerprint reader on the palm rest Near Field Communication					
Optical	None									-	Battery	Integrated Li-ic	on 48Wh battery, suppo	orts Rapid (Charge (cha	arge up to 80% in 1h	
Ethernet	Native Intel Ethernet Connection I219-V (<i>Non-vPro</i>) or I219-LM (<i>vPro</i>) via bundled or optional ThinkPad Ethernet Extension Adapter Gen 2										Max battery life	with 65W AC adapter MobileMark® 2014: 17.6 hr * Battery life varies significantly with settings, usage, & other factors					
WLAN (optional)	One of the following, configurable by model:										AC adapter	45W, 65W, or 6	65W slim USB-C AC ac	adapter			
Bluetooth™	 Intel Wireless-AC 9560, Wi-Fi 2x2 802.11ac + Bluetooth 5.0 Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.0 Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter 										- 	m Optional: Windows® 10 Home 64 or Windows 10 Pro 64 One of the following, configurable by model:					
WWAN (optional)		f the followin					.55011	auaj			┤ ′	 1-year depot 	t repair service				
(opaonal)	Wireless WAN upgradable Integrated Mobile Broadband 4G LTE, Fibocom L830-EB, M.2 card (EMEA only) Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card									A only)		 3-year/1-yr ba 	t with 2-year system bo pattery depot repair ser pattery limited onsite se	rvice '	service		
		* For non-WWAN model, it means the model is NOT WWAN upgradable									Mil-Spec test	MIL-STD-810G	MIL-STD-810G military testing				
											Environment	EPEAT™ Gold;	; ENERGY STAR® 7.1;	RoHS-com	npliant		

