
INTERPHONE

Air pump 3000



Manual

COD: INTERPHOAIRPUMP3K

Product Information

Product name	Air pump 3000
Product Brand	Interphone
Power input	Type-C 10W（5V2A）
Rated power	60W
Barometric range	0-150PSI
Inflation time	< 3 min (motorcycles tyre)
Charging time	1.5 h
Operating temperature	-20℃~60℃
Shell material	ABS
Capacity	3150mAh


Parts List

Long air nozzle	×1
Ball needle	×1
Gas-filled pipe	×1
Type-C charging cable	×1
Sanding bag	×1
Instruction book	×1


User guide

Charging

1. Plug the charger into the socket and connect the power cable to the product for charging.




2. Disconnect the charger and cable after the productis fully charged.




Tip: For the best charging performance, use the included cable to charge the product.

Check The Battery Level




Method

After turning on, the screen will display the current battery level.




Inflation Function Description


1. Take out the air hose and connect the inflator head.




2. Choose the right air nozzle to inflate your items.




3. Press the switch button.




4. Select the desired mode.



5. Use "+" or "-" to adjust the air pressure.



6. Press the "⏻" button to inflate. After the inflation is complete the product will automatically close.



Tips:

1. If the tire pressure value of the inflatable item is higher than the preset value, the product will not work.
2. PSI, BAR, and KPA are units, not pressure levels.
3. The pump is not compatible with large capacity objects; Such as air mattresses and air swimming pools.
4. Please inflate the item according to the recommended pressure.

If the tire fails to inflate, check the possible causes in order

- Product power level is insufficient
- The air pipe is not connected correctly
- The preset tire pressure value is lower than the current tire pressure
- The stem nozzle of the tire is blocked by a foreign object
- The user forgot to press the Start button after the preset value
- Contact us for after-sales support

Boot Failure

- The battery is low or the product is charging
- The product cannot be turned on while charging
- Contact us for after-sales support

Made in China

V1.0

INTERPHONE

stay in touch