


# Delock 2 port SATA PCI Express Card with RAID

## Description

This PCI Express card by Delock expands the PC by two internal SATA ports. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.

## RAID

When using more than one SATA port, there is the possibility to use different RAID modes.



## Specification

- Connectors:
  - 2 x SATA 6 Gb/s 7 pin plug
  - 1 x PCI Express x1, V2.0
  - 2 x 2 pin pin header for LED
- Chipset: Asmedia ASM1061R
- Supports RAID 0, 1, SPAN
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable

## System requirements

- Linux Kernel 3.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

## Package content

- PCI Express card
- Low profile bracket
- LED cable
- Driver CD
- User manual

## Item no. 90392



EAN: 4043619903924

Country of origin: China

Package: Retail Box



Images



<b>General</b>	
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 3.3 or above
<b>Interface</b>	
Internal:	1 x PCI Express x1, V2.0 2 x SATA 6 Gb/s 7 pin plug
<b>Technical characteristics</b>	
Chipset:	Asmedia ASM1061R
RAID function:	SPAN 0 1
<b>Physical characteristics</b>	
Slot bracket:	low profile standard