


# Smooth typing


## FUJITSU Accessories - Keyboards



Fujitsu	Keyboard KB410 USB	Keyboard KB521 USB	Keyboard KB521 ECO	Keyboard KB955	Wireless Keyboard Set LX410	Wireless Keyboard Set LX960
Type	Office	Business	Professional GreenIT (PCR materials)	Spill-resistant protection	Combo Optical Set	Lifestyle set - also tracking on glass
Slim design	yes	yes	yes	yes	yes	yes
Multifunction keys	-	yes	yes	yes	yes	-
Laser printed keys	yes	yes	yes	yes	yes	yes
Power ON button	no	yes	yes	yes	no	yes
Adjustable	yes	yes	yes	yes	yes	yes
Handrest	yes	yes	yes	yes	-	yes
Spill resistant	yes	yes	yes	yes	yes	yes
Status LED	blue	blue	-	red	Caps, Scroll, Numlock LEDs	Caps, Scroll, Numlock LEDs
ECO Material	-	-	Post Consumer Recyclate (PCR)	-	-	-
PVC free cable	-	-	yes	-	-	-
<b>Keyboards / Mice (set)</b>						
Wireless Technology 2.4 GHz	-	-	-	-	yes	yes
Encryption AES 128-bit	-	-	-	-	yes	yes
Mouse	-	-	-	-	optical	optical
Mouse resolution	-	-	-	-	1,600 dpi (red LED sensor)	up to 2,000 dpi (blue LED, track on glass)
Silent keys	-	-	yes	-	yes	yes
<b>Interfaces</b>						
Required interface	USB	USB	USB	USB	USB	USB
Cable length	1.85 m +/- 0.05 m	1.85 m +/- 0.05 m	1.85 m	1.8 m	-	-
<b>Packaging information</b>						
Batteries	-	-	-	-	yes	yes
Plastic free packing	-	-	yes	-	-	-
<b>Order information</b>						
Order code (**country specific variation)	S26381-K511-L4**	S26381-K521-L1**	S26381-K523-L1**	S26381-K955-L4**	S26381-K410-L4**	S26381-K960-L4**

# Smart and precise


## FUJITSU Accessories - Wired Mice



Fujitsu	Blue LED Mouse M960	Mouse M440 ECO BL Mouse M440 ECO BL Grey	Notebook Mouse M420NB	Mouse M530 (Black and Grey)	Mouse M520 (Black and Grey)	SpaceMouse™ Pro
<b>Type</b>	PC Mouse	PC Mouse	Notebook Mouse	PC Mouse	PC Mouse	3D Mouse
<b>Optical</b>	-	yes	yes	yes	yes	-
<b>Laser</b>	Blue LED Sensor	-	-	yes	-	-
<b>Track on glass</b>	yes	-	-	-	-	-
<b>Mouse resolution</b>	2,000, 1,600 or 1,000 dpi (adjustable) Blue LED track on glass sensor	1,000 dpi	1,000 dpi	1,200 dpi	1,000 dpi	-
<b>Resolution switch</b>	yes	-	-	-	-	-
<b>Tilt wheel</b>	yes	-	-	-	-	-
<b>Mouse buttons</b>	10 buttons: 2 for 4-way scroll function; 2 for resolution switch	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	15 programmable keys
<b>Silent keys</b>	yes	-	-	yes	-	-
<b>Left and right hand use</b>	-	yes	yes	yes	yes	yes
<b>Size</b>	Maxi	Midi	Mini	Midi	Midi	-
<b>Interfaces</b>						
<b>Required interface</b>	USB	USB	USB	USB or PS/2 (via included adapter)	USB	USB
<b>Cable length</b>	1.8 m	1.8 m	1 m	1.85 m	1.85 m	1.7 m
<b>Packaging information</b>						
<b>Retail box</b>	-	-	-	-	-	yes
<b>Software</b>	yes	-	-	-	-	-
<b>Plastic free packing</b>	-	yes	-	-	-	-
<b>Order information</b>						
<b>Order code</b>	S26381-K470-L100	Black: S26381-K450-L200 Grey: S26381-K450-L101	S26381-K453-L100	Black: S26381-K468-L100 Grey: S26381-K468-L101	Black: S26381-K467-L100 Grey: S26381-K467-L101	S26381-K459-L100

# Smart and precise


## FUJITSU Accessories - Wireless Mice



Fujitsu	Wireless Blue LED Mouse WI960	Notebook Mouse WI660	Wireless Mouse WI210	Wireless Mouse WI860 BTC
Type	Wireless Mouse	Wireless Mouse	Wireless Mouse	Wireless Mouse
Optical / Blue LED	yes / yes	yes / yes	yes / -	- / yes
Laser	-	-	-	-
Track on glass	yes	yes	yes	yes
Mouse resolution	1000 dpi 1600 dpi 2000 dpi	1000 dpi 1600 dpi 2000 dpi	1600 dpi	800 dpi 1600 dpi 2400 dp
Resolution switch	yes	yes	-	-
Tilt wheel	yes	yes	-	yes
Buttons	5 buttons: 3 programmable, 2 preset, and 1 scroll wheel	8 buttons: 5 programmable buttons including 4-way scroll function	2 buttons and 1 scroll wheel/button	Programmable utility button
Silent keys	yes	yes	yes	yes
Left and right hand use	right hand	yes	yes	yes
Size	Maxi	Midi	Midi	Small
<b>Wireless technologies</b>				
Wireless Technology 2.4 GHz	yes	yes	yes	yes
Micro receiver	USB Nano receiver	USB Nano receiver	yes	USB Nano receiver
Receiver slot	yes	yes	yes	yes
<b>Interfaces</b>				
Required interface	USB	USB	USB	USB Type-C port or BT
<b>Packaging information</b>				
Retail box		no	no	no
Batteries	yes	yes	yes	no
<b>Order information</b>				
Order code	S26381-K473-L100	S26381-K471-L100	S26381-K472-L100	S26381-K474-L100

# Comfort and style


## FUJITSU Accessories - Leather Cases



Fujitsu	PLEVIER TACAN 14	PLEVIER MANASSE 14	PLEVIER MANASSE 15	PLEVIER ESPLANADE C 15	PLEVIER MOGGRIDGE 15	PLEVIER Loran 15
<b>Maximum notebook size</b>	up to 35.6 cm / 14-inch	up to 35.6 cm / 14-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch
<b>Material</b>	Leather	Leather	Leather	Leather	Leather	Leather
<b>Color</b>	Brown	Black	Black	Brown	Black	Brown
<b>Compartments</b>	1 notebook compartment	1 notebook compartment	1 notebook compartment	1 notebook compartment 1 front pocket for accessories	1 notebook compartment 1 front pocket for accessories	1 notebook compartment 1 front pocket for accessories
<b>Trolley Belt</b>	no	no	no	no	no	yes
<b>Order information</b>						
<b>Order code</b>	S26391-F1193-L64	S26391-F1193-L62	S26391-F1193-L63	S26391-F1193-L61	S26391-F1193-L66	S26391-F1193-L65

# On the way

## FUJITSU Accessories - Cases




Fujitsu	Prestige Case Mini 13 (2021)	Top Case 14 (2021)	PLEVIER CANVAS HANSEN 14	Prestige Case 15 (2021)	Prestige Case 15 (2021)	PLEVIER CANVAS ANDERSON 15
<b>Maximum notebook size</b>	up to 34 cm / 13.3-inch	up to 35.6 cm / 14-inch	up to 35.6 cm / 14-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch
<b>Material</b>	Polyester	Polyester 600D	Canvas and leather	Polyester 600D	Polyester 600D	Canvas and leather
<b>Color</b>	Black, with red details	Black, with red details	Black	Black	Black	Black
<b>Compartments</b>	3	2	1	3	2	2
<b>Trolley Belt</b>	yes	yes	yes	yes	yes	no
<b>Order information</b>						
<b>Order code</b>	S26391-F1120-L151	S26391-F20-L120	S26391-F1193-L67	S26391-F1120-L50	S26391-F1120-L60	S26391-F1193-L68



Fujitsu	Casual Entry Case 16 (2021)	Prestige Case 16 (2021)	Prestige Backpack 17 (2021)
<b>Maximum notebook size</b>	up to 41 cm / 16-inch	up to 41 cm / 16-inch	up to 43.9 cm / 17.3-inch
<b>Material</b>	Polyester 600D	Polyester 600D	Polyester 600D
<b>Color</b>	Black, with red details	Black	Black
<b>Compartments</b>	1	3	1 x for notebook, 1 x with 3 inner pockets, front pocket (organizer); Volume ca 20 liters
<b>Trolley Belt</b>	-	yes	-
<b>Order information</b>			
<b>Order code</b>	S26391-F1120-L107 S26391-F20-L107 (12 pieces)	S26391-F1120-L61	S26391-F1120-L135

# On the way

## FUJITSU Accessories - Cases



Fujitsu	Prestige Case Mini 13 (2021)	Messenger Bag 14	Prestige Backpack 16
<b>Maximum notebook size</b>	up to 34 cm / 13.3-inch	up to 35.5 cm / 14-inch	up to 39.6 cm / 15.6-inch
<b>Material</b>	Polyester 600D	Polyester / PU leather	Recycled polyethylene
<b>Color</b>	black, with silver details	Grey / black	Black, with red details, red rain cover fixed in a compartment at the bottom
<b>Compartments</b>	3	1	3
<b>Trolley Belt</b>	yes	no	-
<b>Order information</b>			
<b>Order code</b>	26391-F1120-L15	S26391-F1194-L171	S26391-F1194-L137

# On the way


## FUJITSU Accessories - Sleeves



	<b>DICOTA PerfectSkin</b>
<b>Tablet compatibility</b>	12 - 12.5-inch 13 - 13.3-inch 14 - 14.1-inch 15 - 15.6-inch 16 - 17.3-inch
<b>Material</b>	Black neoprene
<b>Weight</b>	from 300 g
<b>Dimensions (W x D x H)</b>	(depending on model)
<b>Miscellaneous</b>	Robust, especially elastic neoprene Adapts perfectly like a second skin to the notebook Guarantees optimal protections from scratches and small damages Zipper is equipped with a special surface in the inside to avoid scratches on the notebook
<b>Order Information</b>	
<b>Order code</b>	S26391-F1194-L125 12 - 12.5-inch S26391-F1194-L133 13 - 13.3-inch S26391-F1194-L141 14 - 14.1-inch S26391-F1193-L156 15 - 15.6-inch S26391-F1194-L173 16 - 17.3-inch

# More capacity for important data

## FUJITSU Accessories - Storage USB




	Ultra Slim Portable DVD Writer GP60NB60
Type	
Hard disk capacity / Disk Outa Diameter	DVD / CD
Power	
USB powered	yes
Design	
Size	144 x 137.5 x 14 mm
USB 2.0 total	1
USB 3.0 total	-
USB Notes	USB 2.0 (Plug&Play)
Required interface	
Transfer rate	Write speed: DVD - R 8 x / CD - R 24 DVD - R DL 6 x DVD - RW 6 x / CD - RW 24 x DVD - RAM 5 x DVD + R 8 x DVD + R DL 6 x DVD + RW 8 x M-DISC 4 x Read speed: DVD - R 8 x / CD - R 24 x DVD - R DL 8 x / DVD - RW 8 x / CD - RW 24 x DVD - ROM 8 x / CD - ROM 24 x DVD - RAM 6 x DVD + RW 8 x DVD + R DL 8 x DVD + RW 8 x M-DISC 8 x
Order information	
Order code	S26341-F103-L142 S26341-F103-L152 (10-pieces)



# Comfort and communication

## FUJITSU Accessories - Headsets and Webcam




Fujitsu	Communicator Headset	Plantronics Blackwire 3225
Speaker design	Super-aural 30 mm speaker	On-ear / headband
Audio Surround	Stereo	Stereo
Weight	70 g	114 g
Wired Control	-	yes
Required interface	3.5 mm audio jack	USB 2.0 / 3.0
Mute	-	yes
Noise Reduction	-	yes
Microphone	yes	yes
Power supply	line in powered	USB powered
<b>Order Information</b>		
Order code	S26391-F7139-L52	S26391-F7139-L352

Fujitsu	Webcam 500 Pro FHD
Resolution	RGB Mode 1920 x 1080 (MJPG) @ 30 Frame rate IR Mode 352 x 352 @ 15 Frame rate IR Sensor supported Zoom Digital 4x Zoom
Focus	Fixed-Focus FOV 75° Rating: 5V 900 mA
Clip	Tripod-ready universal clip compatible with notebook, Desktop PC and LCD displays
Color	from 123 g
Interface	USB Type-C
LEDs	1 x red (Infrared LED) 1 x white
Dimensions	107 x 63 x 50.4 mm
Weight	from 123 g
<b>Order Information</b>	
Order code	S26391-F7136-L8

# Protect your data from unauthorized access


## FUJITSU Accessories - Security



Fujitsu	Authentrend Key Hello	USB SCR 3500A WHITE	SmartCard Reader Cloud 2700R	SmartCard Reader D323
Type	Fingerprint reader Touch	Foldable USB SmartCard Reader	USB SmartCard Reader/Writer	SmartCard Reader Internal
Technology	Area Fingerprint reader	SmartCard technology	SmartCard technology	SmartCard technology
Interface	USB	USB / ISO 7816	USB cable / Contact card reader ISO7816	USB / ISO 7816 1-4 standard
Weight	5 g	10 g	205 g with standing base	195 g
Dimensions (W x D x H)	14.2 x 8.0 x 20.2 mm	48 x 20 x 12 mm	70 x 63 x 62 mm	102 x 127 x 26 mm
Description	USB dongle fingerprint reader - Windows Hello compliant - FAR / FRR < 0.002 % / < 3 % - Matching response time < 1 sec - Multiple fingers - 360° fingerprint matching		Ergonomic stand alone SmartCard Reader incl Standing Base Kit for single-hand use	SCR for internal use with desktop, thin client and workstation
Standards	CE	CE FCC Class B cULus ICES-003 Class B RoHS WEEE VCCI	CE FCC UL VCCI CCID compliant PC/SC compatible Supports ISO/IEC 7816	CE WEEE RoHS EN 60950
Special Features	Blue status LED Supported by Windows Hello	Proven SmartCard technology	EMV level 1	Contact card reader
Order information	S26381-K469-L100	S26381-F350-L101	S26381-F2700-L100	S26361-F1260-L540 S26361-F1260-L807 (for FUTRO S9010)

# Protect your data from unauthorized access

## FUJITSU Accessories - Security Keyboards



Fujitsu	KB100 SCR (grey )	KB100 SCR (Black)	Keyboard KB100 SCR eSIG
Type	SmartCard Keyboard	SmartCard Keyboard	SmartCard Keyboard
<b>Design</b>			
Design			
Multifunction keys	yes	yes	yes
Laser printed keys	yes	yes	yes
Status LED	green	green	green
Color	marble grey	black	marble grey
<b>SmartCard Technology</b>			
SmartCard Reader	yes	yes	yes
Palmvein technology	-	-	-
<b>Interfaces</b>			
Required interface	USB	USB	USB
Cable length	1.8 m	1.8 m	1.8 m
<b>Other</b>			
Display / Calculator	-	-	-
Spill resistant	-	-	-
<b>Order information</b>			
Order code	S26381-K100-L1** (**country specific variation)	S26381-K100-L4** (**country specific variation)	S26381-K101-L120 (German keyboard layout only)

# Charge your devices everywhere




## FUJITSU Accessories - Power



<b>Fujitsu</b>	Car Adapter USB-C-QC
<b>Color</b>	Black
<b>Dimensions (w x d x h)</b>	57.5 x 91 x 17 mm
<b>Weight</b>	35 g
<b>Input</b>	12 V (11.5 - 14.8 V) 24 V (21.6 - 29.6 V)
<b>Output</b>	USB Type-C: PD 2.0 5 V / 9 V / 12 V / 15 V / 20 V PD 3.0 5 V / 9 V / 12 V / 15 V / 20 V PD 3.0 PPS 3.6 V - 21 V QC 2.0 5 V / 9 V / 12 V QC 3.0 3.6 V - 12 V  USB Type-A: QC 2.0 5 V / 9 V / 12 V QC 3.0 3.6 V - 12 V BC 1.2 5 V
<b>Safety Features</b>	<ul style="list-style-type: none"> <li>- Over/Under Voltage Protection</li> <li>- Input/Output Over Current Protection</li> <li>- Short Circuit Protection</li> <li>- Over Temperature Protection*</li> </ul>
<b>Connectors</b>	One piece device: 12 - 24 V USB-A USB-C
<b>Order information</b>	
<b>Order code</b>	S26391-F2613-L630

# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	USB Port Replicator PR09	USB Type-C Port Replicator 2	Thunderbolt™ 3 Port Replicator	Thunderbolt™ 4 Port Replicator
Data Rates	up to 10 Gbit/s	up to 1 Gbp/s		
Power supply	AC Adapter 20 V DC			
Resolution	1 x up to 5,120 x 2,880 @ 60Hz or 2 x up to 4,096 x 2,160 @ 60Hz	<b>For 1 external display:</b> HDMI up to 4,096 x 2,160 @ 24 Hz DP up 3,840 x 2,160 @ 30 Hz <b>For 2 external + 1 internal displays:</b> 1,920 x 1,080 p60 Hz For 3 external + 1 internal displays: 1,600 x 900 p60 or 1,280 x 1,024 p60 Hz		Possible resolution with DP 1.4++: - using 1x DP (5,120 x 2,880, 60 Hz) - using 2x DP (4,096 x 2,160, 60 Hz or 3,840 x 2,160, 60 Hz)
Required interface	USB Type-C	USB Type-C	USB Tye-C	USB Type-C
DisplayLink	Certified	-	-	
LAN	10/100/1000	-	10/100/1000	1 (10/100/1000)
Graphic	2 x DisplayPort 1.2a DP++	1 x DisplayPort 1.2, 1 x HDMI, 1 x VGA (VGA: support on USB type-C port replicator only if not used on client)	2 x DisplayPort (up to 2560 x 1600), 1 x HMDI	2 (up to 4,096 x 2,160, 60 Hz), DP 1.4++ 1 x HDMI 2.0b (4,096 x 2,160, 60 Hz)
Hub	1 x USB Type-C (UFP) 3 x USB Type-C 3.1 Gen2 (DFP) 4 x USB Type-A 3.1 Gen1 (DFP)	USB Type-C (to Devices): 1 x USB 3.1 Gen1, up to 5V/3A power output USB Type-C (to PC/Tablet): 1 x USB 3.1 Gen1, up to 60 W power output USB Type-A: 3 x USB 3.1 Gen1	2 x USB 3.1 Gen.2 Type-C - 5V, 1.5 A, 15 W charging port // 1x USB 3.1 Gen.2 Type-C - TBT 3 up to 60 W (PD v2.0-1.1), 5-20 V, 3.0 A upstream (PC) // 1 x USB 3.1 Gen.2 Type-C - TBT3 up to 15 W (PD v2.0-1.1), 5 V, 3.0 A downstream 4.5 W power output to client	2x Type-A - 5 V/0.9 A, 4.5 W 1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V, 1.5 A/4.5 W charging port 1x Type-C - TBT 4 up to 60 W (PD v2.0-1.1), 5-20 V/3.0 A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT 4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A downstream, power output
<b>Packaging information</b>				
Package Content	USB Port Replicator PR09 AC/DC Adapter 20 V, 120 W EU-power cord, 1.8 m USB Type-C cable, 1 m Quick Start Guide Service Desk & Warranty Informations Safety Notes Informationcard for driver download	USB Type-C Port Replicator 1 x 90 W 3-pin AC adapter 1 x Type-C cable 1 Quick Start Guide	Thunderbolt Port Replicator 170W 3 pin AC adapter Thunderbolt cable 1 Quick Start Guide	Thunderbolt 4 Port Replicator 170 W 3-pin AC adapter Thunderbolt 4 cable; 70 cm (NOT included: AC cable)  <b>CABLE OPTIONS - If required please order separately:</b> FPCCBM27BP Thunderbolt 4 active cable 200 cm length FPCCBM26BP Thunderbolt 4 cable 80 cm length
<b>Order information</b>				
Order code	S26391-F6007-L500	S26391-F3327-L100	S26391-F3357-L100	FPCPR401BP

# Get connected in a second


## FUJITSU Accessories - Connectivity



Fujitsu	USB-C Travel Hub	USB 3.0 Hub 4 Ports
<b>Data Rates</b>	5 Gbit/s	5 Gbit/s
<b>Power supply</b>	Bus-powered Supports USB PD-Power Pass-Through (PT) up to 85W 1 x USB-C for PD-PT (besides the fixed cable) USB-PD3.0 Support for USB PD-PT: - 5V 3A / 9V 3A / 12V 3A / 15V 3A / 20V 5A	Flexible DC in – 3 options: - USB-C - AC/DC Adapter (not included) - Phoenix in clamp (+/GND) - DC-in 7-48V
<b>Resolution</b>	1 x DisplayPort 1.4 (max. res.: 3,840 x 2,160 pixels; for 60 Hz the connected system has to support DisplayPort 1.4)  1 x HDMI 2.0 (max. resolution : 3,840 x 2,160 pixels; for 60 Hz the connected system has to support HDMI 2.0)  1 x VGA (max. resolution: 1,920 x 1200 pixels with 60 Hz)	-
<b>Required interface</b>	USB Type-C	USB Type-C
<b>Ethernet (RJ-45)</b>	1 x GBit-LAN	-
<b>Hub</b>	1 x USB-C 3.1 Gen 1, 900 mA (to devices) 2 x USB-A 3.1 Gen 1, 900 mA	4 x USB Type-C
<b>Misc.</b>	-	EMC / ESD Level 4, industrial standard
<b>Packaging information</b>		
<b>Package Content</b>	USB-C Travel Hub (cable is fixed (0.30 m)) Safety Notes	USB-C Hub 4 Ports USB-C cable (1 m) Phoenix plug Safety Notes QSG (NOT included: AC/DC Adapter)
<b>Order information</b>		
<b>Order code</b>	S26391-F6007-L153	S26391-F6099-L404

# Clean desk for efficient working



## FUJITSU Accessories - Connectivity



Fujitsu	Workplace Connect Kit 2.0	EVLine Dock Square for PR09
Power supply	240 VAC	240 VAC
On / off switch	yes	yes
Power sockets on desk	2 / integrated	2 / integrated
Power sockets under desk	2 x 3 power socket	2 x 3 power socket
Features	See USB Port Replicator PR09	-
<b>Packaging information</b>		
Package Content	EVLine Dock Square USB Port Replicator PR09	EVLine Dock Square
<b>Order information</b>		
Order code	BDL:F6055L720-DE	S26391-F6055-L630

# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	HDMI to DVI-D Cable	Micro HDMI to HDMI Cable	HDMI to HDMI 2.1a Cable	VGA Conversion Cable (HDMI to VGA)	VGA to VGA Cable
Length	1.8 m	2.0 m	2.0 m	0.18 m	1.8 m
Color	Black	Black	Black	Black	Black
Specification	HDMI 1.3	-	HDMI 2.1a, 8k at 6 Hz, UHD	165 MHz	-
Interface	male / male	male / male	male / male	male / female	male / male

Order information					
Order code	S26391-F6055-L250	S26391-F6055-L231	S26391-F6055-L218	S26391-F938-L900	S26391-F6055-L261

Update coming soon!




Fujitsu	DisplayPort to VGA Adapter	DP1.2 to HDMI 2.0 Adapter	DisplayPort to DisplayPort 1.4 Cable	DisplayPort to DVI Cable	Mini-DP to DP 1.4 Cable	USB to UHD DP Adapter
Length	0.18 m	0.15 m	2 m / 3 m	2 m	2.2 m	0.6 m
Color	Black	Black	Black	Black	Black	Black
Specification	DisplayPort 1.2a	DisplayPort 1.2 / HDMI 2.0	DisplayPort 1.4	-	DisplayPort 1.4	DisplayPort 1.2
Interface	male / female	male / female	male / male	male / female	male / male	male / female

Order information						
Order code	S26391-F6055-L280	S26391-F6055-L212	S26391-F6055-L219 (2 m) S26391-F6055-L217 (3 m)	S26391-F6055-L270	S26391-F6055-L221 (20 pieces)	S26391-F6099-L500




# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	USB-C to HDMI2.0 Adapter	USB Type-C to USB Type-A Adapter	USB-A to USB-C Adapter	USB Type-C Cable 5A Gen2	USB Type-C to VGA Adapter	USB Type-C to DP Adapter
Length	186 mm	0.15 m	44 mm	1 m	0.15 m	0.15 m
Color	black	black	black	black	black	black
Specification	HDMI 2.0	USB 3.0	USB 3.1 Gen1	USB 3.1 Gen2	ALT-Mode	ALT-Mode
Interface	male / male	male / female	male / female	male / male	male / female	male / female
Order information						
Order code	S26391-F6058-L130	S26391-F6058-L100	S26391-F6058-L102	S26391-F6058-L101	S26391-F6058-L203	S26391-F6058-L201



Fujitsu	USB 3.0 certified Cable 2m	USB to Serial Adapter 2	Thunderbolt™ 4 Cable
Length	2.0 m	0.44 m	2.0 m (active) / 0.80 m
Color	Black	Black	Black
Specification	USB A / USB B	USB 1.1 or higher	
Interface	male / male	male / male	male / male
Order information			
Order code	S26391-F6055-L320	S26391-F6055-L571	FPCCBM27BP 2.0 m FPCCBM26BP 0.80 m

Update coming soon!

# For protection from unauthorized views

## FUJITSU Accessories - Privacy filter



Privacy Filters - For Mobiles	Order code	Privacy Filters - For Displays	Order code
Privacy filter for Mobiles - 31.8 cm (12.5-inch)	S26391-F6098-L212	Privacy filter for Displays - 54.6 cm (21.5-inch)	S26391-F6098-L221
Privacy filter for Mobiles - 33.7 cm (13.3-inch)	S26391-F6098-L213	Privacy filter for Displays - 55.9 cm (22-inch)	S26391-F6098-L222
Privacy filter for Mobiles - 35.5 cm (14.1-inch)	S26391-F6098-L214	Privacy filter for Displays - 60.5 cm (23.8-inch)	S26391-F6098-L238
Privacy filter for Mobiles - 39.6 cm (15.6-inch)	S26391-F6098-L215	Privacy filter for Displays - 61.2 cm (24.0-inch)	S26391-F6098-L224
Privacy Filter - Fixing Set	S26391-F6098-L201	Privacy filter for Displays - 66.58 cm (27.0-inch)	S26391-F6098-L227

Update coming soon!