



POR-1202, 2-Port Outdoor PoE-Plus Repeater, Cascadable

Product Images



Short Description

- High Power PoE compliant to simplify deployment and installation
- Multiple PoE repeaters can be deployed by daisy chain to extend range
- Forwards Power over Ethernet (PoE) to remote device
- Forwards 802.3af/High-Power PoE to remote device
- Extends PoE connection for another 100 meters
- No additional power supply required
- Simple Plug and Play installation
- Weatherproof IP66-rated housing

Description

Extend the reach of your PoE-Plus devices. For system integrators looking for a professional solution to help extend their Outdoor PoE (802.3af/at) network, the LevelOne POR-1202 is the perfect accessory to increase your network performance. As a 2-port repeater, it's now easier to add more devices to the network for greater deployment flexibility. Normal cable runs only reach 100 meters, but with POR-1202 installers can extend the PoE network performance up to 200 meters. Furthermore, you can triple your range or even more by daisy-chaining* multiple PoE repeaters. Simple yet durable, no software required. As a PoE-Plus Repeater, the POR-1202 receives all power from the Power Sending Equipment (PSE), such as a PoE-Plus switch. This means that the POR-1202 uses no external power supply, making it the most flexible option for system integrators looking for an easy, affordable solution to increase the distance to the attached devices on a network. The POR-1202 has 3 RJ-45 ports for easy deployment, 1 "IN" port that accepts the power and data for the first 100 meters, and 2 "OUT" ports that boosts and extends the power and data an additional 100 meters. The POR-1202 is a long-ranged solution for deploying PoE IP Cameras and any Fast Ethernet PoE PD powered by 802.3at PSE.

* Maximum distance depends on the required Wattage of the PD.

Additional Information

Max. operating humidity (%)	95
Max. operating temperature (°C)	50
Min. operating humidity (%)	5
Indicators	Power, PoE In, PoE Out
Mount	Pole mount
Pin assignment and polarity	1/2 (+), 3/6 (-)
Standards	IEEE 802.3 10Base-T, Ethernet IEEE 802.3u 100Base-TX, Fast Ethernet IEEE 802.3x Ethernet Flow Control IEEE 802.3 af/at PoE
General features	PoE Extension for another 100 meters at 100Mbps
Product weight (kg)	1.08
Product breadth (mm)	200
Product depth (mm)	270
Product height (mm)	70
Color	Silver
EAN	4015867227312
Model number	POR-1202
Package contents	POR-1202 Mounting Kit Quick Installation Guide

