

Product datasheet

Specifications



APC NetShelter 6U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth

AR106SH6

EAN Code: 0731304402688

Overview

Presentation	Ideal for retail, healthcare, and educational facilities, this wall mount rack offers an efficient solution for deploying server and networking equipment for edge computing applications. This rack enclosure is wall mountable, ideal for areas with limited floor space, and is designed specifically for servers and network switches, and patch panels. The cabinet's door is reversible and is compatible with APC's Netbotx security upgrade to provide remote access, video surveillance, and environmental monitoring (sold separately). Optional 120V fan tray can be top or bottom mounted (sold separately) Both the top and bottom feature knockouts of 1/2U mounting space for accessories. And several APC Smart-UPS models low-profile provide easy UPS integration and mounting 6U Wall mount cabinet, the mounting depth range of 2.87 to 20.8 inches, 200lb weight capacity, 19" rack width, ships fully assembled, ventilated with accessory integration options, 5 year APC warranty.
Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	6U

Physical

Height	355 mm
Width	600 mm
Depth	600 mm
Net weight	14.38 kg
Colour	Black
Mounting support	Wall
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	528.3 mm
Minimum mounting depth	72.9 mm
Rack width	19"
Permanent permissible load	90.7 kg static

Conformance

Product certifications	TAA compliance UL
Standards	UL 2416 EIA-310E

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	40.000 cm
Package 1 Width	70.000 cm
Package 1 Length	70.000 cm
Package 1 Weight	19.660 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	6
Package 2 Height	160.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	130.960 kg

Contractual warranty

Warranty	5 year repair or replace
----------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	53

Use Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
[EU RoHS Directive](#)	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	[REACH Declaration](#)
Energy efficiency	
Energy Efficiency Optimized	Energy efficient product
Use Again	
Repack and remanufacture	
End of life manual availability	[End of Life Information](#)
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative



