



CorePro GLASS LED candles and lusters



CorePro LEDCandleND4.3-40W E14 827B35FRG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data


General information		Operating and electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	4.3 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	35 mA
Switching Cycle	20000	Wattage Equivalent	40 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
Tier	CorePro	Warm Up Time to 60% Light (Nom)	0.5 s
Light technical		Power Factor (Nom)	0.5
Color Code	827 [CCT of 2700K]	Voltage (Nom)	220-240 V
Luminous Flux (Nom)	470 lm	Temperature	
Color Designation	Warm White (WW)	T-Case Maximum (Nom)	55 °C
Correlated Color Temperature (Nom)	2700 K	Controls and dimming	
Luminous Efficacy (rated) (Nom)	109.00 lm/W	Dimmable	No
Color Consistency	<6	Mechanical and housing	
Color Rendering Index (Nom)	80	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro GLASS LED candles and lusters

Bulb Shape	B35 [B 35mm]
Approval and application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387382
Product data	
Full product code	871951434718200
Order product name	CorePro LEDCandleND4.3-40W E14 827B35FRG

EAN/UPC - Product	8719514347182
Order code	929001345392
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001345392
Net Weight (Piece)	0.012 kg


Dimensional drawing




CorePro LEDCandleND4.3-40W E14 827B35FRG

Product	D	C
CorePro LEDCandleND4.3-40W E14 827B35FRG	35 mm	97 mm

Photometric data




Spectral Power Distribution Colour



LEDbulb 40W E14 827 FR B35


CorePro GLASS LED candles and lusters

Photometric data




Light Distribution Diagram

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

