

OVERVIEW



1. Headphone / microphone combo jack (3.5mm)	3. Power button
2. USB 3.2 Gen 1 (Always On)	4. 2x USB-C 3.2 Gen 2 / Thunderbolt 4

PERFORMANCE

Processor

Processor Family

12th Generation Intel® Core™ i5 / i7 Processor

Processor**^[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5-1240P	12 (4 P-core + 8 E-core)	16	P-core 1.7GHz / E-core 1.2GHz	P-core 4.4GHz / E-core 3.3GHz	12MB	LPDDR5-5200	Intel Iris® Xe Graphics
Core i7-1260P	12 (4 P-core + 8 E-core)	16	P-core 2.1GHz / E-core 1.5GHz	P-core 4.7GHz / E-core 3.4GHz	18MB	LPDDR5-5200	Intel Iris Xe Graphics

Notes:

- 1. The maximum supported memory speed will vary on the selected onboard memory

Operating System

Operating System**

- Windows® 11 Pro 64
- Windows 11 Home 64
- No operating system

Graphics

Graphics

Graphics	Type	Memory	TGP	Key Features
Intel Iris Xe Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12

Monitor Support

Monitor Support

Supports up to 3 independent displays (native display and 2 external monitors via Thunderbolt™)

- Thunderbolt supports up to 5K@60Hz

Chipset

Chipset

Intel SoC (System on Chip) platform

Memory

Max Memory^[1]

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type

LPDDR5-4800

Notes:

- 1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support^[1]

One drive, up to 512GB M.2 2242 SSD or 1TB M.2 2280 SSD

Storage Slot

One M.2 2280 PCIe® Gen 4x4 slot, supports M.2 2242/2280 SSD

Storage Type**

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe NVMe®, PCIe 4.0 x4	512GB
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	512GB / 1TB

Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

Speakers

Stereo speakers, 2W x2

Microphone^[1]

Dual array microphone with noise-cancelling, support Lenovo Voice Assistant (LVA), and Amazon Alexa

Camera

1080p (FHD) webcam with IR, fixed focus

Notes:

1. Amazon Alexa might be limited by country-level restrictions.

Sensor

Sensors

- Ambient light sensor (ALS)
- ToF sensor

Battery

Battery**

- 2.2K, 2.8K IPS models:
Integrated Li-Polymer 61Wh battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge)
- 2.8K OLED models:
Integrated Li-Polymer 61Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)

Max Battery Life^[1]

- 2.8K IPS model:
MobileMark® 2018: 11.42 hr
Local video (1080p) playback@150nits: 17.83 hr
- 2.2K IPS model:
MobileMark 2018: 10.82 hr
Local video (1080p) playback@150nits: 14.33 hr
- 2.8K OLED model:
MobileMark 2018: 8.05 hr
Local video (1080p) playback@150nits: 12.58 hr

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter^[1]

65W USB-C slim (2-pin, wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

- Notes:
- 1. AC adapter offerings depend on the country.

DESIGN

Display

Display**[1][2]

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
14.0"	2.2K (2240x1400)	None	IPS	300 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	TÜV Low Blue Light, TÜV Eyesafe® Certified
14.0"	2.2K (2240x1400)	None	IPS	300 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	TÜV Low Blue Light, TÜV Eyesafe Certified, Dolby® Vision™
14.0"	2.8K QWXGA+ (2880x1800)	None	IPS	400 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	Refresh rate 60Hz/90Hz, TÜV Low Blue Light, TÜV Eyesafe Certified
14.0"	2.8K QWXGA+ (2880x1800)	None	IPS	400 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	Refresh rate 60Hz/90Hz, TÜV Low Blue Light, TÜV Eyesafe Certified, Dolby Vision
14.0"	2.8K QWXGA+ (2880x1800)	Multi-touch	IPS	400 nits	Glossy	16:10	1500:1	100% sRGB	170°	Refresh rate 60Hz/90Hz, TÜV Low Blue Light, TÜV Eyesafe Certified, Dolby Vision
14.0"	2.8K QWXGA+ (2880x1800)	None	OLED	400 nits	Glossy	16:10	100000:1	100% sRGB, 100% DCI-P3	170°	Refresh rate 60Hz/90Hz, TÜV Low Blue Light, TÜV Eyesafe Certified, VESA DisplayHDR™ True Black 500
14.0"	2.8K QWXGA+ (2880x1800)	None	OLED	400 nits	Glossy	16:10	100000:1	100% sRGB, 100% DCI-P3	170°	Refresh rate 60Hz/90Hz, TÜV Low Blue Light, TÜV Eyesafe Certified, VESA DisplayHDR True Black 500, Dolby Vision

Touchscreen

- OGM (On-glass Metal mesh) Direct Bonding, capacitive-type multi-touch, supports 10-point touch
- Non-touch

- Notes:
- 1. California Electronic Waste Recycling Fee
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>
 - 2. 90Hz adaptive refresh rate is available on select models only

Input Device

Keyboard

6-row, multimedia Fn keys

Keyboard Backlight

LED backlight

Touchpad

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

Mechanical^[1]

Dimensions (WxDxH)

Models	Dimensions
IPS models	312.4 x 221.4 x 14.6 mm (12.29 x 8.72 x 0.57 inches)
OLED models	312.4 x 221.4 x 14.9 mm (12.29 x 8.72 x 0.59 inches)

Weight

Models	Weight
Model with IPS panel, glass display cover	1.42 kg (3.13 lbs)
Model with IPS panel, Mylar® display cover	1.32 kg (2.91 lbs)
Model with OLED panel	1.39 kg (3.06 lbs)

Case Color**

- Cloud grey
- Storm grey

Surface Treatment

Aluminium stamping (anodized)

Case Material

Aluminium (top), aluminium (bottom)

Notes:

1. The system dimensions and weight vary depending on configurations.

CONNECTIVITY

Network

Onboard Ethernet

No Ethernet

WLAN + Bluetooth®**^{[1][2]}

- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Wi-Fi 6E, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

Notes:

1. Bluetooth 5.2 is hardware ready but may run at lower version due to OS limitation
2. Wi-Fi 6 and Wi-Fi 6E full features might be limited by country-level restrictions.
6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.
Wi-Fi 6E is only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.

Ports^[1]

Standard Ports

- 1x USB 3.2 Gen 1 (Always On)
- 2x USB-C 3.2 Gen 2 / Thunderbolt 4 (support data transfer, Power Delivery 3.0, and DisplayPort™ 1.4a)
- 1x Headphone / microphone combo jack (3.5mm)

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.
USB 2.0: 480 Mbit/s;
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
Thunderbolt 3/4: 40 Gbit/s;
FireWire 400: 400 Mbit/s;
FireWire 800: 800 Mbit/s

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in chipset

Fingerprint Reader

No fingerprint reader

BIOS Security

- Administrator password
- User password
- Master hard disk password
- User hard disk password
- Self-healing BIOS

Other Security

IR camera for Windows Hello

SERVICE

Warranty

Base Warranty**^[1]

- 1-year depot service
- 1-year depot with 2-year system board service (Korea only)
- 2-year (1-yr battery) depot service
- 3-year (1-yr battery) depot service

Notes:

1. More information of warranty policy, please access <https://pcsupport.lenovo.com/warranty>

ENVIRONMENTAL

Operating Environment

Temperature

- At altitudes up to 2438 m (8,000 ft)
 - Operating: 5°C to 35°C (41°F to 95°F)
 - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
 - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

CERTIFICATIONS

Green Certifications

Green Certifications

- EPEAT™ Silver
- ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant

Other Certifications

Other Certifications

- (Optional) Intel Evo™ Platform
- TÜV Rheinland® Eyesafe Display

- TÜV Rheinland Low Blue Light (Hardware Solution)
- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



intel



intel



intel



intel



intel



intel