

AXOR Citterio

Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **stainless steel optic** Art. no. : **39118800**



Description

product features

- spout 221 mm long
- Spray pattern: normal spray
- Maximum flow rate (at 3 bar): 5 l/min
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- temperature adjustable via iBox
- infrared sensor technology
- automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (5 settings)
- 230 V / 50 Hz mains connection
- hygiene rinse activatable (automatic water flow)
- frequency of hygiene rinse: 24 h
- flushing time hygiene rinse: 10 s
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- cleaning mode: manual flow stop for cleaning
- Noise class: I
- dirt filters in the connection hoses
- for ideal function please note a minimum distance of 140 mm from the aerators center to the back rim of the wash basin
- if running with a pump, please specify a universal (negative head) pump

Article Details

Price excl. VAT

£ 1,325.00

Technology




Certificates

kiwa

Product image



Scale drawing




AXOR Citterio

Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **stainless steel optic** Art. no. : **39118800**





Flowchart



Surfaces: **stainless steel optic** Art. no. : **39118800**

[illegible]

0, 1, 2 = Schutzbereich
0, 1, 2 = Zone de protecţiōn
0, 1, 2 = Protected area
0, 1, 2 = Zona protetta
0, 1, 2 = Área protegida
0, 1, 2 = Veiligheidszone
0, 1, 2 = Beskyttelsesklasse
0, 1, 2 = Área de protecção
0, 1, 2 = Strefa ochronna
0, 1, 2 = Chráněná oblast
0, 1, 2 = Ochranná oblast
0, 1, 2 = 保护区
0, 1, 2 = Защитная зона
0, 1, 2 = Biztonsági zóna
0, 1, 2 = Suoja-alue
0, 1, 2 = Skyddsområde
0, 1, 2 = Saugos zona
0, 1, 2 = Zaštitno područje
0, 1, 2 = Koruma bölgesi
0, 1, 2 = Domeniu de protecție
0, 1, 2 = Εύρος προστασίας
0, 1, 2 = Zaštitno območje
0, 1, 2 = Kaitse ulatus
0, 1, 2 = Aizsardzības zona
0, 1, 2 = Zaštitno područje
0, 1, 2 = Beskyttelsessone
0, 1, 2 = Диапазон на защита
0, 1, 2 = Zona e mbrojtjes.
0, 1, 2 = منطقة حماية



AXOR Citterio


Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **stainless steel optic** Art. no. : **39118800**



Exploded Drawing

Year of production: >05/20



AXOR Citterio

Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **stainless steel optic** Art. no. : **39118800**



Spare part list

Year of production: >05/20

Pos.	Description	Art. no.	Price	PU
1	spout 220 mm	95948800	-	1
2	aerator M24x1 (5 l/min)	98802000	-	1
3	hollow set screw M6x6	97660000	-	1
4	O-ring 22x1,5	98173000	-	1
5	escutcheon	95943800	-	1
6	electronics	95949000	-	1
7	O-ring 12x1,5	98430000	-	1
8	O-ring 76x2,5	98431000	-	1
9	connecting thread	92449000	-	1
10	O-ring 7x1,5	98422000	-	1
11	O-ring 17x1,5	98137000	-	1
12	cable for illumination (12 V)	95586000	-	1
13	transformer	95945000	-	1
14	escutcheon Ø 170 mm	95946800	-	1
15	sub plate	96447000	-	1
16	set of fixing screws	96454000	-	1
17	set of screws	96525000	-	1
18	control system	95947000	-	1
19	solenoid valve 6 V	96904000	-	1
20	noise reduction	94073000	-	1
21	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
22	set of non return valves DW 15	94074000	-	1
23	filter packing	95291000	-	1
24	O-ring 16x2	98133000	-	1
25	extension 22 mm (Ø 170 mm)	13596800	-	1
26	extension 25 mm	13594000	-	1
27	set of fixing screws	97747000	-	1
a	concealed item	16180180	-	1
b	conversion kit with push button	95977000	-	1