

Acer TravelMate P2

(TMP216-51-TCO-5567)

The durable and sustainably designed TravelMate P2 features improved performance, business-grade security, and a highly refined user experience for work and video conferencing that makes it one of the best value laptops for small businesses.



- Processor: Intel® Core™ i5-1335U
- Display: 16"Acer ComfyView™ WUXGA IPS (non-glare)
- Memory: 16 GB DDR4 RAM
- Mass storage: 512 GB SSD
- Graphics card: Intel® Iris® Xe Graphics
- Operating system: Windows 11 Pro (64-bit)

















Acer TMP216-51-TCO-5567

SPECIFICATIONS







Ordering Information

Series Model name Part number EAN

Short description

Acer TravelMate P2 TMP216-51-TCO-5567 NX.B1BEG.004 4711121788895

16"Acer ComfyView™ WUXGA IPS (nonglare) / Intel® Core™ i5-1335U / 16 GB DDR4 RAM / 512 GB SSD / Intel® Iris® Xe Graphics / Windows 11 Pro (64-bit) / Steel

Gray

Operating System

Operating System

Windows 11 Pro (64-bit)

Housing

Housing / Color Component door Dimensions Weight

Passively cooled (fanless)

Steel Gray

358.5 (W) x 260 (D) x 19.9/22.9 (H) mm 1.87 kg

Display

Display size Display type

Display resolution in pixel Aspect ratio

16.0"

Acer ComfyView™ WUXGA IPS Display with LED-Backlight (non-glare)

1920 x 1200

16:10

Processor Clock frequency

Processing cores / threads

Chipset

Intel® Core™ i5-1335U Processor

1.30 GHz (Up to 4.60 GHz Intel® Turbo Boost

Max Technology) 12 MB Intel® Smart Cache

2 Performance-cores + 8 Efficient-cores / 12

Integrated SOC

Storage and drives

Memory Memory configuration

Maximum RAM

Mass storage

16 GB DDR4 RAM 1 x 16 GB DDR4 RAM

Up to 16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules

512 GB PCIe Gen4 NVMe Solid-State-Drive

Graphics card

Intel® Iris® Xe Graphics

LAN

Wireless LAN

Wireless WAN / SIM-Card Wireless Gigabit Bluetooth

NFC

Intel® Ethernet Connection I219-LM Gigabit

Ethernet

Intel® Wi-Fi 6E (802.11 ax)

Bluetooth® 5.1

IO ports

HDMI VGA Displayport

Thunderbolt USB 3.2

> USB 3.1 USB 3.0 USB 2.0 USB 4.0

Ethernet (RJ-45) Cardreader

Audio port Docking port HDMI® 2.0 port with HDCP support

Thunderbold 4 über USB-C

2x with one featuring power-off USB char-

Yes

MicroSD Card reader

3.5 mm headphone/speaker jack

Keyboard Keyboard layout Backlit keyboard

Touchpad

99-/100-/103-key Acer keyboard layout

German (QWERTZ)

Multi-gesture touchpad



Acer TMP216-51-TCO-5567

SPECIFICATIONS

Security

Fingerprint sensor Yes
TPM TPM 2.0
Kensington Lock Yes

Security software Acer ProShield Plus security manager

Audio and video

Speaker DTS® Audio, mit optimierter Basswiedergabe

und Mikro-Lautsprecher Vermeidung von

Verzerrungen

Microphone Acer Purified.Voice technology

Webcam 1280 x 720

Battery and power adapter

Battery Li-lon battery (3 cells / 48,5 Wh)

Battery lifetime Up to 12 hours

Power adapter 65W USB-C power adapter

Battery built in -

Software

Office 1 month trial for new Microsoft 365 custom-

ers. Credit card required

Certificate

EPEAT® Yes EnergyStar® Yes

Special features

Special features Military Reliability Test MIL-STD 810H

Warranty

Warranty 3 year mail-in/return service

Logistics

Quantity per layer26Quantity per europallet78Quantity per tower156Quantity per container1716

Carton dimensions / weight 498.0 x 310.0 x 65.0 mm (W x D x H) / 2.95 kg

Due to our ongoing commitment to the continuous improvement of the quality of our products, this data sheet is subject to change without notice. Availability may vary from region to region. Acer is not responsible for any errors or omissions in the product descriptions. Copyright 2020 Acer Computer GmbH, Germany. All rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation. All other mentioned or otherwise recognizable trademarks, registered trademarks and/or service marks are the property of their respective owners. All prices quoted are recommended retail prices of the manufacturer