



Delock USB Type-C™ Splitter (DP Alt Mode) > 1 x HDMI + 1 x VGA out

Description

This splitter by Delock is suitable for the connection of a VGA monitor and an HDMI monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs.



Note

The product is a Multi-Stream-Transport (MST) hub and supports the extended desktop configuration of DisplayPort 1.2. When Mac OS is used, the same image is displayed on both ports (mirrored), it is not possible to use both ports independently of each other.

Specification

- Connectors:
 - Input:
 - 1 x USB Type-C™ male
 - Output:
 - 1 x HDMI-A 19 pin female
 - 1 x VGA 15 pin female
- Chipset: STDP4320
- DisplayPort 1.2 specification
- HDMI:
 - Resolution up to 2560 x 1440 @ 60 Hz / 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- VGA:
 - Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- Active converter, Single / Multi Stream Transport Hub (SST / MST)
- Functions: Mirrored or Extended (Windows only)
- USB bus powered
- Metal housing
- Colour: silver
- Cable length incl. connectors: ca. 15 cm
- Dimensions (LxWxH): ca. 66 x 54 x 16 mm

System requirements

- Windows 8.1/8.1-64/10/10-64, Mac ex OS 10.9
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ Splitter (DP Alt Mode)
- User manual

Item no. 87705

EAN: 4043619877058

Country of origin: China

Package: Retail Box





Images



**General**

Specification:	DisplayPort 1.2
	USB Type-C™
Supported operating system:	Mac OS 10.9 or above
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit

Interface

Output:	1 x HDMI-A 19 pin female
	1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	STDP4320
Maximum screen resolution:	3840 x 2160 @ 30 Hz

Physical characteristics

Housing colour:	silver
Housing material:	metal
Cable length incl. connector:	10 cm
Length:	66.0 mm
Width:	54 mm
Height:	16 mm