


Protect your home and keep watch over those you care about most. Kasa Cam is designed to deliver clear 1080p video the moment you start streaming, keeping you connected to your home anywhere you go.




Features



Feel Like You're There

Not all 1080p cameras are the same. Kasa Cam is fine-tuned to deliver rich colors, balanced lighting and sharp video quality, even while live-streaming footage. Plus, it uses night vision to make sure you can monitor your home around the clock.



Control with Your Voice

Kasa Cam pairs with Echo Show, so you can use your voice to control it even when your hands are full.

Personalize Security Camera

Kasa Cam makes it easy to keep an eye on your family with instant notifications and motion and audio detection. You can customize your Kasa experience with activity zones to only send alerts that matter the most to you.

Protect Every Pixel

We know your privacy is important to you, which is why every bit of your video is protected with industry-standard 128 bit AES encryption with SSL/TLS.



Store Video for Free

Kasa Cam records every time it senses motion or sound and stores up to two days (1GB) of video on the cloud for free. Once saved, you can watch every video through the activity center in the Kasa app.

Easy Setup with the Kasa App

Get the camera up and running in just a few minutes by downloading the Kasa app and following a few simple setup instructions.

Specifications

Camera

Image Sensor: 1/2.7"(Ф6.6) **Resolution:** 1920 ×1080 Lens: F/NO: 2.0; Focal Length: 3.21mm Viewing Angle: FOV = 130°

Audio

Audio Communication: 2-way audio Audio Input & Output: Built-in microphone and speaker

Video


Video Compression: H.264 Frame Rate: Up to 25fps Video Streaming: 1080p Audio Compression: AAC

Network

Wireless Rate: 11Mbps(802.11b) 54Mbps(802.11g) 150Mbps(802.11n) 433Mbps(802.11ac) Frequency: 2.4GHz, 5GHz Wireless Security: WEP, WPA/WPA2-PSK Security: 128 bit AES encryption with SSL/TLS

Hardware

Ports & Connections: Micro USB port **Button:** RESET button Indicator LED: System LED Adapter Input: 220-240VAC, 50/60Hz, 0.1A Adapter Output: 5.0VDC, 1.0A Dimensions (W x D x H): 3.1 x 3.1 x 5.4 in. (79 x 79 x 137mm)



Activity Notifications

Input Trigger: Motion detection, audio detection **Output Notification:** Push notification

System

Regulatory Certification: FCC, IC, CE System Requirements: iOS 9+, Android 4.4x+

Environment

Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -20°C~70°C (-4°F~158°F) **Operating Humidity:** 10%~90%RH non-condensing **Storage Humidity:** 5%~90%RH non-condensing

Specifications are subject to change without notice. TP-Link is a registered trademarks of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright © 2017 TP-Link Technologies Co., Ltd. All rights reserved. www.tp-link.com

Package Contents

Kasa Cam Camera stand with magnetic base Mounting screws Power adapter USB cable Quick Start Guide