

Delock USB Type-C™ Adapter to Gigabit LAN 10/100/1000 Mbps – compact design

Description

The adapter by Delock expands a PC or laptop by one **network interface** via the USB Type-C™ interface. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.

Small sturdy helper

Due to its **small dimensions and its stable metal housing**, this Delock adapter is especially suitable for travelling. Thanks to its small size, the USB adapter fits in every trouser pocket or can be packed together with the laptop or tablet in the bag and used as needed.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
 - 1 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8153
- Data transfer rate:
 - Ethernet up to 10 Mbps (Half/Full Duplex)
 - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
 - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
 - IEEE 802.3: 10BASE-T
 - IEEE 802.3u: 100BASE-TX
 - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control
- Supports 9k Jumbo Frames
- USB bus powered
- Dimensions (LxWxH): ca. 52 x 24 x 14 mm
- Colour: grey

System requirements

- Android 9.0 or above
- Chrome OS 83.0 or above
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- Windows 8.1/8.1-64/10/10-64
- PC or mobile devices with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB Type-C™ Gigabit LAN adapter

Item no. 64118

EAN: 4043619641185

Country of origin: China

Package: • Retail Box

Images



**General**

Supported operating system:	Android 9.0 or above
	Chrome OS 83.0 or above
	Linux Kernel 5.4 or above
	Mac OS 10.15.6 or above
	Mac OS 10.9 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit

LED indicator:	power and activity
----------------	--------------------

Interface

Connector 1:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	1 x Gigabit LAN RJ45 female

Technical characteristics

Chipset:	Realtek RTL8153
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1000 Mbps

Physical characteristics

Length:	52 mm
Width:	24 mm
Height:	14 mm
Colour:	grey