PCI Express x4 Card to 4 x USB Type-C™ 10 Gbps - Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by **four external USB 10 Gbps ports**. Different USB devices can be connected to the card.

Power supply via PCI Express interface

The card does **not need an additional power supply**. The power is supplied exclusively via the PCI Express interface.



Item no. 90935

EAN: 4043619909353

Country of origin: China

Package: Box

Technical details

- Connectors:
  external:
  4 x USB 10 Gbps USB Type-C™ female
  internal:
  1 x PCI Express x4, V3.0
- Chipset: Asmedia ASM3142, VIA VL820
- Data transfer rate up to 10 Gbps
- Electrical power per port: max. 15 watt (5 V / 3 A)
- Bootable
- Supports UASP
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports Multiple INs

System requirements

- Linux Kernel 6.11 or above
- Windows 10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Package content

- PCI Express card USB 10 Gbps
- Low profile bracket
- User manual

Images





All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

General

Function:	bootable
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.11 or above

Interface

External:	4 x USB 10 Gbps USB Type-C™ female
Internal:	1 x PCI Express x4, V3.0

Technical characteristics

Electrical power per port:	USB Type-C™: max. 15 watt (5 V / 3 A)
Chipset:	Asmedia ASM3142 VIA VL820
Data transfer rate:	10 Gbps

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**