


PCI Express x4 Card to 1 x internal NVMe M.2 Key M 80 mm - Low Profile Form Factor

Description

This PCI Express card by Delock expands the PC by **one M.2 slot**. One M.2 module in **2280, 2260, 2242 or 2230** format can be connected.



Item no. 90047

EAN: 4043619900473

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
internal:
1 x 67 pin M.2 key M slot
1 x PCI Express x4, V4.0
- Interface: PCIe / NVMe
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- 1 x LED indicator
- Supports NVM Express (NVMe)
- Bootable, ex UEFI version 2.3.1
- Supports S.M.A.R.T.
- Supports TRIM


System requirements

- Linux Kernel 5.8 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2019
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- Screwdriver
- Mounting material
- Thermal conductive pad
- User manual

Images



Allgemein

Formfaktor:	Low Profile
Funktion:	NVM Express (NVMe) Bootfähig
Unterstütztes Betriebssystem:	Linux Kernel 5.8.0 oder höher Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2019
LED Anzeige:	1 x
Slot:	PCIe
Unterstütztes Modul:	M.2 Module im Format 2280, 2260, 2242 und 2230 mit Key M oder Key B+M auf PCIe Basis
Maximale Höhe der Komponenten auf dem Modul:	1,5 mm, Verwendung von zweiseitig bestückten Modulen möglich

Schnittstelle

Intern:	1 x 67 Pin M.2 Key M Slot 1 x PCI Express x4, V4.0
---------	---

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de