

ASUS ZenWiFi XD6S AX5400 Dual-band Mesh WiFi 6 System

- **Powerful AX performance-** Enjoy ultrafast speed up to 5400Mbps with WiFi 6 (802.11ax) and 160MHz channels.
- **Intuitive Mobile App-** Equipped with an user-friendly interface, the ASUS Router App takes you only 3 steps to set up the router.
- **Secure Personal Information with a Tap-** Instant Guard provides secure connection on the router with simply a tap on the ASUS router App.
- **ASUS AiMesh Support-** Create a flexible, seamless whole-home mesh network with AiMesh-compatible models.
- **Commercial-grade Home Network Security-** Lifetime free ASUS AiProtection Pro, powered by Trend Micro™, with WPA3 and advanced Parental Controls for your home security.
- **Space-saving and nice-looking-** The iconic design also comes with a wall mount kit. Hang it on the wall or place it anywhere.



Whole-Home Coverage

The ZenWiFi XD6S system consists of a pair of ASUS AX5400 WiFi 6 routers, featuring unique technologies that give you superfast, reliable and secure WiFi connections — inside or outside your home!



WiFi 6

True 8K Streaming

ZenWiFi XD6S puts your WiFi into top gear! With a total bandwidth of up to 5400 Mbps, it's up to 2.2X faster* than WiFi 5 routers**.

* The 160MHz bandwidth may be unavailable in the 5GHz band in some regions / countries due to regulatory restrictions.

* Compatible WiFi 6 device required.

** The data compares speed of 4x4 11ax on 5GHz 160MHz bandwidth with 1024QAM modulation to speed of 4x4 11ac on 5GHz 80MHz with 256QAM modulation.



Flexible Network Naming

Uniquely, ZenWiFi XD6S lets you choose how you name your WiFi networks: a single name for everything, or separate names for each frequency band. The choice is yours!




Smart & Flexible Backhaul Configuration

ASUS ZenWiFi XD6S gives you alternative backhaul options: Ethernet and WiFi. The router intelligently chooses the most reliable method for you based on connection quality. If you prefer, you can also manually choose the type of backhaul connection.



Easier-than-ever Setup

The ASUS Router mobile app makes it easy to set up and manage your WiFi network. An intuitive interface lets you easily view and adjust network settings direct from your mobile devices with synchronization for all the hubs in each package through one-time setup.




Space-saving and Nice-looking

The iconic design also comes with a wall mount kit. Hang it on the wall or place it anywhere. The choice is yours!



More Privacy, Anywhere

Instant Guard gives you one-click secure internet access via ZenWiFi XD6S from anywhere in the world, thanks to its encrypted data-tunneling VPN technology. With ZenWiFi XD6S, you can take your home network with you wherever you go — and say goodbye to web-based third-party VPNs!



Specifications

Network Standard	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax, IPv4, IPv6
Product Segment	AX5400 ultimate AX performance
Coverage	Large homes
Data Rate	• 802.11a/g : up to 54 Mbps • 802.11b : up to 11 Mbps • 802.11n (1024 QAM): up to 500 Mbps • 802.11ac (1024 QAM) : up to 4333 Mbps • 802.11ax (2.4 GHz) : up to 574 Mbps • 802.11ax (5 GHz) : up to 4804 Mbps
Specification	Operating temperature: 0°C ~ 40°C Operating humidity: 20 % ~ 90 %
Antenna	Internal antenna x 6
Transmit/Receive	2.4 GHz 2x2 5 GHz 4x4
Memory	128 MB Flash 512 MB RAM
Operating Frequency	2.4 GHz / 5 GHz
Power Supply	AC Input : 110V~240V(50~60Hz) DC Output : 12 V with max. 2 A current
Encryption	WPA3-Personal, WPA2-Personal, WPA-Personal, WPA-Enterprise , WPA2-Enterprise , WPS support
Management	UPnP, IGMP v1/v2/v3, DNS Proxy, DHCP, NTP Client, DDNS, Port Trigger, Port Forwarding, DMZ, System Event Log
VPN Support	IPSec Pass-Through, PPTP Pass-Through, L2TP Pass-Through, OpenVPN server, PPTP server, Ipsec server, OpenVPN server, PPTP client;L2TP client, OpenVPN client
WAN Connection Type	Automatic IP, Static IP, PPPoE(MPPE supported), PPTP, L2TP
Ports	RJ45 for Gigabits BaseT for WAN x 1 RJ45 for Gigabits BaseT for LAN x 1
Button	WPS Button Reset Button

Specifications

OS Support	Windows® 11 Windows® 10 Windows® 8 Windows® 7 Mac OS X 10.6 or Above iOS 9.0 or higher
Features	Router app ; MU-MIMO; Smart connect ; Traffic Analyzer; Adaptive QoS; AiProtection Pro ; Parental Control; Guest Network; VPN server ;VPN client ;OFDMA ; Beamforming; IPTV support; Bandwidth Limiter,ICMP
Product Dimensions	5.9 x 12.6 x 12.9 cm (WxDxH)
Product Weight	425g
Box Dimensions	(2-pack) 31.5 x 17.4 x 15.65cm (1-pack) 18.4 x 17.8 x 11.5cm
Box Weight	(2-pack) 1754g (1-pack) 885g
Package Content	• XD6S • RJ45 Ethernet Cable • Power Adapter • Wall Mount Kit • Quick Start Guide • Warranty Card
Operation mode	• Wireless router mode • Access point mode • Media bridge mode • Range extender mode
Operation Frequency/Power	• 2.4GHz < 20dBm , 5 GHz < 30dBm
Note	*Content may vary in different regions and packages.