



INLINE® USB4 M.2 SSD ENCLOSURE

USB-C to M.2 NVMe, 40Gb/s, aluminium

- **Maximum data rate of up to 40 Gb/s:** Supports USB4 for ultra-fast transfer of large amounts of data in professional environments.
- **Full compatibility with Thunderbolt 3/4:** Ideal for professional IT environments, can be flexibly combined with various systems and devices.
- **Tool-free assembly with comprehensive accessories:** Includes everything for quick and stable installation, including screw set, cooling materials and USB-C combo cable.
- **Rugged aluminium housing with cooling fins:** Effective passive cooling thanks to ribbed surface - suitable for continuous operation.
- **Universal use for M.2 NVMe SSDs:** Supports various form factors (2230/2242/2260/2280) as well as single and double-sided SSDs up to 8 TB.

The InLine® USB4 enclosure for M.2 SSDs (NVMe) impresses with its high performance and universal applicability. With transfer rates of up to 40 Gb/s, it is ideal for demanding tasks such as fast data transfer, system migration or SSD diagnostics. Thanks to full compatibility with Thunderbolt 3/4 and all common USB-C standards, the enclosure can be easily integrated into existing system landscapes.

Made from robust, anodised aluminium with a ribbed surface, the enclosure ensures efficient heat dissipation - even during long-term use. Installation is straightforward and requires no tools. The scope of delivery includes a USB-C cable (USB-C to USB-C/USB-A), heat conducting plate, heat conducting pad and a screw set including the appropriate tools. SSDs in the formats 2230 to 2280 (M-Key), single and double-sided, with up to 8 TB capacity are supported.

A powerful tool for anyone who values performance, compatibility and a reliable data connection - whether in professional use or when working with large amounts of data on a daily basis.

- Input interface: USB-C 4.0
- Data transfer rate: 40 Gb/s
- Compatibility: Thunderbolt 3/4, USB 3.2/3.1/3.0
- Supported SSD sizes: 2230 / 2242 / 2260 / 2280

- SSD type: NVMe, M-Key, single-sided and double-sided
- Max. SSD height: 1.5 mm per side
- Material: Aluminium alloy, anodised
- Chip: ASM2464PD
- Supported systems: Android / Linux / macOS / Windows
- Operating temperature: 0 °C to +40 °C
- Dimensions: 107 × 50 × 17 mm
- Content of delivery:
 - 1x InLine® USB4 enclosure, USB-C to M.2 SSD NVME, aluminium
 - 1x USB-C to USB-C/USB-A cable 0.30 m
 - 1x heat conduction plate
 - 1x heat conduction pad
 - 1x cross screwdriver
 - 1x screw set (2 metal screws + 2 twist locks)
 - 1x operating instructions (German/English)



Technical Data	
Article height:	1,8 cm
Article length:	10,7 cm
Article width:	5 cm
Cooling:	Fanless
External connection:	USB-C
Number of hard disks:	1
Suitable for:	NVMe-M.2 SSD & SATA-M.2 SSD
Transmission rate:	40 Gb/s
USB specification:	USB 4

Item No.	EAN
00031J	4043718342143

If you have any further questions, please contact marketing@inline-info.com

www.inline-info.com/en/

Disclaimer

InLine® is a brand of INTOS ELECTRONIC AG | Siemensstraße 11 | D-35394 Gießen

Documentation © 2025 INTOS ELECTRONIC AG

All rights reserved. No part of this document may be reproduced in any form or by any means, electronic, mechanical or chemical, without the prior written permission of the publisher. It is possible that this document may still contain typographical faults or misprints.

However, the information in this document will be checked regularly and corrections will be made in the next edition. We accept no liability for errors of a technical or printing nature and their consequences. All trademarks and industrial property rights are acknowledged. Changes in the sense of technical progress can be made without prior notice. Our products, including packaging, are not toys, they may contain small parts and sharp objects.

Please keep away from children.