

Thermaltake Toughpower GF A3 850W

Anex

Lab ID#: TT85002252 Receipt Date: Aug 17, 2023 Test Date: Oct 5, 2023

Report: 23PS2252A

Report Date: Oct 10, 2023

DUT INFORMATION	DUT	INFORMA	ΓΙΟΝ
-----------------	-----	---------	------

Brand	Thermaltake
Manufacturer (OEM)	НКС
Series	Toughpower GF A3
Model Number	TTP-850AH2FKG
Serial Number	PSTPD0850FNFAGCHPA000154
DUT Notes	

DUT SPECIFICATIONS				
Rated Voltage (Vrms)	100-240			
Rated Current (Arms)	10			
Rated Frequency (Hz)	50-60			
Rated Power (W)	850			
Туре	ATX12V			
Cooling	120mm Fluid Dynamic Bearing Fan [TT-1225 (BDH12025S)]			
Semi-Passive Operation	✓ (selectable)			
Cable Design	Fully Modular			

Electronic Loads	Chroma 63601-5 x2 Chroma 63600-2 63640-80-80 x10 63610-80-20
AC Sources	Chroma 6530, APM SP300VAC4000W-P
Power Analyzers	RS HMC8015, N4L PPA1530, N4L PPA5530
Oscilloscopes	Picoscope 4444, Rigol DS7014, Siglent SDS2104X PLUS
Sound Analyzer	Bruel & Kjaer 2270 G4
Microphone	Bruel & Kjaer Type 4955-A
Temperature Logger	Picoscope TC-08
Tachometer	UNI-T UT372
Multimeters	Keysight 34465A, Keithley 2015 - THD
UPS	FSP Champ Tower 3kVA, CyberPower OLS3000E 3kVA
Isolation Transformer	4kVA

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case



EFFICIENCY AND NOISE LEVEL CERTIFICATIONS

Thermaltake Toughpower GF A3 850W

RESULTS	
Temperature Range (°C /°F)	30-32 / 86-89.6
ErP Lot 3/6 Ready	1
(EU) No 617/2013 Compliance	1
ALPM (Alternative Low Power Mode) compatible	1
ATX v3.0 PSU Power Excursion	1

115V		230V		
Average Efficiency	89.751%	Average Efficiency	91.867%	
Efficiency With 10W (≤500W) or 2% (>500W)	69.585	Average Efficiency 5VSB	79.440%	
Average Efficiency 5VSB	80.794%	Standby Power Consumption (W)	0.1158000	
Standby Power Consumption (W)	0.0596000	Average PF	0.943	
Average PF	0.984	Avg Noise Output	28.31 dB(A)	
Avg Noise Output	28.46 dB(A)	Efficiency Rating (ETA)	PLATINUM	
Efficiency Rating (ETA)	PLATINUM	Noise Rating (LAMBDA)	A-	
Noise Rating (LAMBDA)	A-			

POWER SPECIFICATIONS

Rail		3.3V	5V	12V	5VSB	-12V
Mary Davies	Amps	20	20	70.8	3	0.3
Max. Power	Watts	100		849.6	15	3.6
Total Max. Power (W)		850				

HOLD-UP TIME & POWER OK SIGNAL (230V)

Hold-Up Time (ms)	24.5
AC Loss to PWR_OK Hold Up Time (ms)	20.6
PWR_OK Inactive to DC Loss Delay (ms)	3.9

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 2/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



EFFICIENCY AND NOISE LEVEL CERTIFICATIONS

Thermaltake Toughpower GF A3 850W

CABLES AND CONNECTORS

Modular Cables				
Description	Cable Count	Connector Count (Total)	Gauge	In Cable Capacitors
ATX connector 20+4 pin (600mm)	1	1	18AWG	No
4+4 pin EPS12V (650mm+150mm)	1	2	18AWG	No
6+2 pin PCIe (500mm+150mm)	2	4	18AWG	No
12+4 pin PCIe (600mm) (450W)	1	1	18-26AWG	No
SATA (500mm+145mm+145mm+145mm)	2	8	18AWG	No
4-pin Molex (500mm+150mm+150mm+150mm)	1	4	18AWG	No
FDD Adapter (150mm)	1	1	22AWG	No
AC Power Cord (1380mm) - C13 coupler	1	1	18AWG	-

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics


> The link to the original test results document should be provided in any case

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted




Anex

Thermaltake Toughpower GF A3 850W



5VSB EFFICIENCY



INFO

This graph depicts the efficiency levels of the 5VSB rail with 115V and 230V input

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

 $\ensuremath{\mathsf{>}}$ The link to the original test results document should be provided in any case

PAGE 4/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W

5VSB EFFICIENCY -115V (ERP LOT 3/6 & CEC)					
Test #	5VSB	DC/AC (Watts)	Efficiency	PF/AC Volts	
1	0.045A	0.23W	- C4 4420/	0.034	
1	5.107V	0.357W	64.442%	114.86V	
2	0.09A	0.459W	70 51 00/	0.06	
2	5.105V	0.633W	72.512%	114.86V	
	0.55A	2.797W	01 7000	0.249	
3	5.085V	3.422W	81.762%	114.87V	
	1A	5.067W	00.0000/	0.326	
4	5.067V	6.154W	82.328%	114.86V	
-	1.5A	7.569W	22 52/	0.376	
5	5.046V	9.176W	82.5%	114.87V	
6	ЗА	14.946W	70.000%	0.445	
	4.982V	18.903W	79.068%	114.86V	

5VSB EFFICIENCY -230V (ERP LOT 3/6 & CEC)

Test #	5VSB	DC/AC (Watts)	Efficiency	PF/AC Volts
	0.045A	0.23W	54.0770/	0.012
1	5.107V	0.419W	54.977%	229.94V
2	0.09A	0.459W		0.02
2	5.105V	0.701W	65.607%	229.94V
3	0.55A	2.797W		0.096
	5.086V	3.519W	79.502%	229.94V
_	1A	5.067W	00 61 20/	0.16
4	5.067V	6.286W	80.612%	229.93V
-	1.5A	7.569W		0.204
5	5.046V	9.32W	81.211%	229.94V
6	ЗА	14.946W		0.307
	4.982V	18.652W	80.139%	229.94V

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 5/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



EFFICIENCY AND NOISE LEVEL CERTIFICATIONS

Thermaltake Toughpower GF A3 850W

115V

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 6/16


Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W


EFFICIENCY GRAPH 115V



INFO

This graph depicts the PSU's efficiency throughout its entire operational range. For the generation of the efficiency and noise graphs we set our loaders to auto mode through our custom-made software before trying thousands of possible load combinations

NOISE GRAPH 115V



INFO

The PSU's noise in its entire operational range and under 30-32 °C ambient is depicted in this graph. The X axis represents the load on the +12V rail(s) while the Y axis is the load on the minor rails

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Thermaltake Toughpower GF A3 850W

Anex

VAMPIRE POWER -115V

Detailed Results										
Average Min Limit Min Max Limit Max Result										
Mains Voltage RMS:	114.88 V	114.84 V	113.85 V	114.92 V	116.15 V	PASS				
Mains Frequency:	60.00 Hz	59.99 Hz	59.40 Hz	60.01 Hz	60.60 Hz	PASS				
Mains Voltage CF:	1.416	1.415	1.340	1.418	1.490	PASS				
Mains Voltage THD:	0.14 %	0.11 %	N/A	0.17 %	2.00 %	PASS				
Real Power:	0.060 W	-0.002 W	N/A	0.099 W	N/A	N/A				
Apparent Power:	10.962 W	10.935 W	N/A	10.993 W	N/A	N/A				
Power Factor:	0.006	N/A	N/A	N/A	N/A	N/A				

INFO

This graph is generated by the PPA Standby Power Analysis software which takes full control of the power analyzer during the whole procedure. This application features all of the EN50564 & IEC62301 test limits for standby power software testing

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case



Anex

Thermaltake Toughpower GF A3 850W

10-1	10% LOA	D TESTS	115V							
Test	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	Temps (In/Out)	PF/AC Volts
100/	5.203A	1.975A	1.967A	0.99A	85.002	97 7100/	0	-60	44.23°C	0.974
10%	12.185V	5.065V	3.355V	5.05V	96.906	87.719%	0	<6.0	39.97°C	114.84V
200/	11.415A	2.968A	2.959A	1.192A	169.931	- 00 7940/	1040	26.4	40.7°C	0.971
20%	12.180V	5.055V	3.346V	5.032V	187.181	90.784%	1040	26.4	45.39°C	114.81V
200/	17.980A	3.468A	3.461A	1.396A	254.924	01 7450/	1041		41.46°C	0.979
30%	12.173V	5.047V	3.337V	5.015V	277.859	91.745%	1041	26.5	46.56°C	114.78V
400/	24.550A	3.969A	3.965A	1.601A	340.001	01.0500/	1042	26 5	41.81°C	0.984
40%	12.171V	5.04V	3.329V	4.998V	370.142	91.858%	1043	26.5	47.39°C	114.75V
F.00/	30.751A	4.969A	4.969A	1.808A	424.777	01 5170/	1044		42.13°C	0.988
50%	12.171V	5.032V	3.32V	4.979V	464.169	91.517%	1044	26.5	48.21°C	114.72V
600/	36.918A	5.973A	5.98A	2A	509.23	00.0000/	1046	26.6	42.69°C	0.991
60%	12.176V	5.023V	3.311V	4.96V	560.811	90.802%		26.6	49.24°C	114.69V
700/	43.153A	6.979A	6.997A	2.227A	594.61	00.1.000/	90.162% 1251	32.1	43.39°C	0.993
70%	12.178V	5.015V	3.302V	4.94V	659.498	90.162%			50.44°C	114.66V
000/	49.401A	7.99A	8.019A	2.335A	679.451	00.4620/		22.2	43.91°C	0.994
80%	12.177V	5.007V	3.292V	4.924V	759.476	89.463%	1253	32.2	51.98°C	114.63V
000/	56.039A	8.502A	8.528A	2.445A	764.923	00 6220/	1576	20 F	44.39°C	0.995
90%	12.178V	4.998V	3.283V	4.908V	863.036	88.632%	1576	38.5	53.43°C	114.59V
1000/	62.437A	9.018A	9.072A	3.081A	849.773	07 6010/	2160	46 7	45.09°C	0.995
100%	12.173V	4.99V	3.274V	4.869V	969.167	87.681%	2160	46.7	55.17°C	114.56V
1100/	68.706A	10.036A	10.202A	3.087A	934.336	06 7700/	21.05	46 7	46.64°C	0.996
110%	12.168V	4.982V	3.264V	4.859V	1076.767	86.772%	2165	46.7	57.57°C	114.53V
	0.113A	11.933A	11.907A	0A	101.277	04.0010/	1000	26.4	40.36°C	0.972
CL1	12.185V	5.044V	3.334V	5.078V	119.242	84.931%	1039	26.4	45.88°C	114.84V
	0.113A	19.812A	0A	0A	101.363	02 5 4 40/	1000	26.2	40.35°C	0.971
CL2	12.186V	5.046V	3.349V	5.084V	121.33	83.544%	1038	26.3	47.43°C	114.84V
	0.113A	0A	19.809A	0A	67.376	70.0000/	1022	26.2	40.35°C	0.97
CL3	12.183V	5.059V	3.332V	5.081V	85.385	78.908%	1038	26.3	49.44°C	114.85V
	69.814A	0A	0A	0.001A	849.498	00.7000/	1440	201	45.06°C	0.995
CL4	12.168V	5.011V	3.296V	5.025V	956.765	88.789%	1448	36.1	56.03°C	114.57V

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 9/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W

20-80W LOAD TESTS 115V										
Test	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	Temps (In/Out)	PF/AC Volts
2014/	1.219A	0.493A	0.491A	0.196A	19.996	71 250/	71.25% 0	-6.0	39.75°C	0.87
20W	12.179V	5.071V	3.363V	5.093V	28.069	/1.25%		<6.0	36.64°C	114.86V
40144	2.684A	0.69A	0.687A	0.295A	39.998	01 0220/	81.933% 0	<6.0	41.01°C	0.927
40W	12.180V	5.069V	3.361V	5.087V	48.819	81.933%			37.53°C	114.86V
COM	4.148A	0.888A	0.884A	0.394A	60			<6.0	41.91°C	0.953
60W	12.182V	5.067V	3.359V	5.08V	70.124	85.564%	0		38.13°C	114.85V
00144	5.608A	1.086A	1.081A	0.493A	79.949	07.0200/	0	-6.0	42.99°C	0.973
80W	12.184V	7 5.066V 3.358V 5.073V 90.915 87.938% 0	U	<6.0	39.01°C	114.84V				

RIPPLE MEASUREMENTS 115V

Test	12V	5V	3.3V	5VSB	Pass/Fail
10% Load	8.25mV	10.77mV	8.07mV	4.39mV	Pass
20% Load	11.19mV	11.03mV	8.94mV	4.75mV	Pass
30% Load	13.30mV	12.41mV	9.31mV	5.63mV	Pass
40% Load	18.20mV	12.05mV	10.76mV	6.24mV	Pass
50% Load	22.84mV	12.83mV	11.48mV	6.87mV	Pass
60% Load	21.55mV	14.73mV	13.14mV	7.64mV	Pass
70% Load	25.06mV	14.17mV	13.91mV	8.36mV	Pass
80% Load	26.96mV	14.99mV	15.10mV	9.03mV	Pass
90% Load	29.80mV	15.97mV	15.93mV	9.70mV	Pass
100% Load	39.01mV	17.92mV	19.13mV	11.98mV	Pass
110% Load	42.19mV	20.11mV	20.54mV	12.89mV	Pass
Crossload1	17.10mV	15.48mV	13.16mV	8.39mV	Pass
Crossload2	15.93mV	17.88mV	12.00mV	8.51mV	Pass
Crossload3	11.60mV	12.78mV	12.00mV	11.66mV	Pass
Crossload4	35.74mV	15.74mV	17.61mV	13.55mV	Pass

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 10/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



EFFICIENCY AND NOISE LEVEL CERTIFICATIONS

Thermaltake Toughpower GF A3 850W

230V

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 11/16


Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W


EFFICIENCY GRAPH 230V



INFO

This graph depicts the PSU's efficiency throughout its entire operational range. For the generation of the efficiency and noise graphs we set our loaders to auto mode through our custom-made software before trying thousands of possible load combinations

NOISE GRAPH 230V



INFO

The PSU's noise in its entire operational range and under 30-32 °C ambient is depicted in this graph. The X axis represents the load on the +12V rail(s) while the Y axis is the load on the minor rails

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 12/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Thermaltake Toughpower GF A3 850W

Anex

VAMPIRE POWER -230V

Detailed Results										
	Average Min Limit Min Max Limit Max Result									
Mains Voltage RMS:	229.97 V	229.90 V	227.70 V	229.99 V	232.30 V	PASS				
Mains Frequency:	50.00 Hz	50.00 Hz	49.50 Hz	50.00 Hz	50.50 Hz	PASS				
Mains Voltage CF:	1.416	1.415	1.340	1.416	1.490	PASS				
Mains Voltage THD:	0.13 %	0.11 %	N/A	0.16 %	2.00 %	PASS				
Real Power:	0.116 W	0.069 W	N/A	0.184 W	N/A	N/A				
Apparent Power:	37.466 W	37.415 W	N/A	37.535 W	N/A	N/A				
Power Factor:	0.003	N/A	N/A	N/A	N/A	N/A				

INFO

This graph is generated by the PPA Standby Power Analysis software which takes full control of the power analyzer during the whole procedure. This application features all of the EN50564 & IEC62301 test limits for standby power software testing

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W

10-1	10% LOA	D TESTS	230V							
Test	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	Temps (In/Out)	PF/AC Volts
100/	5.206A	1.975A	1.967A	0.99A	85.001	00 7060/	0	-6.0	44.77°C	0.815
10%	12.180V	5.065V	3.355V	5.049V	95.728	88.796%	0	<6.0	40.49°C	229.93V
20%	11.418A	2.968A	2.959A	1.193A	169.94	92.244%	983	24.6	40.71°C	0.907
2076	12.177V	5.055V	3.345V	5.03V	184.232	92.24470	905	24.0	45.39°C	229.91V
30%	17.986A	3.468A	3.462A	1.397A	254.947	02 2500/	986	24.7	41.33°C	0.941
30%	12.170V	5.046V	3.336V	5.012V	273.377	93.258%	980	24.7	46.39°C	229.9V
400/	24.561A	3.97A	3.967A	1.602A	340.036	02 5 4 20/	1040	26.4	41.82°C	0.954
40%	12.167V	5.038V	3.327V	4.994V	363.51	93.543%	1040	26.4	47.41°C	229.88V
F00/	30.773A	4.971A	4.974A	1.809A	424.88	02 21 00/	1042	26.4	42.17°C	0.963
50%	12.165V	5.03V	3.318V	4.975V	455.308	93.318%	1042	26.4	48.13°C	229.87V
CO 0/	36.942A	5.976A	5.985A	2A	509.313	02.0200/	1044	26.5	42.8°C	0.973
60%	12.170V	5.021V	3.308V	4.956V	548.596	92.839%			49.36°C	229.85V
700/	43.176A	6.983A	7.002A	2.228A	594.634	02 4020/	1225	31.6	43.37°C	0.976
70%	12.172V	5.013V	3.3V	4.936V	642.901	92.493%		51.0	50.45°C	229.84V
000/	49.426A	7.994A	8.025A	2.337A	679.448	02.000/	10.40	22.1	43.59°C	0.979
80%	12.171V	5.004V	3.289V	4.92V	737.809	92.09%	1248	32.1	51.63°C	229.83V
000/	56.076A	8.507A	8.536A	2.447A	764.901	01 6 4 6 0 /	1445	26.1	44.04°C	0.981
90%	12.169V	4.995V	3.28V	4.904V	834.626	91.646%	1445	36.1	53.11°C	229.81V
1000/	62.469A	9.024A	9.082A	3.084A	849.742	01.0720/	1004	42.2	45.04°C	0.983
100%	12.167V	4.987V	3.27V	4.864V	933.043	91.072%	1824	42.2	55.14°C	229.8V
1100/	68.733A	10.045A	10.214A	3.091A	934.293	00 470/	2112	46.2	46.68°C	0.985
110%	12.164V	4.977V	3.26V	4.853V	1032.716	90.47%	2112	46.2	57.59°C	229.78V
CI 1	0.113A	11.936A	11.91A	0A	101.279	06 002%	1040	26.4	40.28°C	0.853
CL1	12.194V	5.043V	3.333V	5.076V	117.761	86.003%	1040	26.4	45.81°C	229.93V
	0.113A	19.816A	0A	0A	101.362	04 6070/	1020	26.4	39.98°C	0.856
CL2	12.189V	5.046V	3.349V	5.083V	119.717	84.667%	1039	26.4	47.01°C	229.93V
	0.113A	0A	19.817A	0A	67.375	70 0000/	1020	26.2	40.82°C	0.789
CL3	12.183V	5.058V	3.33V	5.08V	84.538	79.698%	1038	26.3	49.86°C	229.93V
	69.844A	0A	0A	0.001A	849.465	02.00221	7.445	26.1	45.33°C	0.983
CL4	12.162V	5.009V	3.293V	5.023V	923.316	92.002%	1445	36.1	56.31°C	229.8V

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 14/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W

20-80W LOAD TESTS 230V										
Test	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	Temps (In/Out)	PF/AC Volts
2014	1.220A	0.493A	0.491A	0.196A	19.994	71.2000/	0	-6.0	39.68°C	0.482
20W	12.159V	5.069V	3.362V	5.095V	28.01	71.368%	0	<6.0	36.62°C	229.95V
40147	2.688A	0.691A	0.687A	0.295A	39.994	02 2260/	82.326% 0	<6.0	40.99°C	0.644
40W	12.163V	5.068V	3.36V	5.088V	48.581	82.320%			37.7℃	229.95V
C014/	4.152A	0.888A	0.884A	0.394A	59.995	06 7200/		<6.0	42.1°C	0.741
60W	12.167V	5.067V	3.359V	5.081V	69.172	86.738%	0		38.58°C	229.94V
00144	5.612A	1.086A	1.081A	0.493A	79.936	00.0720/	0	-6.0	42.87°C	0.802
80W	12.171V	5.065V	3.357V	5.074V	89.841	88.973% 0	U	<6.0	39.06°C	229.93V

RIPPLE MEASUREMENTS 230V

12V	5V	3.3V	5VSB	Pass/Fail
7.68mV	10.35mV	7.81mV	3.97mV	Pass
11.70mV	12.88mV	9.57mV	5.63mV	Pass
14.44mV	12.00mV	11.53mV	6.25mV	Pass
18.61mV	12.47mV	11.07mV	6.81mV	Pass
21.91mV	13.03mV	11.94mV	7.59mV	Pass
22.12mV	14.89mV	13.50mV	8.05mV	Pass
24.49mV	14.79mV	14.27mV	9.91mV	Pass
27.74mV	15.35mV	15.72mV	9.81mV	Pass
30.31mV	17.83mV	16.60mV	10.63mV	Pass
39.79mV	17.94mV	19.06mV	13.85mV	Pass
43.85mV	19.54mV	19.94mV	13.99mV	Pass
17.78mV	15.27mV	12.67mV	9.18mV	Pass
16.19mV	18.45mV	11.94mV	8.83mV	Pass
12.22mV	12.57mV	11.33mV	8.52mV	Pass
36.12mV	14.85mV	17.07mV	13.74mV	Pass
	7.68mV 11.70mV 14.44mV 18.61mV 21.91mV 22.12mV 24.49mV 27.74mV 30.31mV 30.31mV 39.79mV 43.85mV 17.78mV 16.19mV 12.22mV	7.68mV 10.35mV 11.70mV 12.88mV 14.44mV 12.00mV 18.61mV 12.47mV 21.91mV 13.03mV 22.12mV 14.89mV 24.49mV 14.79mV 30.31mV 17.35mV 30.31mV 17.94mV 13.03mV 17.94mV 13.03mV 12.27mV 14.85mV 19.54mV 15.27mV 15.27mV	7.68mV 10.35mV 7.81mV 11.70mV 12.88mV 9.57mV 14.44mV 12.00mV 11.53mV 18.61mV 12.47mV 11.07mV 18.61mV 12.47mV 11.07mV 21.91mV 13.03mV 11.94mV 22.12mV 14.89mV 13.50mV 24.49mV 14.79mV 14.27mV 30.31mV 15.35mV 15.72mV 30.31mV 17.83mV 16.60mV 39.79mV 15.27mV 19.94mV 14.85mV 19.54mV 19.94mV 17.78mV 15.27mV 12.67mV 16.19mV 18.45mV 11.94mV	7.68mV 10.35mV 7.81mV 3.97mV 11.70mV 12.88mV 9.57mV 5.63mV 14.44mV 12.00mV 11.53mV 6.25mV 18.61mV 12.47mV 11.07mV 6.81mV 21.91mV 13.03mV 11.94mV 7.59mV 22.12mV 14.89mV 13.50mV 8.05mV 24.49mV 14.79mV 14.27mV 9.91mV 27.74mV 15.35mV 15.72mV 9.81mV 30.31mV 17.83mV 16.60mV 10.63mV 39.79mV 19.54mV 19.94mV 13.99mV 17.78mV 15.27mV 9.18mV 13.99mV 16.19mV 18.45mV 11.94mV 8.83mV

All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 15/16

Cybenetics offers the ETA and Lambda voluntary certification programs, through which the efficient and silent power supplies are promoted



Anex

Thermaltake Toughpower GF A3 850W



All data and graphs included in this test report can be used by any individual on the following conditions:

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case

PAGE 16/16