

Qoltec Uninterruptible power supply | Monolith | 1200VA | 720W

Product code: 53973

Qoltec off-line UPS is a modern and economical device that ensures stable operation of the computer even in the event of a power cut.

It's perfect for anyone who wants to have control over the stable operation of their devices regardless of fluctuations in the power supply.

Discover safe Energy

Each of us has had to deal with low tensions at home or at work more than once. Sometimes they only have the effect of needing to restart the computer. But how many times as a result of such an event have you lost important unsaved data or encountered a device failure?
If the above situations are familiar to you, we have a solution, thanks to which the problems of voltage decay or voltage drops will not apply to you. Qoltec UPS uninterruptible power supply is a solution that provides a constant supply of energy necessary for the stable operation of your computer.

Efficiency

UPS is equipped with a maintenance-free battery that provides stable operation during an emergency power supply. During this time, you will save important data on the disk. The process of charging the battery to 90% efficiency is 4-6 hours.

Better quality work

Our power supply is equipped with protections:
- overload,
- short circuit,
- high temperature.

Confidence confirmed by a warranty

You value the quality of purchased equipment so our projects and solutions are focused on meeting your expectations. Each UPS off-line is covered by 24 months warranty.

Technical data

Package size	195 x 470 x 255 mm
Producer	Qoltec
Producer	Qoltec
Rated capacity	1200 VA
Rated capacity	1200 VA
Usable power	720 W

Usable power	720 W
Power factor	0.6
Power factor	0.6
Wave form	Simulated sine wave
Wave form	Simulated sine wave
Transfer time	2 - 6 ms
Transfer time	2 - 6 ms
Range voltage	Input voltage: 140 Vac ~ 300 Vac (50 Hz - 60 Hz) Output voltage: 220 Vac ~ 230 Vac (50 Hz 1 Hz)
Range voltage	Input voltage: 140 Vac ~ 300 Vac (50 Hz - 60 Hz) Output voltage: 220 Vac ~ 230 Vac (50 Hz 1 Hz)
Usage	PC
Usage	PC
Built-in battery	2 x 12V / 7Ah
Built-in battery	2 x 12V / 7Ah
Battery quantity	2
Battery quantity	2
Battery voltage	24 V
Battery voltage	24 V
Output sockets	1 x FRENCH (Type E CEE 7/5) 1 x SCHUKO (Type F CEE 7/3) 2 x IEC (IEC 320 C13)
Output sockets	1 x FRENCH (Type E CEE 7/5) 1 x SCHUKO (Type F CEE 7/3) 2 x IEC (IEC 320 C13)
Charging time	4 - 6 hours recover to 90% capacity
Charging time	4 - 6 hours recover to 90% capacity
Operating temperature	0°C ~ 40°C
Operating temperature	0°C ~ 40°C
Noise	Less than 40 dB
Noise	Less than 40 dB
Safety	Overload protection Overvoltage protection Short circuit protection High and low voltage protection
Safety	Overload protection Overvoltage protection Short circuit protection High and low voltage protection
Package contents	UPS with built-in power cable (1xSchuko) 1.2m User's manual Warranty card
Package contents	UPS with built-in power cable (1xSchuko) 1.2m User's manual Warranty card
Housing color	Black
Housing color	Black
Dimensions	370 x 135 x 165 mm
Dimensions	370 x 135 x 165 mm
Net weight	9,5000 kg

Net weight	9,5000 kg
Gross weight	9,5000 kg
Gross weight	9,5000 kg
Warranty	24 months
Warranty	24 months
EAN code	5901878539737

LOAD	Power backup time
100 W	40 min.
200 W	19 min.
300 W	11 min.
500 W	5 min.
1000 W	0 min.