



ALPHA 400, wall-mounted cabinet, Flat Pack, IP43, Protection class 1, H: 1250 mm, W: 1050 mm, T: 210 mm, RAL 9016

Model			
product brand name		ALPHA 400	
product designation		Wall-mounted cabinet	
design of the product		Flat pack	
surface processing		powder-coated	
Protection class			
protection class IP		IP43	
operating resource protection class		Safety class 1	
suitability for interaction / lightning protection		Yes	
suitability for use / for outside use		No	
Appearance			
RAL color number		9016	
product component			
• cable entry	Yes		
• mounting plate	No		
product extension / optional / side-by-side mounting		Yes	
Mechanical Design			
height		1 250 mm	
width		1 050 mm	
depth		210 mm	
installation depth		210 mm	
net weight		36 kg	
material / of the enclosure		Steel	
General Product Approval		Declaration of Conformity	Test Certificates



[Miscellaneous](#)



EG-Konf.

[Special Test Certificate](#)

Test Certificates	other
-------------------	-------

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1102-6KK42>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1102-6KK42>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1102-6KK42

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



