

Sharkoon



S25
ATX PC CASE

Case Versions



S25-W

Acrylic Side Panel

2x USB 3.0

Front Panel: 2x 120 mm Fans (Pre-Installed) or Radiator (Optional)

Rear Panel: 1x 120 mm LED Fan (Pre-Installed)

Top Panel: 3x 120 mm or 2x 140 mm Fans (Optional)

S25-V

Metal Side Panel

2x USB 3.0

Front Panel: 2x 120 mm Fans (1x Pre-Installed, 1x Optional) or Radiator (Optional)

Rear Panel: 1x 120 mm Fan (Pre-Installed)

Top Panel: 3x 120 mm or 2x 140 mm Fans (Optional)

S25-S

Metal Side Panel


2x USB 2.0

Front Panel: 2x 120 mm or 2x 140 mm Fans (Optional) or Radiator (Optional)


Rear Panel: 1x 120 mm Fan (Pre-Installed)

Top Panel: Closed

Versatile Installation Options



Systematic Arrangement



The power supply and up to three 3.5" hard drives can be decoupled on the case bottom inside the tunnel, thus not detracting from the appearance.

Sophisticated Solutions



Decoupled Power Supply Mounting




Removable Dust Filter on the Bottom Panel




Dust Filter with Magnetic Fastener on the Top Panel (S25-V and S25-W)

Flexible Fan Installation Options

Front Panel




Top Panel (S25-V and S25-W)



S25

ATX PC CASE

Airflow Optimized Case Design



Specifications

S25-W

S25-V

S25-S

General:

■ Form Factor:	ATX	ATX	ATX
■ Expansion Slots:	7	7	7
■ Interior Painting:	✓	✓	✓
■ Tool-Free Devices Installation:	✓	✓	✓
■ Cable Management System:	✓	✓	✓
■ Side Panel:	Acrylic	Metal	Metal
■ Color Versions:	Black	Black	Black
■ Weight:	6.5 kg	6.5 kg	6.5 kg
■ Dimensions (L x W x H):	45.0 x 21.0 x 46.5 cm	45.0 x 21.0 x 46.5 cm	45.0 x 21.0 x 46.5 cm

I/O:

■ USB 3.0 (Front):	2*	2*	-
■ USB 2.0 (Front):	-	-	2
■ Audio (Front):	✓	✓	✓

Drive Bays:

■ 5.25":	1	1	1
■ 5.25" or 3.5":	1	1	1
■ 5.25" to 3.5" Bay Cover:	1	1	1
■ 3.5":	1	1	1
■ 3.5" or 2.5":	2	2	2
■ 2.5":	2	2	2

Fan Configuration:

■ Front Panel:	2x 120 mm Fans (Pre-Installed) or Radiator (Optional)	2x 120 mm Fans (1x Pre-Installed, 1x Optional) or Radiator (Optional)	2x 120 mm or 2x 140 mm Fans or Radiator (Optional)
■ Rear Panel:	1x 120 mm LED Fan (Pre-Installed)	1x 120 mm Fan (Pre-Installed)	1x 120 mm Fan (Pre-Installed)
■ Top Panel:	3x 120 mm or 2x140 mm Fans (Optional)**	3x 120 mm or 2x140 mm Fans (Optional)**	

Compatibility:

■ Mainboard:	Mini-ITX, Micro-ATX, ATX	Mini-ITX, Micro-ATX, ATX	Mini-ITX, Micro-ATX, ATX
■ Max. Length Graphics Cards:	40.0 cm	40.0 cm	40.0 cm
■ Max. Height CPU Cooler:	16.7 cm	16.7 cm	16.7 cm
■ Max. Length Power Supply:	20.5 cm	20.5 cm	20.5 cm
■ Max. Height Radiator incl. Fan (Front):	5.0 cm	5.0 cm	5.0 cm

Note:

* internal 19-pin mainboard connector incl. USB 2.0 plug

** with ODD cage removed

* internal 19-pin mainboard connector incl. USB 2.0 plug

** with ODD cage removed

S25-S



S25-V



S25-W



Shipment Box

PU: 1
 Dimensions: 512 x 255 x 516 mm (L x W x H)
 Weight: 7 kg
 Customs Tariff No.: 84733080
 Country of Origin: China