


ABBY14B USB 3.2 Gen 1 2.5GbE Network Adapter with 4-Port USB Hub, USB-A x 2, USB-C x 2

Product Images



Short Description

- 10/100/1000/2500Mbps wire speed transmission and reception
- USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- Supports Wake-on-LAN feature to startup computers remotely
- Multi-platform support: Windows, Mac OS, Chrome OS
- Simple Plug and Play installation
- Aluminum casing for heat dissipation
- Cable length: 23cm

Description

The 2.5G Ethernet USB 3.2 Gen 1 Adapter with USB Hub allows you to connect to the internet easily through the built-in USB port on your laptop. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. With its 2.5 Gigabit Ethernet connection, it enables lightning-fast data transfers, at speeds 2.5 times faster than Gigabit Ethernet. The adapter also combines a regular USB hub. So you can connect external USB peripherals, such as an MP3 player, digital camera, printer, or pen drive.

Additional Information

Harmonized System (HS) code	847180
Customs product code (TARIC)	8471800000
Angled Plug	No
Approval and Compliance	CE, RoHS
Operating temperature	0°C ~ 45°C
Compatible operating systems	Windows XP/Vista/7/8/10/11 MacOS 10.5 or above Android 5.0 or above
Package Contents	ABBY14B Multilingual Quick Installation Guide
Dimensions (W x D x H)	22 x 15 x 118 mm
Product weight (kg)	0.048
Color	Black
EAN	4015867234211
Model Number	ABBY14B
Connectors	RJ45 female, USB-A female, USB-C female, USB-C male
Port Configuration	2.5 Gigabit Ethernet x 1, USB-A x 2, USB-C x 2
Standard	IEEE 802.3: 10Base-T (Ethernet) IEEE 802.3u: 100Base-TX (Fast Ethernet) IEEE 802.3ab: 1000Base-T (Gigabit Ethernet) IEEE 802.3bz: 2.5G BASE-T (2.5 Gigabit Ethernet) IEEE 802.3az (Energy Efficient Ethernet) IEEE 802.1 P Layer 2 Priority Encoding IEEE 802.1 Q VLAN tagging
USB Version (Speed)	USB 3.2 Gen1 (5Gbps)

