Lenovo V530S SFF 10TX000Q++

Region
EMEA

Machine Type
10TX

TopSeller
TopSeller

Processor
Core i3-8100 (4C, 3.6GHz, 6MB)

Graphics
Integrated Intel UHD Graphics 630

Memory
4GBx1

Storage
1TB 7200rpm 3.5"

Optical
DVD±RW

Media Reader
7-in-1

WLAN + Bluetooth
None

Keyboard / Mouse
USB / USB

Power Supply
180W 85% Adapter

ENERGY STAR
ENERGY STAR 7.0

Optional Rear Ports
Parallel

Operating System
Windows 10 Pro 64

Warranty
1-year, Depot

Global
No

End of Support
Aug 10, 2024

Ann Date (mm/yy)
07/18

Note:
Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com
Visit psref website for the latest version of Product Specifcations Reference.

© Lenovo, 2018. All rights reserved.



Lenovo V530s-07ICB SFF Platform Specifications

Product Specifications Reference (PSREF)

Processor

Intel® Celeron®, Intel Pentium® Gold, or 8th Generation Intel Core™ i3 / i5 / i7 Processor

Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics
Celeron G4900	2 / 2	3.1G	2 MB	DDR4-2400	UHD 610
Pentium Gold G5400	2 / 4	3.7G	4 MB		
Core i3-8100	4 / 4	3.6G	6 MB		UHD 630
Core i5-8400	6 / 6	2.8G / 4.0G	9 MB	DDR4-2666	
Core i5-8500	6 / 6	3.0G / 4.1G	9 MB		
Core i7-8700	6 / 12	3.2G / 4.6G	12 MB		

Memory

32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable

** System automatically clocks down for the processors with lower memory controller*

Storage

Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm
Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4
Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5"
Some: 16GB Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2

Optical Drive

Optional DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)

Onboard SATA

Two onboard SATA 6.0Gb/s connectors (for HDD/SSD and ODD)

Card reader

Optional 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)

Graphics

Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays;
Max resolution: 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz
Some: **NVIDIA Geforce® GT 730**, DirectX 12, **1GB or 2GB**, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts;
Max resolution: 3840x2160 (HDMI)@60Hz; 2048x1536 (VGA)@75Hz

Parallel Cable

Optional

Chipset

Intel B360 Chipset

Front ports

Two USB 3.1 Gen 2, two USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm), optional card reader

Rear ports

Two USB 3.1 Gen1, two USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, DisplayPort, or HDMI on optional graphic card on some models

Rear audio ports

Line-out (3.5mm)

Audio support

High Definition (HD) Audio, Realtek® ALC233, internal speaker (1.5 watt)

WLAN

Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1

Bluetooth™

Some: Bluetooth 4.0 / 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter

Ethernet

One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN®

Modem

None

Manageability

None

Security chip

Firmware TPM 2.0

Security features

- One lock to secure both cover and entire system to fixed object:
  - -Padlock loop (in rear for opt padlock)
  - -Security slot (in rear for optional Kensington® MicroSaver® cable)
- Administrator password
- Hard disk password
- Power-on password
- USB port disablement
- Computrace Support

Keyboard

Some: Lenovo Calliope Keyboard (USB connector), black

Mouse

Some: Lenovo Calliope Mouse (USB connector), red wheel, black
Some: Lenovo Fingerprint Mouse (USB connector), black

Mechanical

- SFF (7.4L), black color, metal case
- 3.9" W X 12.0" D X 10.8" H
- 100mm W X 304.4mm D X 274.8mm H
- Approx. 9.3 lb (4.2 kg), weight may vary by configuration

Bay 1: Slim external ODD bay
Bay 2: 3.5", internal, HDD/SSD (optional bay, bay comes with disk)
Slot 1: PCIe 3.0 x16
Slot 2: PCIe 3.0 x1
M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD)

Floor Stand

None

Power supply

180 watts, autosensing, 85% PSU

Limited warranty

Some: **1-year depot repair** or **Carry-in service**
Some: **1-year limited onsite service**

Preload

Preloaded operating system
Some: Windows 10 Pro 64-bit
Some: Windows 10 Home 64-bit
Preloaded applications (only some listed)

- Microsoft Office preloaded; purchase a product key to activate
- Lenovo Vantage
- Lenovo App Explorer
- McAfee® LiveSafe™(30-day trial)

Environment

ENERGY STAR® 7.0 ; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant

Accessories

For compatible accessories, please go to **http://smartfind.lenovo.com/**

Note: The specifications above may not be available in all regions.

Lenovo V530S SFF











