


Epson L6499

DATASHEET



prodnodescyet:F r dieses Produkt liegt keine Beschreibung vor. Bitte wenden Sie sich an Ihre Epson Kontaktperson f r weitere Informationen.

KEY FEATURES

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	400 Nozzles Black, 128 Nozzles per Color
Minimum Droplet Size	3.3 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ ET, Pigment ink
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax
PRINT	
Number of colours	4 colour
First Page Out	Monochrome10 Seconds, Colour13.5 Seconds
Printing Speed ISO/IEC 24734	13.8 pages/min Monochrome, 8.9 pages/min Colour
Duplex Printing Speed	6.9 A4 Pages/min Monochrome, 4.9 A4 Pages/min Colour
ISO/IEC 24734	
Maximum Printing Speed	23 pages/min Colour (plain paper 75 g/m²), 37 pages/min Monochrome (plain paper 75 g/m²)
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	1,600 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	250 - 1,500 pages per month
Colours	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Colours Capacity	Black [127ml], Cyan [70ml], Yellow [70ml], Magenta [70ml]
Print from	PC, MAC, Mobile Device
For detailed information on printing speeds please visit http://www.epson.eu/testing .	
SCAN	
Single-sided scan speed (A4 black)	6 ipm with ADF scan 12 sec. with flatbed scan
Single-sided scan speed (A4 colour)	5 ipm with ADF scan 27 sec. with flatbed scan
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)

Epson L6499

WHAT'S IN THE BOX

- Warranty document
- Main unit
- Power cable
- Setup guide
- 1 set of ink (1x 127ml BK, 3x 70ml CMY) + Extra Black

PRODUCT SPECIFICATIONS

Epson L6499

FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITT/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	100 names and numbers
Page memory	Up to 180 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Broadcast Fax, Fax Preview, Polling Reception

CONNECTIVITY

Interfaces	Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES)

PAPER / MEDIA HANDLING

Paper Formats	9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 13 x 20 cm, 20 x 25 cm, 100 x 148 mm, 16:9, No. 10 (Envelope), C6 (Envelope), B5, A6 (10.5x14.8 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), User defined, B6, C4 (Envelope), Letter, Legal, DL (Envelope)
Automatic Document Feed	35 pages
Compatible Paper Weight	64 - 300g/m ² Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper
Duplex	Yes
Output Tray Capacity	30 Sheets
Paper Tray Capacity	250 Sheets Standard
Number of paper trays	1

GENERAL

Recommended number of users	From:1 To:4
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 1 Watt (sleep mode), 5.5 Watt (Ready), 0.2 Watt (Power off), TEC 0.17 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	375 x 347 x 346 mm (Width x Depth x Height)
Product weight	7.3 kg
Noise Level	5.1 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 38 dB (A) according to ISO 9296
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, XP Professional x64 Edition
Sound Power	Operation:6.8 B (A)
Noise	Operation:55 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint

ADDITIONAL FEATURES

Features	Touchscreen
Panel	Type: Color, Touchscreen, Diagonal:6.1 cm
Media Handling	Automatic duplex (A4, plain paper)

PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

PRODUCT SPECIFICATIONS

Epson L6499

OTHER FEATURES

Emulations PCL3, PCL5c, PCL5e, PCL6, PostScript 3, PDF 1.7

SUPPLIES

● 112 EcoTank Pigment Black ink bottle	C13T06C14A	7,500 Seiten
● 112 EcoTank Pigment Cyan ink bottle	C13T06C24A	6,000 Seiten
● 112 EcoTank Pigment Magenta ink bottle	C13T06C34A	6,000 Seiten
● 112 EcoTank Pigment Yellow ink bottle	C13T06C44A	6,000 Seiten
● XP-5100 / WF-2860DWF / ET-3700 / ET-4750 / L6000 / ET-15000 Series Maintenance Box	C13T04D100	
● Bright White Ink Jet Paper, DIN A4, 90g/m[s2], 500 Sheets	C13S041749	
● Epson A4 Inkjet Business Paper 80gsm, 500 sheets	C13S450075	
● Double Sided Matte Paper - A4 - 50 Sheets	C13S041569	
● Glossy Photo Paper - (2 for 1), DIN A4, 225g/m[s2], 40 Sheets	C13S042179	
● Glossy Photo Paper, 100 x 150 mm, 225g/m[s2], 50 Sheets	C13S042176	
● Glossy Photo Paper, 130 x 180 mm, 225g/m[s2], 40 Sheets	C13S042156	
● Glossy Photo Paper, DIN A4, 225g/m[s2], 20 Sheets	C13S042178	
● Epson A4 Matte Paper 167gsm, 50 sheets	C13S041256	
● Photo Paper - (2 for 1), 100 x 150 mm, 190g/m[s2], 140 Sheets	C13S042171	
● Photo Paper, 10x15cm (4x6"), 190g/m[s2], 70 Sheets	C13S042157	
● Photo Paper, 130 x 180 mm, 190g/m[s2], 50 Sheets	C13S042158	
● Photo Paper, DIN A4, 190g/m[s2], 25 Sheets	C13S042159	
● Epson A4 Photo Quality Inkjet Paper 102gsm, 100 sheets	C13S041061	

LOGISTICS INFORMATION

SKU	C11CJ88408
EAN code	8715946725864
Country of Origin	Philippines
Layer	2 Units



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EPSON®