X2 COAXIAL



Multifunktionales und kompaktes 2-Wege System der Oberklasse. Der koaxiale Aufbau sorgt in Kombination mit einem aufwendig entwickelten und großflächigen Horn für ein absolut gleichmäßiges Übertragungsverhalten auch außerhalb der Hauptabstrahlachse. Hochleistungs-Neodymantriebe und Langhubschwingspulen sorgen für einen hohen Wirkungsgrad bei gleichzeitig stark reduzierten Verzerrungen. Für die Installation und den universellen Einsatz stehen drei M10 Gewindeeinsätze zur Aufnahme des Zubehörs zur Verfügung.

PRODUCT SPECIFICATIONS

Speaker Components	8" Nd (2,5" VC) / 1" Nd (1,7" VC)
Description	Multifunctional Coaxial Sound System
Power AES / Peak	250 W / 750 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	95 dB / 124 dB
Usable Range	70 Hz - 19 kHz (-6 dB)
Tuning Frequency Excursion minimum	80 Hz
X - Overpoint acoustical	1,6 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	3 x M10 35 mm pole mount
Weight	8 kg
Size height x width x depth	37,5 x 25,0 x 25,0 cm
Order No.	**01091**








Copyright 06.2018

SEEBURG acoustic line

DIMENSIONS




Controller Setups:


https://www.seeburg.net/de/downloads

MEASUREMENTS


2D Directivity Plot - horizontal




Sensitivity 1 W @ 1 m + Impedance



2D Directivity Plot - vertical



Frequency Response with Presets



SEEBURG acoustic line

ACCESSORIES X 2

Flange



with ball and socket joint,
with additional locking screw,
M10 x 15, max. load 15 kg

Order No. **08125**

Flange



35 mm Ø –> M10,

Order No. **08126**

Truss Clamp



incl. M10 Adapter,
max. load 15 kg

Order No. **01221**

Ring Screw

M10– DIN 580



Order No. **73700**

Steel Safety



4 mm x 600 mm, black,
max. load 10 kg (BGI 810-3),
quick connector undetachably

Order No. **01376/4**

Wall Mount



M10, max. load 15 kg, with stargrip

Order No. **08131**
Order No. **08131/W** (white)



For permanent installation,
incl. tilt angle stop

Order No. **08131/F**
Order No. **08131/F/W** (white)

Wall Mount



with tilt unit, max. load 40 kg

Order No. **08130**

Bag



for 2 x TSM 8 / 2 x X 2, padded
with pocket for accessories

Order No. **01245**

SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG
acoustic line