

## 4 Port Black SuperSpeed USB 3.0 Hub

Product ID: ST4300USB3GB



The ST4300USB3GB 4-Port SuperSpeed USB 3.0 Hub allows you to add 4 additional USB 3.0 ports from a single USB 3.0 connection to the host computer system.

Backward compatible with USB 2.0 and USB 1.x standards, this USB 3.0 hub still supports older USB devices and can also be used as a hub on older systems that do not have USB 3.0 ports.

With the capability to mix and match USB 3.0/2.0/1.x devices and be used with or without the included external power adapter, this hub offers the best of versatility and portability.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Expand your USB 3.0 capabilities with additional ports
- Make hard to access USB ports more accessible by being able to position the hub anywhere the cable will reach
- Extend the range of a USB device by having the hub act as a mid-point repeater

### Features

- Four USB type 'A' ports that can each be accessed simultaneously
- SuperSpeed USB 3.0 compliant, with data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and USB 1.0/1.1 devices
- Supports USB 3.0/2.0/1.x devices simultaneously at full bandwidth
- Provides up to 900mA of power per port
- Compact, desktop-style form factor
- Plug-and-Play and hot-swap compatible

<b>Hardware</b>	Warranty	2 Years
	Chipset-ID	VLI - VL810
	Ports	4
	Schnellladeanschlüsse	Nein
	Schnittstelle	USB 3.0
	USB-C-Geräteanschlüsse	Nein
	USB-C-Hostanschluss	Nein
<b>Leistung</b>	Max. Datenübertragungsrate	5 Gbps
<b>Steckverbinder</b>	Externe Ports	1 - USB Type-B (9-polig) USB 3.0 Buchse
		4 - USB Type-A (9-polig) USB 3.0 Buchse
<b>Software</b>	Betriebssystemkompatibilität	OS Independent; No additional drivers or software required
<b>Spezielle Hinweise/Anforderungen</b>	Hinweis	If used with the Apple Mac OS operating system, this device will function in USB 2.0 mode only
	System- und Kabelanforderungen	USB 3.0 or 2.0 or 1.x compliant host controller with available port.
<b>Anzeiger</b>	LED-Anzeiger	1 - Power (Blue)
<b>Strom</b>	Ausgangsspannung	5 DC
	Ausgangsstrom	2A
	Eingangsspannung	110V-240V AC
	Mit Stromadapter	Mit Netzadapter
	Polarität der Mittelspitze	Positiv
	Steckertyp	M
	Stromverbrauch	10
<b>Umwelt</b>	Betriebstemperatur	0°C to 50°C (32°F to 122°F)
	Feuchtigkeit	5~85% RH
	Lagertemperatur	-20°C to 60°C (-4°F to 140°F)
<b>Physische Eigenschaften</b>	Farbe	Schwarz
	Formfaktor	Desktop
	Gehäusetyp	Kunststoff
	Produktbreite	68 mm [2.7 in]
	Produktgewicht	55 g [1.9 oz]
	Produkthöhe	23 mm [0.9 in]

	Produktlänge	95 mm [3.7 in]
<b>Verpackungsinformationen</b>	Versandgewicht (Verpackung)	0.4 kg [1 lb]
<b>Verpackungsinhalt</b>	Im Paket enthalten	1 - USB 3.0 Hub 1 - USB 3.0 cable 1 - Power Adapter 1 - Instruction Manual

Product appearance and specifications are subject to change without notice.